

報告書名：平成16年度東京国際空港周辺海域現況調査

調査名：水質鉛直測定（現場観測）

調査年月日：平成16年4月30日

調査機関：国土環境株式会社

使用機器：多項目水質計

備考：

調査地点	St. 2				St. 5				St. 8				St. 10			
全水深(m)	8.0				12.6				13.5				10.4			
水深(m)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)
0.0	17.0	28.7	9.7	5.1	17.3	28.4	9.6	4.4	16.2	29.4	11.8	8.8	16.7	28.5	11.7	5.4
0.5	17.0	28.7	9.8	5.0	17.3	28.5	10.0	4.0	16.2	29.3	11.6	8.1	16.7	28.5	11.7	6.2
1.0	16.7	28.9	9.7	5.2	17.1	28.9	12.8	13.3	16.3	29.3	12.3	9.4	16.5	28.8	10.2	7.3
2.0	16.4	29.3	9.2	6.8	16.7	29.6	11.1	19.3	16.2	29.4	8.6	9.3	16.1	29.8	8.5	6.9
3.0	16.3	29.8	8.3	5.9	16.2	30.3	9.0	5.4	16.2	30.1	8.7	5.9	15.9	30.9	7.4	5.9
4.0	16.2	30.4	8.1	4.7	16.2	30.4	8.1	5.7	16.2	30.5	8.2	3.6	16.0	31.2	6.6	5.6
5.0	16.2	30.5	8.2	4.3	16.2	30.5	8.2	4.0	16.2	30.6	7.8	3.4	16.0	31.2	7.0	5.8
6.0	16.1	30.8	7.0	6.6	16.1	30.8	8.1	3.7	16.2	30.7	7.4	3.6	16.0	31.2	7.0	5.7
7.0	16.1	31.0	7.5	4.0	16.1	30.9	7.8	3.6	16.1	30.9	7.1	3.8	16.1	31.2	7.7	4.6
8.0					16.1	31.0	7.6	3.3	16.1	31.1	6.8	4.5	16.1	31.3	7.8	3.8
9.0					16.0	31.0	7.1	4.0	16.1	31.2	6.7	5.0	16.1	31.3	7.8	3.5
10.0					16.0	31.1	6.8	4.9	16.0	31.3	6.6	5.6	16.1	31.3	6.8	4.6
15.0																
20.0																
25.0																
30.0																
35.0																
B-1	16.1	31.1	7.6	6.7	15.9	31.3	6.2	7.7	16.0	31.5	5.8	7.2	16.0	31.6	7.0	4.6

報告書名：平  
 調査名：水質  
 調査年月日：  
 調査機関：国  
 使用機器：多  
 備考：

調査地点	St. 12				St. 15				St. 18				St. 21			
全水深(m)	-				-				-				16.3			
水深(m)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)
0.0	16.8	26.4	7.5	5.6	16.9	29.3	12.0	13.9	17.1	28.8	10.9	3.9	17.6	21.2	8.4	9.2
0.5	16.5	28.8	7.9	5.5	17.0	29.2	11.8	12.9	17.1	28.9	11.2	4.0	17.0	26.4	9.9	7.8
1.0	16.2	29.5	7.9	5.5	16.9	29.4	12.6	20.0	17.0	29.2	12.1	12.7	16.7	29.0	10.5	7.0
2.0	16.1	30.5	8.0	4.6	16.2	30.0	9.6	23.4	16.5	30.1	12.0	21.9	16.4	29.7	10.1	10.4
3.0	16.1	30.8	7.8	4.0	16.0	30.7	8.4	9.0	16.1	30.6	9.3	9.8	16.2	30.4	10.4	10.1
4.0	16.1	30.9	8.3	3.5	16.2	31.0	7.8	6.1	16.1	31.1	7.6	6.0	16.1	30.7	8.9	6.5
5.0	16.2	31.1	8.3	1.8	16.2	31.1	7.6	2.9	16.2	31.2	7.6	5.7	16.1	30.8	8.5	5.7
6.0	16.2	31.2	8.0	1.7	16.2	31.2	7.4	2.5	16.2	31.2	7.7	4.8	16.1	30.9	8.1	3.1
7.0	16.2	31.3	7.8	1.5	16.2	31.3	7.3	2.1	16.2	31.3	7.6	4.2	16.1	31.0	7.7	4.0
8.0	16.2	31.4	7.4	1.4	16.2	31.3	7.1	2.3	16.3	31.4	7.7	4.5	16.1	31.0	7.6	3.8
9.0	16.3	31.4	7.4	1.6	16.2	31.4	7.0	2.3	16.2	31.4	7.6	3.1	16.0	31.1	7.6	3.0
10.0	16.3	31.4	7.3	1.5	16.2	31.4	6.9	2.3	16.2	31.5	7.4	2.8	16.1	31.2	7.3	3.0
15.0	15.9	32.0	6.0	1.7	16.0	31.8	6.0	2.5	16.1	31.7	7.0	2.0				
20.0									15.4	33.3	4.8	3.9				
25.0																
30.0																
35.0																
B-1	15.6	32.4	3.8	2.7	15.3	33.3	3.5	4.3	15.4	33.3	4.9	5.7	15.9	32.0	5.2	3.6

報告書名：平  
 調査名：水質  
 調査年月日：  
 調査機関：国  
 使用機器：多  
 備考：

調査地点	St.24				St.				St.				St.			
全水深(m)	-				-				-				-			
水深(m)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)
0.0	16.8	30.5	9.3	2.9	17.6	26.4	8.3	11.0	16.9	28.3	7.7	3.9	17.3	26.3	7.3	11.4
0.5	16.7	30.5	9.1	4.0	16.7	28.9	8.4	7.4	16.7	28.6	7.9	3.5	17.1	27.3	8.3	9.9
1.0	16.6	30.7	9.0	4.8	16.2	29.7	9.7	13.5	16.5	29.6	8.2	4.3	16.6	30.2	7.5	2.9
2.0	16.4	30.9	8.9	4.5	16.3	29.9	10.0	13.9	16.2	30.7	8.5	6.0				
3.0	16.2	31.0	8.2	5.6	16.5	30.5	8.2	8.7	16.3	31.1	8.4	6.1				
4.0	16.2	31.2	7.3	3.0	16.5	30.6	7.7	7.0	16.3	31.1	8.0	5.1				
5.0	16.1	31.2	7.0	2.5	16.4	30.7	7.7	5.9	16.3	31.2	7.3	4.8				
6.0	16.1	31.3	7.0	2.6	16.1	31.1	7.2	3.5	16.3	31.3	7.3	5.3				
7.0	16.1	31.3	7.0	2.3	16.2	31.3	6.9	2.5	16.3	31.4	7.2	4.4				
8.0	16.1	31.3	6.9	2.1	16.2	31.4	6.8	2.4	16.2	31.4	7.0	4.0				
9.0	16.1	31.3	6.9	2.0	16.2	31.5	6.7	2.2	16.2	31.5	6.9	3.4				
10.0	16.1	31.4	6.9	1.8	16.2	31.5	6.6	2.2	16.2	31.6	6.6	3.2				
15.0	15.7	32.9	5.3	3.3	16.2	31.9	6.5	2.0	16.0	32.1	6.9	2.0				
20.0	15.3	33.5	4.9	5.3	15.4	33.3	4.6	4.2	15.4	33.5	5.0	3.3				
25.0									15.4	33.6	4.9	5.5				
30.0																
35.0																
B-1	15.3	33.6	5.0	5.9	15.3	33.4	4.6	4.6	15.4	33.6	5.0	5.5	16.4	30.8	7.6	4.1

報告書名：平  
 調査名：水質  
 調査年月日：  
 調査機関：国  
 使用機器：多  
 備考：

調査地点	2.6				3.2				4.3			
全水深(m)	水温	塩分	DO	濁度	水温	塩分	DO	濁度	水温	塩分	DO	濁度
水深(m)	( )	( - )	(mg/l)	(度)	( )	( - )	(mg/l)	(度)	( )	( - )	(mg/l)	(度)
0.0	18.5	18.5	5.7	8.4	19.0	10.2	6.2	7.1	19.2	7.0	6.6	6.9
0.5	18.3	27.4	5.7	11.0	18.4	15.9	5.5	8.8	19.1	7.8	5.0	9.4
1.0	17.7	28.9	6.2	11.8	18.3	24.1	4.0	15.9	18.1	24.3	4.8	10.3
2.0									17.4	28.6	4.5	13.6
3.0												
4.0												
5.0												
6.0												
7.0												
8.0												
9.0												
10.0												
15.0												
20.0												
25.0												
30.0												
35.0												
B-1	17.0	29.5	6.1	13.6	17.1	28.9	3.8	15.0	17.4	28.7	4.4	14.2

報告書名：平成16年度東京国際空港周辺海域現況調査

調査名：水質鉛直測定（現場観測）

調査年月日：平成16年5月27日

調査機関：国土環境株式会社

使用機器：多項目水質計

備考：

調査地点	St. 2				St. 5				St. 8				St. 10			
全水深(m)	8.0				12.6				13.5				10.4			
水深(m)	水温 ( )	塩分 ( - )	D0 (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	D0 (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	D0 (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	D0 (mg/l)	濁度 (度)
0.0	20.1	26.2	10.5	23.9	20.2	25.8	10.0	30.6	20.0	26.0	11.8	27.1	20.1	22.4	10.1	11.9
0.5	20.1	26.2	10.5	20.9	19.7	26.6	9.6	21.8	19.6	26.6	11.1	24.9	19.8	23.4	7.8	11.5
1.0	20.0	26.3	10.2	18.3	19.7	26.6	9.4	20.1	19.4	26.9	10.5	21.4	19.5	26.6	7.3	8.7
2.0	19.2	27.7	8.0	15.4	19.3	27.3	8.2	17.4	19.0	28.3	8.4	18.5	18.6	29.8	6.6	8.6
3.0	18.8	29.0	6.1	11.0	19.0	28.1	7.5	14.7	18.5	29.4	6.9	16.3	18.2	30.8	6.2	5.4
4.0	18.3	29.8	4.8	9.5	18.5	29.7	6.1	13.4	18.2	30.7	6.3	15.1	18.1	31.0	6.1	5.0
5.0	18.2	30.3	4.5	9.5	18.2	30.6	6.5	12.0	17.8	31.6	5.5	9.1	17.8	31.4	5.6	4.8
6.0	17.9	30.9	4.0	7.3	18.1	31.1	6.0	9.5	17.4	32.1	5.2	6.2	17.8	31.4	5.3	5.2
7.0	17.7	31.4	3.8	4.9	17.8	31.6	5.2	5.8	17.3	32.3	4.8	5.5	17.7	31.8	4.9	5.3
8.0					17.6	31.8	5.0	5.8	17.1	32.4	4.7	4.4	17.2	32.3	4.3	4.8
9.0					17.3	32.1	4.6	5.0	17.1	32.5	4.4	4.5	17.1	32.4	3.8	5.3
10.0					17.2	32.4	4.2	4.6	16.9	32.7	4.1	4.0	17.0	32.6	3.6	4.8
15.0																
20.0																
25.0																
30.0																
35.0																
B-1	17.7	31.4	3.8	4.9	17.0	32.7	3.6	5.7	16.7	33.2	2.9	8.8	16.9	32.9	2.8	5.9

報告書名：平  
 調査名：水質  
 調査年月日：  
 調査機関：国  
 使用機器：多  
 備考：

調査地点	St. 12				St. 15				St. 18				St. 21			
全水深(m)	-				-				-				16.3			
水深(m)	水温 ( )	塩分 ( - )	D0 (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	D0 (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	D0 (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	D0 (mg/l)	濁度 (度)
0.0	19.4	27.1	9.1	18.7	19.4	26.7	10.1	18.4	18.9	29.0	10.4	16.7	20.3	23.2	14.7	30.5
0.5	19.2	28.0	9.1	16.9	19.4	26.7	10.0	16.4	18.9	29.3	10.2	15.4	20.3	23.6	15.0	29.8
1.0	18.9	28.3	10.5	14.6	19.3	27.5	9.5	15.2	18.9	29.7	10.0	14.4	20.1	24.5	14.5	27.9
2.0	18.7	29.4	9.0	9.4	18.7	28.9	8.4	11.0	19.0	30.2	9.5	11.4	18.9	28.3	10.7	23.3
3.0	18.4	30.1	8.4	8.5	18.6	29.8	7.7	9.5	18.8	30.3	8.8	9.4	18.7	29.3	8.0	14.4
4.0	18.3	30.2	8.1	9.0	18.5	30.4	6.6	8.3	18.4	30.6	6.8	7.7	18.6	29.9	7.3	12.5
5.0	18.3	30.3	7.5	7.0	18.1	30.8	5.9	7.7	17.9	31.3	6.1	7.1	18.3	30.6	6.5	9.2
6.0	18.1	30.9	6.5	5.7	17.9	31.2	5.6	6.2	17.8	31.3	5.6	6.2	18.2	31.0	6.3	7.2
7.0	17.9	31.3	6.3	4.9	17.9	31.4	5.5	5.3	17.7	31.6	5.4	6.4	18.0	31.3	5.7	6.6
8.0	17.9	31.4	6.1	4.9	17.9	31.5	5.4	5.2	17.7	31.8	5.1	5.5	17.8	31.6	5.3	5.9
9.0	17.7	31.7	5.2	3.1	17.5	31.9	4.7	4.5	17.4	32.2	4.9	4.3	17.6	31.8	5.0	5.3
10.0	17.5	32.0	5.1	2.5	17.1	32.5	4.4	2.7	17.1	32.5	3.8	4.5	17.5	32.1	4.5	4.4
15.0	16.6	33.5	2.9	3.9	16.5	33.4	1.9	3.7	16.5	33.6	2.3	3.3				
20.0									16.2	33.8	2.9	3.4				
25.0																
30.0																
35.0																
B-1	16.5	33.5	2.7	2.7	16.4	33.7	2.5	5.4	16.1	33.8	2.8	4.3	16.6	33.2	0.9	4.7

報告書名：平  
 調査名：水質  
 調査年月日：  
 調査機関：国  
 使用機器：多  
 備考：

調査地点	St.24				St.				St.				St.			
全水深(m)	-				-				-				-			
水深(m)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)
0.0	19.4	29.4	13.6	25.2	19.2	28.7	10.2	18.6	20.1	28.8	11.9	20.1	20.2	26.3	9.4	14.8
0.5	19.4	29.3	13.6	17.9	19.2	28.8	10.0	16.3	20.0	28.9	11.9	19.1	20.4	26.1	10.0	13.4
1.0	19.4	29.4	12.3	15.6	19.1	29.1	10.3	15.1	19.8	29.0	11.7	18.5	19.3	28.5	10.3	11.5
2.0	19.4	29.5	9.9	12.7	18.8	29.7	9.2	11.4	19.6	29.3	11.1	17.3				
3.0	19.3	29.7	9.6	11.8	18.5	30.3	7.3	10.0	19.0	29.9	8.5	15.2				
4.0	19.3	29.8	8.2	10.9	18.6	30.6	7.4	9.2	18.7	30.5	7.6	12.7				
5.0	18.9	30.2	7.4	8.7	18.4	30.7	7.1	8.1	18.3	31.2	6.4	9.3				
6.0	18.2	30.8	5.7	5.1	18.4	31.0	7.1	6.5	18.0	31.6	6.0	7.6				
7.0	17.3	31.7	5.3	4.3	18.1	31.2	6.2	6.2	17.8	31.8	5.4	6.6				
8.0	17.1	32.1	5.2	3.8	18.0	31.3	5.8	6.1	17.6	32.0	5.2	5.5				
9.0	17.1	32.3	5.0	3.1	17.7	31.8	5.1	4.4	17.5	32.1	5.0	4.4				
10.0	17.2	32.5	4.8	2.9	17.5	32.0	4.9	3.8	17.4	32.2	5.0	3.7				
15.0	16.4	33.6	3.3	3.2	16.5	33.6	2.3	3.0	16.7	33.5	4.2	2.9				
20.0	16.4	33.8	3.1	3.0	16.4	33.7	2.5	3.3	15.8	34.0	3.8	4.3				
25.0									15.6	34.0	3.5	4.1				
30.0																
35.0																
B-1	16.4	33.8	3.3	3.6	15.7	33.9	3.5	3.9	15.5	34.1	3.4	3.4	18.6	29.5	9.1	10.4

報告書名：平  
 調査名：水質  
 調査年月日：  
 調査機関：国  
 使用機器：多  
 備考：

調査地点	2.6				3.2				4.3			
全水深(m)	水温	塩分	DO	濁度	水温	塩分	DO	濁度	水温	塩分	DO	濁度
水深(m)	( )	( - )	(mg/l)	(度)	( )	( - )	(mg/l)	(度)	( )	( - )	(mg/l)	(度)
0.0	21.2	21.7	8.8	20.2	22.8	8.0	8.0	18.8	23.1	6.3	8.3	16.5
0.5	21.0	21.7	8.7	17.5	22.7	10.7	8.3	22.6	23.1	6.4	8.4	17.3
1.0	19.7	28.4	8.9	19.2	21.6	23.8	5.8	19.4	22.0	22.5	7.3	19.4
2.0									20.6	28.0	5.9	27.2
3.0												
4.0												
5.0												
6.0												
7.0												
8.0												
9.0												
10.0												
15.0												
20.0												
25.0												
30.0												
35.0												
B-1	18.9	29.0	7.8	18.5	20.6	28.0	5.1	22.9	20.6	27.8	7.3	19.4

報告書名：平成16年度東京国際空港周辺海域現況調査

調査名：水質鉛直測定（現場観測）

調査年月日：平成16年6月23日

調査機関：国土環境株式会社

使用機器：多項目水質計

備考：

調査地点	St. 2				St. 5				St. 8				St. 10			
全水深(m)	8.0				12.6				13.5				10.4			
水深(m)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)
0.0	27.0	18.8	10.7	10.3	25.7	20.3	11.3	11.6	25.9	17.2	10.2	8.8	25.2	16.9	10.4	14.0
0.5	26.9	20.0	12.5	11.6	25.6	20.9	11.4	12.4	25.7	17.8	10.9	8.6	25.0	17.6	10.5	11.6
1.0	26.3	21.5	9.4	9.8	24.7	21.8	9.1	12.6	25.2	19.3	11.4	6.8	24.7	19.1	9.4	10.1
2.0	24.0	24.8	6.9	8.6	24.3	24.9	7.4	9.8	24.7	21.6	8.8	6.1	23.8	27.1	6.2	6.5
3.0	23.7	26.4	5.1	5.7	23.6	27.4	6.6	7.8	23.9	26.8	6.5	5.9	23.4	29.0	6.3	6.0
4.0	23.1	27.7	4.8	5.5	23.4	28.1	5.9	6.2	23.4	28.7	6.1	4.6	23.3	29.1	6.2	5.7
5.0	22.9	28.3	4.7	4.8	23.3	28.9	6.0	5.8	23.4	29.0	6.2	4.5	23.3	29.2	6.3	5.7
6.0	23.0	29.2	5.2	6.6	23.3	29.0	5.9	6.3	23.4	29.0	6.1	4.5	23.3	29.3	6.3	4.7
7.0					23.3	29.1	5.7	8.0	23.3	29.2	6.2	4.2	23.2	29.3	6.3	4.8
8.0					23.2	29.3	5.5	7.1	23.3	29.2	6.2	4.4	23.2	29.3	6.3	4.6
9.0					23.2	29.4	5.3	5.1	23.2	29.3	6.1	4.0	23.2	29.4	6.2	4.5
10.0					23.1	29.4	5.1	4.5	23.2	29.3	6.0	4.4	23.2	29.4	6.2	4.4
15.0																
20.0																
25.0																
30.0																
35.0																
B-1	23.0	29.3	4.9	6.3	23.0	29.4	5.0	4.3	23.1	29.5	5.1	4.4	23.1	29.5	6.0	4.2

報告書名：平  
 調査名：水質  
 調査年月日：  
 調査機関：国  
 使用機器：多  
 備考：

調査地点	St. 12				St. 15				St. 18				St. 21			
全水深(m)	-				-				-				16.3			
水深(m)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)
0.0	25.4	15.7	7.4	18.9	25.9	13.7	8.1	17.7	25.0	19.1	11.1	17.3	25.7	19.5	9.7	11.7
0.5	25.4	16.3	8.9	12.3	26.0	16.1	8.6	16.1	25.5	17.7	11.2	17.1	25.3	20.4	9.9	10.2
1.0	24.3	20.3	8.9	12.9	25.4	16.7	9.4	12.5	25.3	19.5	11.2	13.9	24.9	22.6	9.1	8.6
2.0	23.5	27.5	7.0	5.8	23.5	27.7	7.3	5.8	24.2	26.5	7.4	7.9	23.9	25.8	7.2	6.9
3.0	23.4	28.5	6.6	4.6	23.4	28.5	6.7	3.9	23.4	28.5	6.9	6.9	23.6	27.1	6.5	6.6
4.0	23.4	28.8	6.5	3.9	23.3	28.7	6.8	4.0	23.3	29.0	6.7	5.6	23.4	28.5	6.0	6.1
5.0	23.2	29.1	6.1	3.6	23.3	28.9	6.6	4.0	23.2	29.3	6.5	5.4	23.3	28.8	5.9	5.8
6.0	23.1	29.1	5.6	3.4	23.3	29.0	6.6	4.1	23.2	29.4	6.5	4.9	23.4	29.0	5.9	5.2
7.0	23.1	29.1	5.8	3.7	23.3	29.2	6.5	3.7	23.2	29.5	6.6	5.0	23.4	29.1	5.9	5.1
8.0	23.0	29.1	6.0	3.7	23.3	29.2	6.6	3.9	23.2	29.5	6.4	4.3	23.3	29.2	5.8	5.1
9.0	23.1	29.2	6.0	3.3	23.2	29.2	6.6	3.7	23.2	29.5	6.3	4.2	23.3	29.3	5.7	4.8
10.0	23.2	29.2	5.8	3.0	23.2	29.2	6.5	4.0	23.2	29.5	6.4	3.8	23.3	29.3	5.5	4.9
15.0	21.9	31.0	4.4	2.4	22.3	30.8	5.6	2.8	22.3	31.0	5.2	3.0				
20.0									20.2	32.2	2.6	5.4				
25.0																
30.0																
35.0																
B-1	20.7	31.9	2.9	6.7	20.4	32.1	2.9	7.6	19.5	32.6	2.0	6.5	22.0	31.0	4.2	4.7

報告書名：平  
 調査名：水質  
 調査年月日：  
 調査機関：国  
 使用機器：多  
 備考：

調査地点	St.24				St.				St.				St.			
全水深(m)	-				-				-				-			
水深(m)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)	水温 ( )	塩分 ( - )	DO (mg/l)	濁度 (度)
0.0	25.1	22.9	9.1	10.1	27.3	14.2	10.2	18.1	26.7	15.3	10.8	17.9	26.6	7.1	6.3	23.7
0.5	25.4	21.1	8.9	8.0	27.0	15.6	10.3	16.2	25.5	18.6	10.1	14.7	24.7	17.7	8.5	12.9
1.0	24.7	23.5	7.9	5.5	24.8	20.0	9.6	13.3	23.8	25.6	8.8	10.3	24.1	23.3	8.8	8.0
2.0	23.9	27.7	7.1	4.1	23.9	25.6	8.2	9.4	23.4	28.5	7.5	6.5				
3.0	23.2	29.6	6.6	4.0	23.4	28.5	7.1	6.4	23.3	29.4	7.1	5.6				
4.0	23.1	29.7	6.4	3.9	23.3	28.8	6.9	5.6	23.2	29.5	6.8	5.2				
5.0	23.1	29.8	6.3	3.8	23.3	28.9	6.7	5.3	23.2	29.6	6.7	4.5				
6.0	22.8	30.1	6.1	3.4	23.3	29.0	6.6	5.4	23.1	29.8	6.5	4.6				
7.0	22.6	30.3	6.2	3.7	23.1	29.2	6.0	5.0	23.1	29.8	6.4	5.2				
8.0	22.5	30.6	6.1	3.1	22.9	29.4	5.6	4.6	23.1	29.8	6.5	4.3				
9.0	22.3	30.7	6.2	3.0	22.8	29.7	5.4	4.5	23.0	30.0	6.4	3.8				
10.0	22.2	30.8	6.2	2.8	22.5	30.1	5.3	3.6	23.0	30.2	6.4	3.5				
15.0	21.7	31.5	5.6	2.4	21.5	31.6	5.0	3.3	21.6	31.5	5.4	3.0				
20.0	20.5	32.0	4.6	3.4	20.6	31.9	2.7	6.1	20.3	32.3	4.0	3.5				
25.0									17.7	33.5	1.4	5.5				
30.0																
35.0																
B-1	20.2	32.1	2.3	8.0	17.9	33.3	0.6	8.4	17.7	33.5	1.4	5.5	23.8	24.8	6.6	7.0

報告書名：平  
 調査名：水質  
 調査年月日：  
 調査機関：国  
 使用機器：多  
 備考：

調査地点	2.6				3.2				4.3			
全水深(m)	水温	塩分	DO	濁度	水温	塩分	DO	濁度	水温	塩分	DO	濁度
水深(m)	( )	( - )	(mg/l)	(度)	( )	( - )	(mg/l)	(度)	( )	( - )	(mg/l)	(度)
0.0	27.0	4.0	6.3	16.1	27.0	3.9	6.3	14.8	26.8	2.7	6.0	13.8
0.5	25.0	21.7	5.6	12.7	26.4	11.4	4.7	13.6	26.5	4.8	5.5	12.5
1.0	23.9	26.2	5.3	10.1	24.8	22.5	4.0	13.2	25.7	8.6	5.0	12.9
2.0												
3.0												
4.0												
5.0												
6.0												
7.0												
8.0												
9.0												
10.0												
15.0												
20.0												
25.0												
30.0												
35.0												
B-1	23.9	26.2	4.9	11.8	24.1	26.5	4.0	10.2	23.4	27.9	3.6	9.1

報告書名：平成16年度東京国際空港周辺海域現況調査(その2)  
 調査名：水質鉛直測定(現場観測)  
 調査年月日：平成16年7月27日  
 調査機関：三洋テクノマリン株式会社  
 使用機器：水温・塩分計  
 備考：

水深(m)	St.2		St.5		St.8		St.10		St.12		St.15		St.18	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	29.37	20.03	29.85	14.46	29.39	16.73	27.91	21.80	28.77	23.97	29.06	27.94	27.45	25.81
0.5	29.17	20.65	29.61	16.26	28.19	21.34	27.48	23.40	27.99	25.05	29.05	28.20	27.48	26.09
1.0	28.14	23.31	28.12	22.66	27.16	25.45	27.17	25.58	27.70	26.02	29.10	28.47	27.64	28.10
1.5	27.62	24.80	27.59	23.41	26.87	26.47	26.70	27.55	27.24	26.77	29.36	28.83	27.75	28.78
2.0	27.38	25.55	27.40	24.08	26.79	26.93	26.48	28.09	27.32	27.37	29.28	28.79	27.75	28.98
2.5	27.06	26.78	27.13	25.81	26.74	27.11	26.41	28.42	27.61	27.88	29.21	28.90	27.75	29.49
3.0	26.98	27.10	26.93	26.84	26.75	27.45	26.16	29.11	27.73	28.08	28.97	29.05	27.60	29.66
3.5	26.91	27.28	26.74	27.40	26.70	27.78	26.14	29.39	27.82	28.57	28.77	29.25	27.54	29.75
4.0	26.74	27.77	26.72	27.73	26.69	28.28	26.13	29.61	27.83	28.71	28.68	29.31	27.43	29.81
4.5	26.51	28.80	26.67	28.39	26.63	29.36	26.21	29.85	27.89	29.06	28.52	29.37	27.28	29.95
5.0	26.56	29.83	26.57	29.80	26.57	29.79	26.21	29.88	27.92	29.28	28.34	29.46	27.09	30.11
5.5	26.56	29.87	26.54	30.28	26.46	29.87	26.21	29.91	27.49	29.37	28.19	29.43	26.91	30.04
6.0	26.51	30.02	26.30	30.53	26.38	29.91	26.26	29.99	26.61	29.83	27.87	29.60	26.49	30.15
6.5	26.52	30.34	26.33	30.68	26.32	30.00	26.33	30.06	26.35	30.05	27.59	29.77	26.64	30.45
7.0	26.46	30.50	26.10	30.82	26.24	30.15	26.37	30.13	26.21	30.10	27.35	29.99	26.73	30.57
7.5	26.37	30.54	26.14	30.86	26.33	30.38	26.40	30.18	26.17	30.12	27.20	30.07	26.65	30.55
8.0	25.89	30.52	26.15	30.85	26.43	30.42	26.49	30.24	26.15	30.15	26.92	30.08	26.36	30.61
8.5			26.12	30.86	26.29	30.50	26.64	30.44	26.13	30.16	26.70	30.38	26.65	30.80
9.0			26.03	30.87	26.14	30.69	26.70	30.46	26.02	30.32	26.11	30.22	26.56	30.72
9.5			25.93	30.91	26.00	30.94	26.65	30.46	25.81	30.30	25.68	30.80	26.22	30.61
10.0			25.81	30.91	25.65	30.92	26.54	30.45	25.63	30.56	25.57	30.63	25.90	30.55
10.5			25.41	30.92	25.11	30.95	26.37	30.46	25.49	30.70	25.37	30.73	25.96	30.77
11.0			25.21	30.94	23.90	31.30	26.06	30.49	25.30	30.74	25.36	30.80	26.06	30.82
11.5			25.12	30.95	23.07	31.49	25.85	30.55	24.85	30.92	25.39	30.83	25.91	30.85
12.0					22.25	31.82	25.78	30.58	24.67	31.07	25.44	30.97	25.47	30.73
12.5					22.06	31.95	25.67	30.64	24.36	31.03	25.25	31.20	23.95	31.14
13.0					21.97	32.01	25.53	30.67	23.31	31.58	24.56	31.33	23.24	31.63
13.5									22.34	31.78	23.59	31.56	22.98	31.67
14.0									20.56	32.83	21.82	32.16	21.62	32.31
14.5									20.14	33.03	21.08	32.63	21.58	32.32
15.0									19.93	33.06	20.34	32.77	21.27	32.57
15.5									19.52	33.29	19.37	33.32	21.04	32.62
16.0									19.32	33.40	18.95	33.56	20.58	32.85
16.5									19.25	33.45	18.75	33.68	20.35	32.96
17.0											18.61	33.75	20.05	33.08
17.5											18.54	33.78	19.60	33.25
18.0											18.49	33.82	19.27	33.40
18.5											18.49	33.82	19.11	33.50
19.0											18.49	33.82	18.84	33.63
19.5											18.48	33.83	18.64	33.74
20.0											18.48	33.82	18.61	33.76
20.5													18.60	33.76
21.0													18.60	33.74
21.5													18.59	33.78
22.0														
22.5														
23.0														
23.5														
24.0														
24.5														
25.0														
25.5														
26.0														
26.5														
27.0														
27.5														
28.0														
28.5														
29.0														
29.5														
30.0														
30.5														
31.0														
31.5														
32.0														
32.5														
33.0														
33.5														
34.0														
34.5														
35.0														

報告書名：  
 調査名：水  
 調査年月日  
 調査機関：  
 使用機器：  
 備考：

水深(m)	St.19		St.20		St.21		St.22		St.23		St.24		St.25	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	29.18	11.27	28.28	29.16	29.56	16.23	28.90	25.53	28.50	28.90	28.91	28.71	28.00	30.24
0.5	28.79	17.73	28.36	29.09	28.37	25.42	28.81	26.12	28.17	28.92	28.27	29.60	28.09	30.23
1.0	27.79	26.44	28.29	29.09	27.45	27.46	28.76	28.86	28.10	29.00	27.80	29.94	28.02	30.24
1.5	27.52	28.16	28.16	29.12	27.02	27.95	28.55	29.09	28.07	29.23	27.38	30.22	27.68	30.40
2.0	27.33	28.99	28.16	29.14	26.98	28.01	28.41	29.14	28.13	29.32	27.27	30.26	27.38	30.63
2.5	27.05	29.21	28.03	29.14	26.81	28.16	28.27	29.20	28.20	29.46	27.15	30.34	27.32	30.69
3.0	26.83	29.73	27.99	29.14	26.69	28.54	28.00	29.30	28.18	29.49	27.13	30.34	27.37	30.67
3.5	26.91	30.13	27.95	29.15	26.61	28.74	27.80	29.47	28.12	29.52	27.13	30.34	27.28	30.74
4.0	27.06	30.35	27.91	29.17	26.56	29.05	27.67	29.60	28.02	29.71	27.11	30.35	26.84	31.06
4.5	27.10	30.41	27.92	29.20	26.49	29.23	27.58	29.68	27.91	29.83	26.87	30.49	26.66	31.29
5.0	27.17	30.51	27.89	29.22	26.45	29.34	27.40	29.85	27.69	29.88	26.83	30.51	26.56	31.38
5.5	27.20	30.58	27.88	29.24	26.35	29.78	27.16	30.09	27.40	29.91	26.79	30.54	26.59	31.35
6.0	27.18	30.54	27.84	29.28	26.23	29.94	27.11	30.14	26.80	30.22	26.69	30.66	26.33	31.51
6.5	27.00	30.51	27.61	29.45	26.16	30.14	27.04	30.20	26.58	30.83	26.65	30.71	26.16	31.58
7.0	26.80	30.42	27.17	29.67	26.12	30.32	26.91	30.31	26.46	30.86	26.46	30.93	25.95	31.67
7.5	26.65	30.37	27.00	29.70	26.02	30.50	26.70	30.33	26.41	30.87	26.40	30.98	25.88	31.75
8.0	26.55	30.42	26.78	29.81	26.00	30.67	26.59	30.58	26.28	30.95	26.16	31.15	25.85	31.76
8.5	26.54	30.42	26.59	30.46	26.01	30.74	26.66	30.67	26.14	30.99	26.09	31.28	25.68	31.83
9.0	26.48	30.48	26.75	30.54	25.82	30.89	26.66	30.71	26.07	31.01	25.89	31.47	25.60	31.90
9.5	26.46	30.52	26.79	30.57	25.71	30.97	26.63	30.72	25.94	31.05	25.65	31.49	25.54	31.97
10.0	26.19	30.78	26.60	30.56	25.66	31.01	26.51	30.68	25.76	31.09	25.58	31.57	25.43	32.16
10.5	26.11	30.86	26.37	30.83	25.63	31.00	26.04	30.70	25.30	31.19	25.64	31.69	25.34	32.12
11.0	25.92	30.97	26.24	30.90	25.55	31.07	25.63	30.83	24.96	31.65	25.51	31.68	24.97	32.07
11.5			25.86	30.92	25.42	31.12	25.17	31.10	24.95	31.78	25.47	31.75	24.67	32.20
12.0			24.44	31.29	25.23	31.18	24.43	31.31	24.51	32.10	25.09	31.77	24.26	32.31
12.5			22.20	32.02	25.04	31.19	22.83	31.65	24.04	32.16	24.81	31.94	24.02	32.38
13.0			21.42	32.46	24.85	31.21	21.94	32.12	23.29	32.41	24.44	31.98	23.77	32.38
13.5			20.92	32.56	24.49	31.05	21.39	32.44	22.99	32.40	23.57	31.94	22.94	32.54
14.0			20.37	32.78	22.35	31.89	21.04	32.55	22.33	32.64	22.08	32.13	22.43	32.59
14.5			20.16	32.93	22.03	32.10	20.53	32.81	21.97	32.69	21.70	32.26	21.95	32.73
15.0			20.06	32.96			20.16	32.95	21.50	32.82	20.95	32.63	20.98	33.04
15.5			19.61	33.16			19.88	33.10	21.00	33.01	20.67	32.82	20.78	33.15
16.0			19.02	33.47			19.76	33.15	20.26	33.37	20.49	32.86	20.65	33.18
16.5			18.90	33.55			19.66	33.19	19.98	33.48	20.25	33.01	20.53	33.22
17.0			18.87	33.56			19.24	33.43	19.75	33.53	20.24	32.99	20.45	33.25
17.5			18.86	33.57			19.12	33.49	19.64	33.57	20.16	33.03	20.26	33.23
18.0			18.86	33.57			19.10	33.51	19.56	33.61	20.00	33.15	19.90	33.39
18.5			18.85	33.58			19.10	33.51	19.38	33.66	19.85	33.24	19.80	33.41
19.0			18.85	33.58			19.10	33.50	19.29	33.69	19.79	33.27	19.74	33.41
19.5									19.10	33.71	19.59	33.39	19.69	33.44
20.0									18.93	33.76	19.40	33.45	19.67	33.44
20.5									18.72	33.87	19.24	33.48	19.64	33.46
21.0									18.69	33.88	19.03	33.55	19.67	33.57
21.5									18.68	33.88	18.71	33.72	19.61	33.57
22.0									18.68	33.88	18.62	33.79	19.62	33.63
22.5									18.68	33.88	18.62	33.77	19.48	33.64
23.0									18.68	33.88			19.42	33.66
23.5									18.64	33.80			19.21	33.66
24.0									18.39	33.87			19.29	33.87
24.5									18.36	33.89			19.33	33.89
25.0									18.33	33.91			19.29	33.90
25.5									18.31	33.92			19.23	33.91
26.0									18.33	33.89			19.16	33.96
26.5													19.10	33.96
27.0													19.04	33.96
27.5													18.70	34.10
28.0													18.64	34.04
28.5													18.57	34.04
29.0													18.50	34.04
29.5													18.29	34.02
30.0													18.13	34.02
30.5													18.12	34.03
31.0													18.11	34.04
31.5													18.10	34.04
32.0													18.10	34.04
32.5													18.10	34.04
33.0														
33.5														
34.0														
34.5														
35.0														

報告書名：  
 調査名：水  
 調査年月日  
 調査機関：  
 使用機器：  
 備考：

水深(m)	St.		St.		St.		St.		St.		St.	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	28.94	21.48	28.62	23.07	28.42	18.04	28.47	9.23	27.28	28.90	28.79	29.19
0.5	28.47	24.21	28.35	24.33	28.30	20.54	28.06	13.69	27.30	28.69	28.78	29.13
1.0	27.46	26.57	26.97	28.09	28.13	24.69	28.16	23.35	27.26	29.38	28.62	29.20
1.5	27.20	27.26	26.62	29.01	27.50	27.64	27.25	27.50	27.24	29.50	28.43	29.43
2.0	27.08	28.17	26.48	29.14			26.85	28.24	27.26	29.59	28.23	29.51
2.5							26.67	28.46	27.18	29.92	27.99	29.61
3.0									27.01	30.09	27.94	29.64
3.5									27.00	30.15	27.55	29.97
4.0									26.95	30.18	27.06	30.35
4.5									26.73	30.30	26.79	30.53
5.0									26.73	30.32	26.72	30.62
5.5									26.75	30.34	26.67	30.66
6.0									26.80	30.40	26.58	30.79
6.5									26.81	30.54	26.49	30.84
7.0									26.79	30.59	26.46	30.93
7.5									26.79	30.60	26.34	30.85
8.0									26.79	30.60	25.92	30.73
8.5									26.76	30.61	25.66	30.88
9.0									26.61	30.51	25.44	30.99
9.5									26.29	30.63	24.93	31.15
10.0									25.95	30.81	24.50	31.08
10.5									25.88	30.85	24.03	31.25
11.0									25.80	30.84	23.93	31.34
11.5									25.51	30.88	23.86	31.43
12.0									25.19	31.03	23.77	31.47
12.5									24.21	31.15	22.71	31.86
13.0									23.17	31.69	22.36	31.99
13.5									22.08	32.21	22.15	32.00
14.0									21.35	32.46	21.85	32.53
14.5									21.24	32.53	20.98	32.70
15.0									21.16	32.55	20.43	32.89
15.5									21.12	32.46	20.08	33.01
16.0									20.56	32.82	19.94	33.08
16.5									20.52	32.83	19.92	33.08
17.0									20.39	32.91	19.72	33.16
17.5									20.41	32.98	19.56	33.27
18.0									20.17	33.07	19.21	33.46
18.5									19.32	33.35	19.04	33.59
19.0									18.90	33.60	18.93	33.66
19.5									18.81	33.63	18.83	33.70
20.0									18.78	33.67	18.79	33.69
20.5									18.76	33.67	18.71	33.72
21.0									18.66	33.71	18.70	33.73
21.5									18.56	33.74	18.66	33.72
22.0									18.48	33.79	18.60	33.75
22.5									18.42	33.80	18.55	33.75
23.0									18.40	33.82	18.51	33.79
23.5											18.39	33.84
24.0											18.33	33.82
24.5											18.24	33.89
25.0											18.21	33.91
25.5											18.21	33.90
26.0												
26.5												
27.0												
27.5												
28.0												
28.5												
29.0												
29.5												
30.0												
30.5												
31.0												
31.5												
32.0												
32.5												
33.0												
33.5												
34.0												
34.5												
35.0												

報告書名：平成16年度東京国際空港周辺海域現況調査(その2)  
 調査名：水質鉛直測定(現場観測)  
 調査年月日：平成16年8月24日  
 調査機関：三洋テクノマリン株式会社  
 使用機器：水温・塩分計  
 備考：

水深(m)	St.2		St.5		St.8		St.10		St.12		St.15		St.18	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	27.39	21.76	26.82	24.91	26.53	25.06	26.49	25.77	26.93	28.48	27.01	28.35	27.01	28.81
0.5	27.20	24.98	26.70	25.59	26.53	25.06	26.50	25.77	26.91	28.48	27.01	28.35	27.02	28.82
1.0	26.57	26.17	26.55	25.95	26.53	25.11	26.49	25.85	26.89	28.49	27.01	28.35	27.00	28.86
1.5	26.61	26.63	26.47	26.37	26.53	25.39	26.46	26.93	26.89	28.48	27.01	28.35	26.99	28.86
2.0	26.67	26.99	26.47	26.75	26.47	26.30	26.49	28.28	26.89	28.48	27.01	28.35	26.99	28.85
2.5	26.67	27.03	26.60	27.19	26.32	26.93	26.50	28.73	26.87	28.76	27.01	28.36	26.98	28.91
3.0	26.58	27.35	26.83	27.63	26.27	27.34	26.37	28.99	26.83	28.90	26.96	28.47	26.94	29.20
3.5	26.42	28.39	27.00	27.79	26.40	27.92	26.33	29.35	26.81	29.06	26.87	29.25	26.83	29.61
4.0	26.43	29.13	26.99	27.90	26.51	28.64	26.40	29.53	26.80	29.58	26.73	29.83	26.77	30.19
4.5	26.46	29.27	26.78	28.72	26.58	28.97	26.53	29.61	26.55	30.09	26.02	30.99	26.54	30.59
5.0	26.40	29.36	26.53	29.42	26.38	29.37	26.64	29.81	25.38	31.31	25.48	31.48	26.14	30.84
5.5	26.38	29.47	26.47	29.67	26.32	29.51	26.65	30.05	24.40	32.05	25.20	31.74	26.00	30.86
6.0	26.32	29.58	26.30	30.16	26.33	29.67	26.57	30.34	23.74	32.58	24.65	32.01	25.75	31.07
6.5	26.22	29.92	25.58	30.86	26.34	30.40	26.19	30.59	23.43	32.48	23.93	32.46	25.47	31.43
7.0	26.00	30.37	24.86	31.53	25.52	30.99	25.52	31.19	22.72	32.90	23.56	32.74	24.89	31.96
7.5	25.48	31.00	24.41	31.90	24.99	31.39	24.96	31.47	22.49	33.06	23.37	32.84	24.59	32.22
8.0	24.55	31.73	24.14	32.10	24.43	31.79	23.91	32.20	22.40	33.12	23.07	32.88	24.27	32.45
8.5			23.68	32.35	24.36	31.83	23.55	32.33	22.39	33.13	22.55	32.77	23.78	32.74
9.0			23.23	32.74	24.08	31.98	23.11	32.57	22.39	33.13	21.82	33.29	23.30	33.05
9.5			23.02	32.90	23.39	32.49	22.79	32.73	22.33	33.08	21.68	33.41	23.18	33.13
10.0			22.84	32.98	22.79	32.83	22.17	33.21	22.02	33.22	21.60	33.48	23.09	33.13
10.5			22.54	33.12	22.24	33.04	22.03	33.23	21.87	33.31	21.51	33.47	22.95	33.15
11.0			22.38	33.21	22.00	33.21	21.93	33.31	21.79	33.35	21.42	33.54	22.74	32.93
11.5			22.23	33.30	21.79	33.42	21.79	33.31	21.69	33.31	21.38	33.56	22.18	33.21
12.0					21.60	33.41	21.57	33.41	21.45	33.48	21.35	33.55	21.74	33.48
12.5					21.47	33.50	21.42	33.51	21.40	33.51	21.28	33.55	21.57	33.52
13.0					21.43	33.53	21.35	33.56	21.37	33.52	21.20	33.60	21.52	33.50
13.5					21.33	33.61	21.34	33.56	21.34	33.54	21.17	33.62	21.39	33.46
14.0					21.26	33.59			21.28	33.51	21.16	33.61	21.17	33.60
14.5					21.21	33.58			21.16	33.57	21.13	33.64	21.12	33.63
15.0									21.09	33.60	21.11	33.64	21.11	33.64
15.5									21.06	33.61	21.10	33.62	21.11	33.64
16.0									20.98	33.61	21.08	33.63	21.10	33.64
16.5									20.93	33.64	21.06	33.63	21.08	33.64
17.0									20.87	33.66	21.05	33.64	21.05	33.63
17.5											21.04	33.65	21.00	33.65
18.0											21.04	33.65	20.98	33.63
18.5											21.04	33.65	20.90	33.67
19.0											21.04	33.64	20.87	33.68
19.5											21.01	33.66	20.86	33.69
20.0											21.01	33.64	20.84	33.69
20.5													20.83	33.70
21.0													20.82	33.70
21.5													20.81	33.71
22.0													20.81	33.69
22.5													20.79	33.70
23.0														
23.5														
24.0														
24.5														
25.0														
25.5														
26.0														
26.5														
27.0														
27.5														
28.0														
28.5														
29.0														
29.5														
30.0														
30.5														
31.0														
31.5														
32.0														
32.5														
33.0														
33.5														
34.0														
34.5														
35.0														

報告書名：  
 調査名：水  
 調査年月日  
 調査機関：  
 使用機器：  
 備考：

水深(m)	St.19		St.20		St.21		St.22		St.23		St.24		St.25	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	26.53	27.54	26.29	28.41	25.60	20.69	26.46	25.88	26.26	27.60	26.90	29.32	25.86	27.95
0.5	26.39	27.88	26.41	29.48	25.91	26.51	26.36	27.04	26.26	27.60	26.90	29.32	25.86	28.00
1.0	26.41	28.48	26.49	29.69	26.37	26.73	26.19	28.37	26.26	27.61	26.91	29.32	25.86	28.03
1.5	26.34	28.81	26.54	30.15	26.46	27.10	26.22	29.09	26.24	27.70	26.90	29.32	25.87	28.46
2.0	26.32	29.01	26.60	30.42	26.42	27.56	26.25	29.36	26.24	27.74	26.90	29.32	25.88	29.32
2.5	26.33	29.37	26.58	30.61	26.33	27.97	26.33	29.58	26.16	28.63	26.90	29.32	25.91	29.85
3.0	26.20	30.04	26.45	30.77	26.26	28.24	26.34	29.65	26.14	29.40	26.88	29.34	25.94	29.97
3.5	25.95	30.45	26.28	30.91	26.20	28.64	26.31	29.69	26.18	29.82	26.84	29.40	25.93	30.09
4.0	25.67	30.68	25.97	31.28	26.16	28.85	26.30	29.73	26.21	29.99	26.83	29.42	25.93	30.25
4.5	25.27	31.22	25.38	31.75	26.19	29.09	26.33	29.87	26.18	30.10	26.78	29.47	26.10	30.61
5.0	25.10	31.60	25.09	31.90	26.19	29.43	26.35	29.94	26.21	30.16	26.76	29.51	26.17	30.61
5.5	24.96	31.70	24.78	32.21	26.22	29.58	26.33	29.95	26.21	30.30	26.67	29.67	26.18	30.61
6.0	24.63	31.82	24.63	32.43	26.13	29.67	26.28	30.09	26.28	30.44	26.62	29.70	26.17	30.62
6.5	24.18	32.27	24.48	32.49	25.70	30.53	26.13	30.72	26.37	30.63	26.61	29.72	26.14	30.64
7.0	23.88	32.56	24.21	32.67	25.35	31.23	25.64	31.52	26.32	30.71	26.51	29.94	26.12	30.70
7.5	23.55	32.90	24.06	32.81	25.18	31.34	25.33	31.88	26.26	30.92	26.38	30.10	26.06	30.74
8.0	23.32	33.07	23.88	32.90	24.86	31.61	24.49	32.44	26.13	31.09	25.75	30.94	25.92	31.05
8.5	23.31	33.08	23.75	32.93	24.18	32.01	23.95	32.80	26.02	31.19	25.36	31.45	25.86	31.37
9.0	23.31	33.08	23.52	32.95	23.80	32.37	23.38	33.05	25.76	31.45	25.07	31.63	25.74	31.54
9.5	23.31	33.08	23.41	32.94	23.63	32.51	22.91	33.11	25.62	31.66	24.26	32.32	25.50	31.54
10.0	23.30	33.08	23.01	33.24	23.35	32.59	22.51	33.26	25.34	31.99	23.80	32.65	25.35	31.72
10.5			22.87	33.26	22.53	33.05	22.26	33.35	24.90	32.39	23.69	32.74	25.35	31.78
11.0			22.68	33.36	22.31	33.16	22.10	33.42	24.81	32.48	23.31	33.21	25.23	31.75
11.5			22.63	33.38	22.05	33.32	21.97	33.50	24.50	32.60	23.10	33.41	24.94	31.91
12.0			22.52	33.45	21.85	33.43	21.91	33.51	24.16	32.87	22.88	33.43	24.77	32.08
12.5			22.30	33.51	21.78	33.48	21.85	33.43	23.94	32.91	22.75	33.43	24.71	32.13
13.0			22.06	33.52	21.77	33.49	21.63	33.39	23.70	33.03	22.71	33.44	24.50	32.42
13.5			21.95	33.55	21.76	33.49	21.25	33.57	23.30	33.06	22.50	33.50	24.16	32.77
14.0			21.92	33.54	21.77	33.49	21.10	33.69	22.88	33.28	22.38	33.53	23.86	33.06
14.5			21.89	33.55			21.09	33.70	22.64	33.42	22.33	33.56	23.60	33.26
15.0			21.85	33.56			21.09	33.68	22.51	33.52	22.31	33.55	23.18	33.58
15.5			21.84	33.56			21.09	33.70	22.36	33.55	22.12	33.54	23.12	33.59
16.0			21.83	33.55			21.09	33.70	22.15	33.73	22.06	33.60	23.07	33.66
16.5			21.83	33.55			21.09	33.70	22.10	33.72	22.04	33.59	22.94	33.75
17.0							21.09	33.68	21.98	33.74	21.77	33.55	22.61	33.75
17.5							21.08	33.69	21.95	33.74	21.47	33.63	22.35	33.86
18.0							21.07	33.69	21.93	33.72	21.20	33.65	22.07	33.97
18.5									21.86	33.72	20.95	33.70	22.02	33.96
19.0									21.79	33.72	20.66	33.78	21.88	33.94
19.5									21.56	33.65	20.59	33.79	21.72	34.05
20.0									21.39	33.69	20.58	33.80	21.66	34.04
20.5									21.28	33.74	20.57	33.80	21.49	34.11
21.0									21.23	33.74			21.38	34.10
21.5									21.20	33.75			21.32	34.16
22.0									21.18	33.74			21.27	34.07
22.5									21.13	33.72			20.76	33.88
23.0									20.99	33.75			20.38	34.06
23.5									20.94	33.77			20.25	34.06
24.0									20.90	33.79			20.15	34.17
24.5									20.84	33.80			20.05	34.16
25.0									20.72	33.86			19.95	34.12
25.5									20.69	33.89			19.85	34.15
26.0									20.67	33.89			19.74	34.19
26.5									20.66	33.65			19.71	34.20
27.0													19.68	34.22
27.5													19.68	34.22
28.0													19.68	34.22
28.5													19.68	34.22
29.0													19.67	34.22
29.5													19.67	34.20
30.0													19.64	34.21
30.5													19.64	34.21
31.0													19.64	34.21
31.5													19.64	34.21
32.0													19.64	34.21
32.5													19.64	34.21
33.0														
33.5														
34.0														
34.5														
35.0														

報告書名：  
 調査名：水  
 調査年月日  
 調査機関：  
 使用機器：  
 備考：

水深(m)	St.		St.		St.		St.		St.		St.	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	26.88	26.11	26.49	21.81	25.53	11.94	25.07	8.62	27.26	28.66	26.65	28.57
0.5	26.86	26.13	26.51	22.40	26.00	16.07	25.93	15.96	27.27	28.64	26.67	28.56
1.0	26.84	26.31	26.66	25.84	27.24	26.63	26.97	22.72	27.28	28.64	26.65	28.58
1.5	26.73	28.56	26.96	27.78			27.28	25.60	27.28	28.64	26.64	28.59
2.0	26.58	28.98					27.37	26.56	27.28	28.64	26.61	28.71
2.5	26.52	29.05					27.37	26.78	27.26	28.70	26.52	29.07
3.0									27.15	28.86	26.34	29.93
3.5									27.07	29.04	26.31	30.09
4.0									26.85	29.27	26.36	30.13
4.5									26.48	29.75	26.38	30.14
5.0									26.67	30.29	26.40	30.14
5.5									26.49	30.51	26.41	30.18
6.0									26.27	30.68	26.37	30.42
6.5									26.02	30.97	26.21	30.68
7.0									25.60	31.31	26.23	30.87
7.5									25.24	31.67	26.12	31.10
8.0									25.00	31.90	25.89	31.26
8.5									24.78	32.03	25.52	31.53
9.0									24.41	32.31	25.26	31.64
9.5									23.77	32.82	25.07	31.75
10.0									23.44	33.07	24.66	32.17
10.5									22.83	33.43	24.09	32.61
11.0									22.60	33.46	23.83	32.93
11.5									22.47	33.41	23.73	33.06
12.0									22.19	33.35	23.55	33.06
12.5									21.61	33.54	23.22	33.08
13.0									21.43	33.57	22.96	33.25
13.5									21.17	33.65	22.91	33.42
14.0									21.11	33.70	22.88	33.47
14.5									21.06	33.72	22.80	33.53
15.0									21.01	33.73	22.63	33.62
15.5									21.00	33.74	22.22	33.63
16.0									21.01	33.73	21.88	33.72
16.5									21.01	33.74	21.57	33.77
17.0									21.01	33.74	21.48	33.78
17.5									20.86	33.71	21.39	33.82
18.0									20.70	33.76	21.35	33.79
18.5									20.69	33.75	21.28	33.72
19.0									20.69	33.74	21.05	33.77
19.5									20.68	33.75	20.83	33.83
20.0									20.67	33.76	20.78	33.82
20.5									20.67	33.75	20.70	33.78
21.0									20.66	33.75	20.64	33.81
21.5									20.65	33.76	20.63	33.80
22.0									20.65	33.74	20.62	33.81
22.5									20.63	33.75	20.62	33.81
23.0									20.60	33.75	20.62	33.81
23.5									20.58	33.77	20.62	33.81
24.0									20.58	33.77	20.60	33.81
24.5									20.58	33.77	20.59	33.80
25.0											20.56	33.80
25.5											20.53	33.78
26.0											20.50	33.78
26.5												
27.0												
27.5												
28.0												
28.5												
29.0												
29.5												
30.0												
30.5												
31.0												
31.5												
32.0												
32.5												
33.0												
33.5												
34.0												
34.5												
35.0												

報告書名：平成16年度東京国際空港周辺海域現況調査(その2)  
 調査名：水質鉛直測定(現場観測)  
 調査年月日：平成16年9月22日  
 調査機関：三洋テクノマリン株式会社  
 使用機器：水温・塩分計  
 備考：

水深(m)	St.2		St.5		St.8		St.10		St.12		St.15		St.18	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	25.49	29.09	25.10	30.55	25.32	30.01	25.37	28.74	25.01	30.43	25.04	30.66	25.13	30.60
0.5	25.52	29.09	25.09	30.53	25.27	30.06	25.38	28.75	24.98	30.44	24.99	30.66	25.10	30.62
1.0	25.50	29.08	25.07	30.54	25.25	30.15	25.30	29.60	24.98	30.44	24.99	30.66	25.09	30.63
1.5	25.50	29.08	25.04	30.56	25.22	30.35	25.14	30.30	24.97	30.45	24.98	30.67	25.08	30.63
2.0	25.48	29.11	25.04	30.56	25.16	30.40	25.07	30.43	24.97	30.45	24.98	30.67	25.08	30.64
2.5	25.42	29.23	25.04	30.56	25.10	30.47	25.01	30.53	24.96	30.50	24.98	30.67	25.08	30.62
3.0	25.38	29.28	25.04	30.53	25.10	30.47	24.99	30.58	24.92	30.60	24.97	30.68	25.05	30.63
3.5	25.27	29.38	25.02	30.56	25.09	30.49	24.99	30.59	24.93	30.66	24.97	30.68	25.04	30.64
4.0	25.16	29.48	25.01	30.57	25.09	30.49	24.99	30.63	24.94	30.68	24.97	30.68	25.04	30.62
4.5	25.09	29.72	25.01	30.57	25.08	30.51	25.01	30.61	24.96	30.68	24.97	30.69	25.03	30.63
5.0	24.93	29.96	25.01	30.55	25.07	30.52	25.01	30.62	24.96	30.69	24.96	30.69	25.01	30.66
5.5	24.93	30.00	25.01	30.55	25.05	30.51	25.01	30.62	24.94	30.70	24.94	30.71	24.99	30.71
6.0	24.97	30.30	25.00	30.56	25.03	30.53	25.01	30.62	24.92	30.73	24.90	30.83	24.93	30.79
6.5	24.94	30.38	25.00	30.56	25.03	30.53	25.02	30.62	24.89	30.75	24.85	30.89	24.89	30.84
7.0	24.89	30.61	25.00	30.57	25.01	30.55	25.02	30.63	24.87	30.76	24.82	30.91	24.83	30.90
7.5	24.88	30.65	25.01	30.55	24.97	30.57	25.02	30.64	24.87	30.76	24.80	30.98	24.82	30.97
8.0			24.98	30.56	24.91	30.67	25.00	30.66	24.86	30.78	24.68	31.08	24.81	30.96
8.5			24.96	30.58	24.87	30.75	24.96	30.76	24.83	30.87	24.63	31.11	24.77	30.99
9.0			24.93	30.61	24.85	30.77	24.92	30.81	24.82	30.90	24.60	31.13	24.73	31.06
9.5			24.91	30.62	24.83	30.79	24.90	30.81	24.81	30.92	24.60	31.12	24.70	31.14
10.0			24.89	30.62	24.81	30.81	24.82	30.95	24.79	30.94	24.59	31.12	24.64	31.31
10.5			24.89	30.63	24.79	30.86	24.77	31.00	24.77	30.95	24.59	31.12	24.54	31.39
11.0			24.87	30.66	24.77	30.90	24.75	31.03	24.75	30.97	24.59	31.12	24.51	31.41
11.5			24.82	30.72	24.76	30.92	24.73	31.06	24.73	30.98	24.59	31.14	24.48	31.42
12.0			24.76	30.77	24.75	30.98	24.68	31.09	24.70	31.00	24.58	31.15	24.45	31.43
12.5					24.70	31.02	24.65	31.11	24.68	31.03	24.56	31.20	24.43	31.46
13.0							24.62	31.14	24.67	31.06	24.56	31.21	24.42	31.48
13.5									24.63	31.10	24.55	31.22	24.40	31.51
14.0									24.60	31.15	24.54	31.24	24.37	31.53
14.5									24.56	31.21	24.53	31.27	24.36	31.54
15.0									24.47	31.36	24.51	31.36	24.35	31.54
15.5									24.43	31.43	24.48	31.44	24.33	31.56
16.0									24.43	31.44	24.43	31.48	24.32	31.58
16.5									24.42	31.45	24.42	31.50	24.31	31.59
17.0											24.41	31.51	24.29	31.60
17.5											24.40	31.51	24.27	31.60
18.0											24.33	31.54	24.23	31.62
18.5											24.26	31.57	24.10	31.72
19.0											24.22	31.59	23.97	31.84
19.5													23.84	31.93
20.0													23.78	31.97
20.5													23.73	32.01
21.0													23.58	32.11
21.5													23.22	32.38
22.0													23.10	32.47
22.5														
23.0														
23.5														
24.0														
24.5														
25.0														
25.5														
26.0														
26.5														
27.0														
27.5														
28.0														
28.5														
29.0														
29.5														
30.0														
30.5														
31.0														
31.5														
32.0														
32.5														
33.0														
33.5														
34.0														
34.5														
35.0														

報告書名：  
 調査名：水  
 調査年月日  
 調査機関：  
 使用機器：  
 備考：

水深(m)	St.19		St.20		St.21		St.22		St.23		St.24		St.25	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	25.12	30.26	25.31	30.24	25.27	30.33	25.32	30.21	24.97	30.76	24.58	31.52	24.79	31.51
0.5	25.11	30.27	25.29	30.25	25.26	30.34	25.30	30.22	24.97	30.77	24.58	31.52	24.78	31.49
1.0	25.11	30.27	25.29	30.25	25.26	30.33	25.29	30.22	24.97	30.77	24.58	31.52	24.77	31.49
1.5	25.09	30.26	25.28	30.25	25.25	30.33	25.28	30.22	24.97	30.77	24.58	31.52	24.72	31.52
2.0	25.07	30.25	25.26	30.25	25.23	30.33	25.27	30.23	24.97	30.77	24.58	31.50	24.72	31.52
2.5	25.07	30.25	25.26	30.25	25.21	30.34	25.27	30.23	24.97	30.77	24.58	31.50	24.72	31.53
3.0	25.07	30.25	25.24	30.25	25.21	30.34	25.25	30.23	24.97	30.77	24.58	31.50	24.63	31.54
3.5	25.05	30.25	25.22	30.24	25.19	30.36	25.23	30.23	24.96	30.78	24.56	31.52	24.63	31.55
4.0	25.04	30.25	25.19	30.24	25.18	30.37	25.19	30.24	24.97	30.76	24.56	31.52	24.63	31.54
4.5	25.01	30.25	25.17	30.25	25.18	30.35	25.15	30.24	24.96	30.76	24.56	31.50	24.61	31.55
5.0	24.96	30.24	25.14	30.25	25.16	30.37	25.11	30.25	24.97	30.77	24.55	31.50	24.58	31.55
5.5	24.93	30.25	25.16	30.26	25.16	30.35	25.09	30.24	24.96	30.78	24.53	31.50	24.57	31.56
6.0	24.93	30.25	25.17	30.26	25.04	30.34	25.08	30.26	24.96	30.76	24.52	31.50	24.55	31.57
6.5	24.90	30.27	25.17	30.28	24.94	30.38	25.08	30.26	24.96	30.78	24.51	31.50	24.55	31.57
7.0	24.89	30.27	25.17	30.31	24.88	30.48	25.07	30.27	24.95	30.78	24.51	31.49	24.54	31.59
7.5	24.89	30.29	25.15	30.39	24.85	30.54	25.06	30.28	24.95	30.78	24.49	31.49	24.52	31.61
8.0	24.88	30.29	25.14	30.42	24.80	30.62	24.97	30.29	24.95	30.78	24.47	31.51	24.51	31.62
8.5	24.87	30.31	25.13	30.45	24.77	30.65	24.90	30.32	24.94	30.79	24.42	31.54	24.48	31.64
9.0	24.85	30.32	25.09	30.52	24.76	30.66	24.88	30.44	24.91	30.84	24.42	31.61	24.48	31.64
9.5	24.85	30.32	25.08	30.61	24.76	30.68	24.83	30.49	24.83	30.89	24.40	31.68	24.47	31.65
10.0	24.84	30.32	25.02	30.75	24.75	30.71	24.76	30.55	24.79	30.94	24.36	31.71	24.45	31.67
10.5	24.79	30.54	25.00	30.84	24.76	30.70	24.61	30.61	24.68	31.38	24.34	31.71	24.41	31.75
11.0	24.72	30.63	24.91	30.99	24.76	30.72	24.57	30.75	24.54	31.57	24.32	31.71	24.38	31.78
11.5			24.87	31.14	24.77	30.73	24.55	30.85	24.51	31.63	24.29	31.72	24.38	31.77
12.0			24.79	31.32	24.76	30.74	24.50	30.99	24.48	31.73	24.27	31.73	24.37	31.80
12.5			24.74	31.37	24.73	30.75	24.47	31.08	24.36	31.90	24.22	31.78	24.27	32.01
13.0			24.70	31.40	24.70	30.76	24.41	31.17	24.32	31.94	24.21	31.78	24.09	32.30
13.5			24.67	31.42	24.67	30.77	24.38	31.25	24.29	31.96	24.17	31.78	23.88	32.54
14.0			24.61	31.48	24.66	30.79	24.32	31.35	24.24	32.04	24.13	31.81	23.75	32.63
14.5			24.57	31.52	24.64	30.82	24.31	31.41	24.21	32.07	24.09	31.84	23.72	32.73
15.0			24.52	31.58			24.30	31.42	24.18	32.11	24.00	31.90	23.77	32.76
15.5			24.49	31.59			24.28	31.44	24.16	32.14	23.95	31.92	23.70	32.68
16.0			24.48	31.60			24.27	31.47	24.13	32.20	23.93	31.94	23.58	32.72
16.5			24.48	31.61			24.26	31.49	24.10	32.24	23.92	31.93	23.56	32.75
17.0			24.46	31.61			24.25	31.53	24.08	32.27	23.89	31.94	23.55	32.77
17.5			24.45	31.63			24.25	31.53	24.04	32.31	23.85	31.97	23.54	32.78
18.0			24.42	31.65			24.23	31.54	24.03	32.32	23.75	32.05	23.53	32.78
18.5							24.21	31.58	24.03	32.31	23.69	32.13	23.53	32.80
19.0							24.18	31.60	23.95	32.33	23.56	32.25	23.54	32.80
19.5									23.83	32.36	23.39	32.34	23.56	32.82
20.0									23.73	32.36	23.25	32.43	23.59	32.90
20.5									23.68	32.48	23.16	32.49	23.65	32.90
21.0									23.52	32.41	23.07	32.56	23.65	32.92
21.5									23.32	32.44	22.91	32.66	23.58	32.94
22.0									23.11	32.60			23.53	32.96
22.5									22.67	32.84			23.40	32.98
23.0									22.37	32.98			23.34	32.98
23.5									22.19	33.10			23.21	32.99
24.0									22.15	33.13			22.96	32.93
24.5									22.14	33.13			22.64	32.96
25.0									22.14	33.13			22.47	33.05
25.5									22.14	33.13			22.39	33.09
26.0													22.28	33.15
26.5													22.20	33.19
27.0													22.09	33.21
27.5													22.01	33.27
28.0													21.87	33.35
28.5													21.81	33.38
29.0													21.77	33.40
29.5													21.74	33.41
30.0													21.68	33.41
30.5													21.61	33.38
31.0													21.49	33.45
31.5													21.43	33.48
32.0													21.42	33.49
32.5													21.41	33.48
33.0														
33.5														
34.0														
34.5														
35.0														

報告書名：  
 調査名：水  
 調査年月日  
 調査機関：  
 使用機器：  
 備考：

水深(m)	St.		St.		St.		St.		St.		St.	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	25.18	30.45	25.77	22.67	25.66	19.13	25.20	12.19	25.39	30.90	24.94	30.95
0.5	25.17	30.44	25.74	23.21	25.69	20.44	25.18	12.53	25.36	30.88	24.94	30.95
1.0	25.17	30.44	25.29	29.77	25.78	23.23	25.21	16.03	25.28	30.92	24.93	30.96
1.5	25.16	30.45			25.86	26.46	25.70	26.78	25.25	30.93	24.94	30.95
2.0					25.90	28.93	25.90	27.76	25.23	30.93	24.94	30.95
2.5							26.03	28.08	25.14	30.95	24.94	30.95
3.0							26.04	28.07	25.05	31.01	24.93	30.96
3.5									24.94	31.04	24.93	30.95
4.0									24.86	31.07	24.93	30.96
4.5									24.76	31.12	24.92	30.96
5.0									24.69	31.16	24.91	30.96
5.5									24.67	31.18	24.89	30.97
6.0									24.68	31.17	24.82	31.00
6.5									24.67	31.19	24.73	31.04
7.0									24.67	31.21	24.70	31.05
7.5									24.65	31.23	24.69	31.10
8.0									24.64	31.24	24.65	31.17
8.5									24.61	31.28	24.63	31.21
9.0									24.56	31.31	24.59	31.29
9.5									24.53	31.37	24.57	31.36
10.0									24.50	31.42	24.56	31.48
10.5									24.48	31.44	24.48	31.61
11.0									24.45	31.43	24.43	31.62
11.5									24.41	31.46	24.39	31.66
12.0									24.39	31.47	24.42	31.71
12.5									24.37	31.50	24.26	31.71
13.0									24.36	31.53	24.20	31.72
13.5									24.37	31.57	24.14	31.76
14.0									24.34	31.60	24.11	31.76
14.5									24.31	31.61	24.08	31.78
15.0									24.26	31.65	24.07	31.77
15.5									24.23	31.67	24.01	31.85
16.0									24.16	31.71	23.98	31.99
16.5									23.98	31.85	23.98	32.04
17.0									23.88	31.92	23.98	32.16
17.5									23.80	31.99	23.98	32.27
18.0									23.72	32.06	23.93	32.44
18.5									23.61	32.15	23.80	32.57
19.0									23.55	32.18	23.68	32.47
19.5									23.54	32.19	23.33	32.46
20.0									23.48	32.22	23.16	32.56
20.5									23.42	32.28	23.08	32.61
21.0									23.32	32.37	23.04	32.65
21.5									23.25	32.48	23.00	32.68
22.0									23.11	32.57	22.97	32.70
22.5									23.06	32.60	22.90	32.74
23.0									23.05	32.60	22.85	32.76
23.5									23.05	32.60	22.82	32.79
24.0											22.70	32.82
24.5											22.50	32.93
25.0											22.39	32.98
25.5											22.35	33.02
26.0												
26.5												
27.0												
27.5												
28.0												
28.5												
29.0												
29.5												
30.0												
30.5												
31.0												
31.5												
32.0												
32.5												
33.0												
33.5												
34.0												
34.5												
35.0												

報告書名：平成16年度東京国際空港周辺海域現況調査(その2)  
 調査名：水質鉛直測定(現場観測)  
 調査年月日：平成16年10月6日  
 調査機関：三洋テクノマリン株式会社  
 使用機器：水温・塩分計  
 備考：

水深(m)	St.2		St.5		St.8		St.10		St.12		St.15		St.18	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	21.08	16.69	21.41	14.75	21.66	14.26	22.04	12.24	19.92	6.59	20.64	8.99	21.13	10.96
0.5	21.09	17.52	21.42	14.89	21.63	14.82	22.07	11.81	19.92	11.39	20.87	16.71	21.04	14.48
1.0	21.10	17.67	21.30	16.12	21.55	17.36	21.94	14.47	21.18	21.75	21.12	20.74	21.00	19.19
1.5	21.10	18.10	21.24	16.59	21.13	18.65	21.32	17.10	21.21	22.08	21.18	21.94	21.24	21.78
2.0	21.13	18.42	20.97	17.39	21.03	18.87	21.35	22.32	21.21	22.22	21.22	22.64	21.30	22.24
2.5	21.21	19.07	21.06	19.06	21.00	19.02	21.52	23.54	21.23	22.49	21.25	22.94	21.32	22.77
3.0	21.30	20.22	21.09	20.13	20.99	19.50	21.59	23.98	21.31	23.47	21.26	24.25	21.32	23.01
3.5	21.42	23.14	21.29	23.73	21.16	21.09	21.60	24.41	21.40	23.79	21.47	25.01	21.36	23.66
4.0	21.88	25.46	21.78	26.05	21.46	23.51	21.68	24.56	21.39	23.98	21.53	25.10	21.50	24.78
4.5	22.08	26.33	22.19	28.33	21.98	27.69	21.69	24.89	21.45	24.19	21.54	25.25	21.90	26.09
5.0	22.50	29.42	22.43	29.46	22.28	28.98	21.71	25.10	21.62	24.43	21.65	25.49	22.08	26.55
5.5	22.67	30.09	22.56	30.01	22.40	29.97	21.87	25.65	21.52	24.50	21.86	25.74	22.13	27.08
6.0	22.80	31.43	22.65	30.85	22.53	30.75	22.18	27.70	21.93	25.37	22.12	25.92	22.88	27.82
6.5	22.80	31.62	22.71	31.32	22.56	32.27	22.67	29.65	22.03	25.59	22.61	26.57	23.08	28.90
7.0	22.78	32.26	22.64	32.00	22.52	32.58	22.71	29.84	22.45	28.48	22.59	28.68	23.18	29.41
7.5	22.66	32.52	22.56	32.37	22.52	32.93	22.63	31.40	22.73	29.60	22.70	29.46	23.19	29.52
8.0	22.56	32.74	22.51	32.79	22.46	33.32	22.49	32.01	22.77	29.74	22.77	29.70	23.04	29.77
8.5			22.36	33.52	22.31	33.60	22.46	32.20	22.73	29.85	22.77	30.58	22.52	30.27
9.0			22.31	33.65	22.27	33.66	22.47	32.15	22.73	30.18	22.72	31.36	22.70	31.10
9.5			22.29	33.67	22.27	33.70	22.46	32.51	22.73	31.08	22.61	32.21	22.87	31.27
10.0			22.28	33.69	22.26	33.70	22.16	33.57	22.46	32.31	22.29	32.88	22.76	31.84
10.5			22.28	33.69	22.21	33.70	22.08	33.70	22.27	32.92	22.03	33.58	22.59	32.28
11.0			22.28	33.69	22.20	33.69	22.06	33.71	22.25	33.38	21.92	33.67	22.41	32.72
11.5			22.28	33.69	22.16	33.68	22.05	33.72	22.24	33.40	21.84	33.73	22.19	33.45
12.0			22.28	33.69	22.10	33.70	22.02	33.72	22.16	33.52	21.83	33.74	22.08	33.50
12.5			22.28	33.69	22.06	33.72	22.02	33.72	22.06	33.65	21.77	33.76	22.06	33.71
13.0					22.06	33.72			22.03	33.67	21.72	33.81	22.01	33.73
13.5									22.03	33.67	21.68	33.82	21.88	33.77
14.0									21.95	33.70	21.66	33.82	21.80	33.79
14.5									21.85	33.77	21.65	33.83	21.73	33.81
15.0									21.84	33.77	21.64	33.84	21.69	33.83
15.5									21.83	33.78	21.63	33.83	21.67	33.83
16.0									21.83	33.78	21.62	33.84	21.65	33.84
16.5									21.81	33.77	21.61	33.85	21.63	33.84
17.0									21.81	33.78	21.61	33.85	21.60	33.86
17.5									21.81	33.77	21.59	33.85	21.59	33.85
18.0											21.59	33.85	21.58	33.86
18.5											21.59	33.85	21.57	33.86
19.0											21.59	33.85	21.56	33.86
19.5											21.58	33.86	21.55	33.87
20.0											21.59	33.85	21.54	33.87
20.5													21.53	33.88
21.0													21.53	33.88
21.5													21.53	33.88
22.0													21.52	33.88
22.5													21.51	33.89
23.0													21.46	33.90
23.5														
24.0														
24.5														
25.0														
25.5														
26.0														
26.5														
27.0														
27.5														
28.0														
28.5														
29.0														
29.5														
30.0														
30.5														
31.0														
31.5														
32.0														
32.5														
33.0														
33.5														
34.0														
34.5														
35.0														

報告書名：  
 調査名：水  
 調査年月日  
 調査機関：  
 使用機器：  
 備考：

水深(m)	St.19		St.20		St.21		St.22		St.23		St.24		St.25	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	20.22	12.25	21.07	23.85	20.67	15.34	20.24	10.20	21.29	24.38	21.77	22.33	22.16	27.43
0.5	20.22	13.49	21.08	23.95	20.67	17.72	20.30	14.76	21.34	26.07	21.73	23.27	22.20	27.17
1.0	20.24	15.17	21.09	24.18	20.69	18.83	20.48	18.32	21.42	26.43	21.74	25.69	22.22	27.09
1.5	20.45	17.67	21.16	25.16	21.26	21.45	20.69	19.97	21.42	26.56	21.81	26.43	22.16	27.26
2.0	21.00	20.48	21.29	26.47	21.39	21.77	20.93	23.99	21.46	26.97	21.85	26.44	22.13	27.54
2.5	21.45	24.60	21.64	28.51	21.40	23.08	21.69	26.97	21.57	28.28	21.92	26.77	22.01	28.48
3.0	22.01	27.40	21.89	29.71	21.51	24.22	21.84	27.52	21.77	29.37	21.95	26.85	22.03	28.63
3.5	22.40	29.56	22.08	30.12	21.68	24.99	22.01	29.26	21.81	29.67	21.90	27.37	22.04	28.68
4.0	22.56	30.25	22.15	30.30	21.74	25.47	22.21	29.88	21.84	29.66	21.95	27.69	22.04	28.74
4.5	22.67	30.74	22.20	30.39	21.92	26.86	22.25	29.90	21.89	30.02	22.01	28.06	22.03	28.75
5.0	22.64	31.62	22.22	30.44	22.18	29.20	22.24	29.91	21.97	30.16	22.00	28.20	22.02	28.78
5.5	22.57	31.93	22.24	30.48	22.45	30.24	22.25	29.93	22.00	30.23	21.98	28.29	22.02	27.78
6.0	22.48	32.28	22.25	30.50	22.56	30.62	22.23	29.98	22.02	30.27	21.98	28.48	22.03	28.81
6.5	22.37	33.10	22.25	30.51	22.54	32.44	22.20	30.07	22.03	30.33	22.00	28.55	22.02	28.81
7.0	22.31	33.63	22.26	30.52	22.23	33.32	22.17	30.30	22.06	30.40	22.04	28.89	22.02	28.83
7.5	22.35	33.63	22.27	30.55	22.12	33.48	22.22	30.49	22.11	30.44	22.09	29.19	22.02	28.86
8.0	22.36	33.65	22.27	30.63	22.12	33.59	22.26	30.61	22.13	30.47	22.15	29.70	22.03	28.97
8.5	22.37	33.65	22.34	31.06	22.14	33.59	22.28	30.74	22.13	30.51	22.28	29.89	22.06	29.24
9.0	22.38	33.66	22.37	31.43	22.14	33.60	22.30	31.13	22.15	30.51	22.33	30.08	22.33	30.23
9.5	22.39	33.65	22.39	31.93	22.15	33.63	22.33	31.58	22.16	30.53	22.34	30.08	22.44	30.37
10.0	22.39	33.66	22.42	32.49	22.14	33.64	22.34	31.96	22.18	30.56	22.35	30.17	22.45	30.52
10.5	22.39	33.66	22.45	32.61	22.12	33.67	22.26	32.64	22.19	30.73	22.35	30.34	22.58	31.08
11.0	22.40	33.67	22.47	32.63	22.12	33.68	22.25	32.97	22.18	30.75	22.35	30.47	22.52	31.35
11.5	22.40	33.66	22.49	32.65	22.12	33.67	22.27	33.23	22.21	30.76	22.40	31.40	22.48	31.56
12.0	22.40	33.68	22.50	32.75	22.01	33.69	22.25	33.53	22.22	30.94	22.31	32.29	22.49	31.65
12.5			22.49	33.08	21.98	33.70	22.28	33.58	22.26	31.10	22.22	33.05	22.46	31.80
13.0			22.43	33.33	21.98	33.70	22.28	33.60	22.28	31.52	22.17	33.35	22.48	32.12
13.5			22.35	33.47	21.98	33.70	22.23	33.58	22.38	32.26	22.11	33.43	22.49	32.46
14.0			22.30	33.51	21.98	33.71	22.13	33.65	22.45	32.46	22.04	33.49	22.49	32.70
14.5			22.26	33.54	21.98	33.71	22.10	33.67	22.47	32.78	22.03	33.50	22.46	32.79
15.0			22.24	33.56			22.09	33.66	22.46	32.89	21.99	33.56	22.43	32.81
15.5			22.22	33.58			22.08	33.67	22.25	32.98	21.95	33.69	22.43	33.01
16.0			22.22	33.59			22.07	33.68	22.19	33.07	21.92	33.73	22.40	33.03
16.5			22.21	33.60			22.06	33.69	22.17	33.13	21.89	33.73	22.35	33.13
17.0			22.21	33.60			22.04	33.68	22.16	33.15	21.85	33.72	22.36	33.28
17.5			22.21	33.60			22.04	33.70	22.11	33.31	21.81	33.72	22.40	33.51
18.0			22.21	33.60			22.03	33.69	22.07	33.41	21.75	33.81	22.22	33.59
18.5			22.21	33.60			22.03	33.69	21.89	33.66	21.72	33.82	22.20	33.58
19.0			22.21	33.61			22.01	33.70	21.54	33.91	21.72	33.85	22.15	33.62
19.5			22.21	33.46			21.98	33.71	21.48	33.94	21.73	33.87	22.07	33.72
20.0							21.98	33.71	21.46	33.95	21.72	33.85	22.06	33.73
20.5									21.35	34.00	21.70	33.87	22.04	33.75
21.0									21.26	34.04	21.65	33.87	22.03	33.81
21.5									21.25	34.05	21.62	33.89	21.98	33.88
22.0									21.25	34.04	21.60	33.89	21.88	33.98
22.5									21.24	34.05			21.81	34.00
23.0									21.24	34.05			21.76	34.03
23.5									21.24	34.05			21.73	34.04
24.0									21.24	34.05			21.70	34.06
24.5									21.24	34.05			21.70	34.04
25.0													21.66	34.05
25.5													21.66	34.05
26.0													21.66	34.04
26.5													21.65	34.02
27.0													21.61	34.03
27.5													21.57	33.95
28.0													21.34	34.05
28.5													21.24	34.13
29.0													21.21	34.18
29.5													21.17	34.24
30.0													21.16	34.26
30.5													21.15	34.27
31.0													21.15	34.27
31.5													21.12	34.28
32.0													21.10	34.29
32.5													21.10	34.28
33.0													21.10	34.28
33.5														
34.0														
34.5														
35.0														

報告書名：  
 調査名：水  
 調査年月日  
 調査機関：  
 使用機器：  
 備考：

水深(m)	St.		St.		St.		St.		St.		St.	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	19.60	4.90	18.80	2.76	18.10	0.17	18.10	0.22	21.19	22.39	21.50	26.25
0.5	19.78	13.10	18.94	2.76	18.25	0.17	18.15	0.22	21.24	22.83	21.71	26.66
1.0	21.04	21.41	19.77	13.01	18.14	0.18	18.03	0.22	21.31	23.59	21.92	26.95
1.5	21.14	21.65	20.95	20.37	18.20	1.27	17.98	0.22	21.58	24.87	22.04	27.06
2.0	21.18	21.72					17.96	0.22	21.65	25.03	22.04	27.24
2.5									21.78	25.56	22.07	27.80
3.0									22.09	25.86	22.22	27.98
3.5									22.31	26.28	22.34	28.28
4.0									22.69	26.79	22.29	28.36
4.5									22.78	27.50	22.22	28.58
5.0									23.17	28.02	22.25	28.87
5.5									23.07	28.31	22.25	29.02
6.0									23.11	28.70	22.23	29.23
6.5									23.10	29.47	22.21	29.39
7.0									22.92	29.98	22.22	29.90
7.5									22.42	30.17	22.26	30.14
8.0									22.68	30.49	22.30	30.40
8.5									22.94	30.77	22.30	30.48
9.0									22.95	31.32	22.30	30.53
9.5									22.80	31.87	22.30	30.56
10.0									22.63	32.30	22.30	30.61
10.5									22.43	32.71	22.31	30.71
11.0									22.33	32.98	22.31	30.89
11.5									22.17	33.29	22.29	31.43
12.0									22.04	33.56	22.25	31.78
12.5									21.92	33.72	22.22	32.21
13.0									21.86	33.74	22.17	32.66
13.5									21.81	33.76	22.07	33.05
14.0									21.76	33.78	22.06	33.28
14.5									21.70	33.79	22.06	33.41
15.0									21.61	33.82	21.95	33.59
15.5									21.57	33.84	21.81	33.70
16.0									21.46	33.88	21.73	33.79
16.5									21.45	33.89	21.66	33.80
17.0									21.43	33.89	21.52	33.84
17.5									21.42	33.90	21.39	33.86
18.0									21.40	33.89	21.29	33.92
18.5									21.36	33.90	21.21	33.94
19.0									21.24	33.91	21.12	33.99
19.5									21.12	33.98	21.04	34.03
20.0									21.07	34.01	20.97	34.07
20.5									21.04	34.03	20.93	34.12
21.0									21.04	34.03	20.92	34.14
21.5									21.03	34.03	20.91	34.15
22.0									21.03	34.04	20.91	34.15
22.5									21.02	34.04	20.91	34.15
23.0											20.90	34.15
23.5											20.90	34.14
24.0											20.90	34.14
24.5												
25.0												
25.5												
26.0												
26.5												
27.0												
27.5												
28.0												
28.5												
29.0												
29.5												
30.0												
30.5												
31.0												
31.5												
32.0												
32.5												
33.0												
33.5												
34.0												
34.5												
35.0												

報告書名：平成16年度東京国際空港周辺海域現況調査(その2)  
 調査名：水質鉛直測定(現場観測)  
 調査年月日：平成16年10月19日  
 調査機関：三洋テクノマリン株式会社  
 使用機器：水温・塩分計  
 備考：

水深(m)	St.2		St.5		St.8		St.10		St.12		St.15		St.18	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	20.12	23.42	19.18	20.44	19.11	20.66	19.19	20.23	18.90	21.56	19.30	22.17	19.36	22.62
0.5	20.18	23.41	19.25	20.72	19.11	20.66	19.30	21.02	18.92	21.60	19.31	22.17	19.39	22.81
1.0	20.18	23.50	19.40	22.13	19.17	21.40	19.56	23.09	19.04	22.45	19.34	22.32	19.45	23.39
1.5	20.24	23.97	19.58	22.86	19.32	21.87	19.84	25.17	19.15	22.99	19.54	23.64	19.57	24.27
2.0	21.21	24.04	19.61	23.03	19.36	22.00	19.95	25.61	19.35	23.43	19.66	24.36	19.68	25.00
2.5	20.14	24.18	19.66	23.46	19.45	22.29	19.97	25.76	19.58	24.12	19.71	25.09	19.90	25.69
3.0	20.13	24.32	19.78	24.34	19.58	23.08	20.00	25.91	19.68	24.53	19.85	25.53	20.18	26.20
3.5	20.57	26.14	20.15	25.27	19.84	24.76	20.02	25.91	19.72	24.99	19.85	25.71	20.43	26.44
4.0	20.71	27.16	20.39	26.31	19.95	25.42	20.20	25.93	19.73	25.12	20.13	26.39	20.62	26.69
4.5	21.36	28.53	20.79	27.43	20.05	26.00	20.20	25.93	19.72	25.31	20.40	26.66	20.67	27.54
5.0	21.57	29.57	20.98	29.33	20.31	28.34	20.07	26.51	19.75	25.68	20.39	26.68	20.65	28.67
5.5	21.76	30.58	21.60	31.23	20.84	29.86	20.54	29.00	19.78	25.90	20.38	26.70	20.62	28.76
6.0	21.84	31.11	21.72	32.03	21.13	30.56	20.78	29.23	20.47	28.82	20.35	26.77	20.65	29.22
6.5	22.01	32.02	21.94	32.40	21.35	31.13	20.87	29.66	20.83	29.58	20.56	27.96	20.62	29.42
7.0	22.16	32.42	22.20	33.49	21.54	31.98	21.17	30.68	20.84	29.76	20.80	29.27	20.60	29.51
7.5	22.18	32.53	22.25	33.50	21.68	32.11	21.37	31.15	20.96	30.17	20.76	29.51	20.64	29.61
8.0	22.21	32.94	22.28	33.51	21.76	32.63	21.46	31.44	21.05	30.19	20.69	29.71	20.69	29.94
8.5	22.23	32.99	22.29	33.58	22.07	33.44	21.51	31.67	21.05	30.25	20.73	29.88	20.76	30.15
9.0			22.32	33.70	22.27	33.81	21.53	31.75	21.08	30.28	20.80	30.27	20.85	30.55
9.5			22.35	33.77	22.33	33.81	21.56	31.97	21.10	30.30	20.91	30.47	20.91	30.68
10.0			22.37	33.79	22.35	33.84	21.70	32.40	21.15	30.53	20.97	30.70	20.95	30.94
10.5			22.38	33.78	22.36	33.83	22.03	33.30	21.39	31.49	21.10	31.62	20.99	31.24
11.0			22.38	33.78	22.36	33.84	22.15	33.43	21.48	31.49	21.34	32.01	21.06	31.58
11.5			22.38	33.78	22.37	33.83	22.19	33.41	21.56	31.80	21.54	32.16	21.14	31.81
12.0			22.38	33.78	22.37	33.83	22.19	33.43	21.65	32.13	21.77	32.32	21.22	31.90
12.5					22.36	33.84	22.20	33.44	21.98	33.18	21.98	32.97	21.28	32.03
13.0					22.36	33.84	22.21	33.53	22.05	33.24	22.14	33.35	21.40	32.38
13.5					22.36	33.84	22.24	33.58	22.12	33.50	22.19	33.45	21.82	33.60
14.0							22.28	33.68	22.21	33.77	22.20	33.76	22.17	33.68
14.5							22.29	33.68	22.22	33.80	22.23	33.90	22.22	33.75
15.0									22.22	33.81	22.22	33.91	22.21	33.72
15.5									22.22	33.87	22.21	33.93	22.15	33.74
16.0									22.22	33.87	22.21	33.93	22.17	33.83
16.5									22.22	33.87	22.21	33.93	22.18	33.82
17.0									22.22	33.87	22.21	33.94	22.18	33.93
17.5											22.21	33.96	22.21	33.93
18.0											22.21	33.96	22.22	33.95
18.5											22.21	33.96	22.22	33.93
19.0											22.21	33.96	22.22	33.93
19.5											22.21	33.96	22.21	33.94
20.0											22.21	33.96	22.21	33.94
20.5													22.21	33.96
21.0													22.21	33.96
21.5													22.21	33.95
22.0													22.21	33.97
22.5													22.20	33.98
23.0														
23.5														
24.0														
24.5														
25.0														
25.5														
26.0														
26.5														
27.0														
27.5														
28.0														
28.5														
29.0														
29.5														
30.0														
30.5														
31.0														
31.5														
32.0														
32.5														
33.0														
33.5														
34.0														
34.5														
35.0														

報告書名：  
 調査名：水  
 調査年月日  
 調査機関：  
 使用機器：  
 備考：

水深(m)	St.19		St.20		St.21		St.22		St.23		St.24		St.25	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	19.80	24.09	19.60	25.42	19.67	22.65	19.49	22.32	19.48	25.20	20.21	26.24	19.88	26.55
0.5	19.80	24.09	19.60	25.44	19.70	22.72	19.49	22.36	19.48	25.17	20.23	26.27	19.88	26.57
1.0	19.97	24.44	19.61	25.54	19.81	23.66	19.56	22.71	19.53	26.08	20.24	26.30	19.88	26.57
1.5	20.29	26.68	19.69	26.00	19.85	24.02	19.69	23.67	19.57	26.33	20.26	26.34	19.88	26.57
2.0	20.85	28.32	19.83	26.96	19.91	24.22	19.82	24.73	19.60	26.57	20.27	26.35	19.89	26.56
2.5	21.24	29.09	20.07	28.12	20.04	25.43	19.97	25.97	19.67	27.10	20.27	26.57	19.88	26.58
3.0	21.35	29.32	20.25	28.61	20.17	26.48	20.13	27.32	19.71	27.20	20.25	26.93	19.95	26.87
3.5	21.21	29.50	20.35	29.30	20.22	26.59	20.27	28.59	19.72	27.26	20.23	27.08	20.01	27.03
4.0	21.12	30.23	20.51	30.03	20.33	27.62	20.38	28.99	19.74	27.35	20.24	27.44	20.09	27.39
4.5	21.16	30.68	20.62	30.37	20.50	28.59	20.42	29.01	19.79	27.56	20.38	27.90	20.21	27.66
5.0	21.38	31.04	20.67	30.55	20.70	29.27	20.43	29.05	19.84	27.81	20.45	27.96	20.26	28.03
5.5	21.39	31.32	20.73	30.68	20.92	30.01	20.39	29.23	19.89	28.10	20.50	28.03	20.27	28.14
6.0	21.60	31.49	20.79	30.81	21.21	31.25	20.39	29.77	19.96	28.37	20.78	29.05	20.29	28.27
6.5	21.78	31.87	20.82	30.87	21.43	32.17	20.56	30.43	20.08	29.04	21.07	29.59	20.29	28.43
7.0	21.88	32.18	20.83	30.91	22.04	33.14	20.66	30.57	20.22	29.55	21.30	30.61	20.34	28.96
7.5	22.00	32.67	20.83	30.93	22.14	33.16	20.78	30.79	20.34	29.84	21.47	30.97	20.43	29.14
8.0	22.13	33.01	20.87	30.98	22.23	33.41	20.85	30.94	20.45	30.22	21.60	31.25	20.51	29.31
8.5	22.24	33.29	20.89	31.01	22.27	33.48	20.93	31.03	20.54	30.37	21.63	31.33	20.56	29.47
9.0	22.34	33.48	20.92	31.07	22.32	33.66	21.04	31.29	20.65	30.60	21.66	31.52	20.63	30.07
9.5	22.39	33.66	20.96	31.16	22.42	33.73	21.09	31.28	20.82	31.27	21.62	31.62	20.70	30.23
10.0	22.40	33.75	21.06	31.32	22.46	33.77	21.12	31.54	21.17	31.58	21.62	31.77	20.80	30.43
10.5	22.41	33.75	21.16	32.09	22.47	33.81	21.28	31.70	21.24	31.62	21.68	32.17	20.88	30.74
11.0	22.41	33.75	21.26	32.47	22.48	33.82	21.26	31.71	21.27	31.63	21.74	32.22	20.90	31.10
11.5	22.41	33.75	21.30	32.50	22.48	33.84	21.20	31.84	21.27	31.69	21.72	32.30	21.02	31.44
12.0	22.40	33.74	21.31	32.56	22.48	33.85	21.16	31.96	21.23	31.81	21.70	32.47	21.05	31.49
12.5			21.33	32.59	22.48	33.85	21.17	32.23	21.22	31.83	21.76	32.82	21.06	31.55
13.0			21.38	32.80	22.48	33.85	21.21	32.48	21.22	31.85	21.79	32.90	21.07	31.65
13.5			21.55	32.96	22.48	33.85	21.29	33.01	21.21	32.06	22.02	33.31	21.11	31.94
14.0			21.70	33.14	22.48	33.85	21.47	33.18	21.21	32.26	22.15	33.38	21.18	32.72
14.5			21.80	33.22	22.48	33.85	21.60	33.25	21.21	32.41	22.04	33.40	21.18	32.76
15.0			21.94	33.39	22.48	33.84	21.72	33.39	21.20	32.56	22.00	33.43	21.17	32.77
15.5			22.11	33.51			21.84	33.56	21.19	32.63	21.91	33.58	21.17	32.79
16.0			22.23	33.77			22.01	33.75	21.17	32.70	21.90	33.67	21.16	32.79
16.5			22.40	33.83			22.10	33.76	21.16	32.75	21.97	33.83	21.16	32.79
17.0			22.51	33.83			22.26	33.90	21.15	32.84	22.13	33.84	21.16	32.79
17.5			22.54	33.82			22.39	33.93	21.14	32.92	22.19	33.85	21.16	32.81
18.0			22.54	33.82			22.42	33.92	21.16	33.05	22.22	33.87	21.16	32.82
18.5			22.54	33.82			22.43	33.91	21.17	33.07	22.19	33.87	21.16	32.83
19.0			22.55	33.82			22.43	33.91	21.18	33.17	22.18	33.89	21.17	32.87
19.5			22.55	33.81			22.43	33.91	21.23	33.40	22.16	33.91	21.19	33.00
20.0									21.30	33.47	22.16	33.92	21.20	33.09
20.5									21.32	33.47	22.13	33.94	21.22	33.25
21.0									21.34	33.54	22.09	33.90	21.19	33.42
21.5									21.35	33.54	21.93	33.91	21.05	33.49
22.0									21.30	33.53	21.86	33.96	20.95	33.53
22.5									21.21	33.60	21.84	33.97	20.89	33.55
23.0									21.19	33.67			20.87	33.57
23.5									21.21	33.68			20.85	33.56
24.0									21.29	33.77			20.82	33.60
24.5									21.33	33.86			20.80	33.60
25.0									21.36	33.86			20.77	33.60
25.5									21.36	33.86			20.72	33.62
26.0									21.37	33.86			20.69	33.63
26.5									21.37	33.86			20.68	33.65
27.0									21.37	33.14			20.66	33.70
27.5													20.63	33.72
28.0													20.61	33.77
28.5													20.60	33.78
29.0													20.61	33.81
29.5													20.61	33.82
30.0													20.61	33.84
30.5													20.62	33.87
31.0													20.61	33.88
31.5													20.58	33.91
32.0													20.57	33.92
32.5													20.57	33.92
33.0													20.58	33.91
33.5														
34.0														
34.5														
35.0														

報告書名：  
 調査名：水  
 調査年月日  
 調査機関：  
 使用機器：  
 備考：

水深(m)	St.		St.		St.		St.		St.		St.	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	18.86	20.20	19.14	20.60	18.69	8.80	18.11	2.49	19.42	23.07	20.33	25.70
0.5	19.17	22.94	19.19	20.96	20.01	17.02	18.59	5.18	19.49	24.05	20.33	25.73
1.0	19.32	23.20	19.37	23.57	21.15	24.26	19.63	16.22	19.82	24.35	20.31	25.72
1.5	19.34	23.32			21.44	25.60	20.40	20.26	20.07	25.41	20.34	25.72
2.0							20.98	23.90	20.18	25.96	20.33	25.82
2.5									20.24	26.34	20.38	25.90
3.0									20.37	27.00	20.37	25.93
3.5									20.50	27.58	20.22	26.29
4.0									20.57	27.90	20.22	26.72
4.5									20.65	28.13	20.22	26.95
5.0									20.65	28.53	20.28	27.13
5.5									20.69	28.91	20.28	27.15
6.0									20.74	29.14	20.34	27.55
6.5									20.79	29.59	20.45	28.54
7.0									20.87	29.82	20.57	29.04
7.5									20.92	29.94	20.62	29.12
8.0									20.95	30.01	20.66	29.30
8.5									21.05	30.30	20.62	29.37
9.0									21.15	30.63	20.62	29.61
9.5									21.18	30.70	20.71	29.83
10.0									21.20	30.76	20.82	29.92
10.5									21.22	30.94	20.96	30.59
11.0									21.23	31.20	21.18	31.11
11.5									21.23	32.04	21.29	31.49
12.0									21.33	32.38	21.25	31.93
12.5									21.45	32.44	21.27	32.17
13.0									21.48	32.47	21.28	32.38
13.5									21.57	32.67	21.24	32.61
14.0									21.77	33.37	21.22	32.92
14.5									21.98	33.56	21.19	33.00
15.0									22.14	33.66	21.14	33.07
15.5									22.16	33.64	21.09	33.09
16.0									22.13	33.68	21.04	33.20
16.5									22.12	33.70	21.01	33.31
17.0									22.11	33.86	21.02	33.39
17.5									22.15	33.89	21.05	33.42
18.0									22.12	33.89	21.05	33.44
18.5									22.14	33.94	21.05	33.45
19.0									22.16	33.92	21.07	33.52
19.5									22.13	33.94	21.11	33.59
20.0									22.13	33.95	21.18	33.64
20.5									22.13	33.96	21.24	33.69
21.0									22.13	33.98	21.32	33.76
21.5									22.06	33.97	21.38	33.82
22.0									22.04	33.99	21.50	33.91
22.5									22.02	34.01	21.61	33.94
23.0									22.02	33.99	21.69	33.96
23.5									22.02	33.99	21.72	33.99
24.0									22.02	33.99	21.74	33.97
24.5											21.69	33.97
25.0											21.68	33.98
25.5											21.68	33.98
26.0											21.68	33.98
26.5											21.68	33.98
27.0											21.68	33.98
27.5												
28.0												
28.5												
29.0												
29.5												
30.0												
30.5												
31.0												
31.5												
32.0												
32.5												
33.0												
33.5												
34.0												
34.5												
35.0												

報告書名：平成16年度東京国際空港周辺海域現況調査(その2)  
 調査名：水質鉛直測定(現場観測)  
 調査年月日：平成16年11月16日  
 調査機関：三洋テクノマリン株式会社  
 使用機器：水温・塩分計  
 備考：

水深(m)	St.2		St.5		St.8		St.10		St.12		St.15		St.18	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	17.72	23.61	17.80	23.99	17.78	24.13	17.44	22.97	17.87	25.29	17.81	24.88	17.73	25.48
0.5	17.70	23.56	17.80	24.02	17.86	24.56	17.48	23.21	17.92	25.76	17.86	25.46	17.82	26.55
1.0	17.75	23.73	17.80	24.02	17.88	24.92	17.75	25.49	17.94	25.95	17.97	26.54	17.92	27.55
1.5	18.05	24.85	17.80	24.02	17.91	25.16	17.89	26.50	17.93	26.17	18.05	27.26	18.01	27.95
2.0	18.08	25.13	17.81	24.01	18.04	25.32	17.93	27.23	17.94	26.30	18.02	27.34	18.02	28.14
2.5	18.36	26.22	17.81	24.04	18.05	25.28	18.19	27.52	17.94	26.47	18.06	27.38	18.07	28.24
3.0	19.12	27.46	17.82	24.09	18.07	25.52	18.30	27.65	17.98	26.77	18.07	27.42	18.08	28.32
3.5	19.15	27.99	17.87	24.41	18.13	25.78	18.30	27.72	18.00	26.83	18.07	27.49	18.12	28.38
4.0	19.18	28.23	18.13	25.59	18.19	25.98	18.38	27.77	18.11	26.91	18.05	27.50	18.19	28.40
4.5	19.27	29.25	18.82	27.80	18.30	26.65	18.54	27.92	18.11	27.14	18.04	27.53	18.37	28.49
5.0	19.56	29.61	19.21	29.89	18.42	27.23	18.55	27.97	18.20	27.23	18.08	27.69	18.54	28.47
5.5	19.59	29.77	19.65	30.45	18.64	27.96	18.62	28.02	18.24	27.26	18.16	27.93	18.64	28.59
6.0	19.75	30.31	19.79	30.58	18.94	28.78	18.65	28.19	18.37	27.81	18.20	27.98	18.64	28.79
6.5	19.91	30.68	20.03	31.16	19.14	29.25	18.83	28.66	18.63	28.10	18.18	28.04	18.73	28.82
7.0	19.96	30.90	20.10	31.28	19.46	31.28	19.07	29.00	18.70	28.15	18.25	28.10	18.74	28.95
7.5	20.07	31.01	20.19	31.56	20.08	31.61	19.20	29.25	18.87	28.98	18.27	28.11	18.89	29.39
8.0	20.14	31.19	20.26	31.59	20.21	31.85	19.94	31.83	20.31	31.94	18.30	28.21	19.70	30.80
8.5			20.33	32.06	20.39	32.18	20.57	32.70	20.59	32.88	18.65	28.70	20.02	31.12
9.0			20.46	32.22	20.46	32.18	20.90	33.57	20.80	33.21	20.55	32.44	20.44	32.60
9.5			20.51	32.28	20.46	32.21	20.96	33.56	20.85	33.28	20.77	33.08	20.63	32.79
10.0			20.67	33.02	20.61	32.87	20.96	33.58	20.88	33.34	20.80	33.12	20.76	33.06
10.5			20.84	33.45	20.72	33.04	20.99	33.65	20.92	33.46	20.85	33.29	20.89	33.39
11.0			20.92	33.59	20.83	33.49	20.99	33.65	20.98	33.64	20.96	33.61	20.95	33.48
11.5			20.97	33.61	20.98	33.74	20.99	33.66	21.03	33.67	21.05	33.72	21.02	33.68
12.0			20.98	33.64	21.04	33.73	21.01	33.65	21.04	33.69	21.05	33.72	21.04	33.70
12.5			20.98	33.60	21.04	33.75			21.04	33.69	21.05	33.72	21.03	33.73
13.0					21.04	33.73			21.04	33.70	21.05	33.72	21.05	33.72
13.5									21.05	33.71	21.05	33.72	21.05	33.74
14.0									21.05	33.70	21.05	33.72	21.07	33.74
14.5									21.04	33.70	21.05	33.72	21.07	33.74
15.0									21.05	33.71	21.05	33.74	21.07	33.74
15.5									21.05	33.71	21.05	33.75	21.07	33.75
16.0									21.05	33.71	21.07	33.73	21.07	33.74
16.5									21.05	33.71	21.05	33.75	21.07	33.75
17.0											21.05	33.75	21.05	33.78
17.5											21.07	33.74	21.05	33.78
18.0											21.05	33.75	21.08	33.76
18.5											21.05	33.74	21.08	33.76
19.0											21.05	33.75	21.08	33.76
19.5											21.07	33.74	21.08	33.76
20.0											21.07	33.74	21.08	33.76
20.5													21.07	33.77
21.0													21.08	33.76
21.5													21.08	33.76
22.0													21.07	33.77
22.5													21.07	33.77
23.0														
23.5														
24.0														
24.5														
25.0														
25.5														
26.0														
26.5														
27.0														
27.5														
28.0														
28.5														
29.0														
29.5														
30.0														
30.5														
31.0														
31.5														
32.0														
32.5														
33.0														
33.5														
34.0														
34.5														
35.0														

報告書名：  
 調査名：水  
 調査年月日  
 調査機関：  
 使用機器：  
 備考：

水深(m)	St.19		St.20		St.21		St.22		St.23		St.24		St.25	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	17.96	23.09	17.86	29.04	16.96	21.45	18.15	28.64	18.25	29.01	18.23	28.49	18.39	29.28
0.5	17.94	23.16	17.84	29.05	17.11	22.76	18.16	28.64	18.24	29.24	18.22	28.48	18.39	29.28
1.0	17.83	24.47	17.84	29.05	17.69	24.52	18.15	28.66	18.25	29.24	18.23	28.53	18.36	29.15
1.5	18.08	25.13	17.84	29.05	18.21	25.89	18.16	28.66	18.24	29.24	18.24	28.52	18.29	29.15
2.0	18.31	25.41	17.84	29.05	18.45	26.58	18.16	28.67	18.24	29.24	18.24	28.55	18.29	29.15
2.5	18.85	26.77	17.87	29.06	18.58	27.21	18.16	28.70	18.24	29.29	18.25	28.60	18.40	29.49
3.0	18.99	27.01	17.95	29.16	18.69	27.71	18.17	28.73	18.25	29.34	18.27	28.67	18.51	29.57
3.5	19.12	28.04	18.01	29.28	18.71	27.97	18.20	28.75	18.40	29.52	18.30	28.85	18.58	29.74
4.0	19.23	28.55	18.08	29.38	18.65	28.09	18.22	28.78	18.50	29.45	18.39	29.04	18.64	29.80
4.5	19.58	29.54	18.28	29.56	18.80	28.49	18.25	28.86	18.55	29.69	18.46	29.05	18.67	29.91
5.0	19.60	29.71	18.47	29.77	19.17	29.57	18.32	28.97	18.65	29.71	18.49	29.05	18.71	29.99
5.5	19.70	30.25	18.57	29.77	19.28	30.00	18.36	29.10	18.67	29.71	18.52	29.07	18.73	30.01
6.0	20.06	31.02	18.57	29.77	19.43	30.69	18.55	29.28	18.68	29.81	18.54	29.09	18.77	30.15
6.5	20.30	31.77	18.52	29.81	19.79	31.16	18.68	29.44	18.81	29.97	18.60	29.19	18.81	30.36
7.0	20.39	31.96	18.70	30.03	19.85	31.17	18.88	29.94	18.93	30.20	18.76	29.46	18.87	30.63
7.5	20.44	32.34	18.86	30.19	20.07	31.87	19.16	30.16	19.00	30.19	18.89	29.96	18.91	30.68
8.0	20.65	32.75	19.06	30.64	20.32	32.38	19.37	30.45	19.01	30.50	19.03	30.23	18.95	30.79
8.5	20.73	32.93	19.58	30.88	20.61	32.82	19.73	30.60	19.34	30.64	19.08	30.41	19.04	30.92
9.0	20.76	33.00	19.64	30.96	20.69	32.93	19.70	31.01	19.38	30.64	19.13	30.61	19.08	30.93
9.5	20.78	33.07	19.81	31.42	20.71	32.94	19.77	31.25	19.39	30.65	19.23	30.71	19.10	30.97
10.0	20.81	33.10	20.04	31.38	20.83	33.30	19.85	31.40	19.41	30.64	19.42	31.21	19.14	30.97
10.5	20.81	33.11	20.08	31.50	20.91	33.47	20.09	31.85	19.42	30.75	19.82	31.94	19.15	30.99
11.0	20.81	33.12	20.20	32.51	20.95	33.52	20.22	31.93	19.46	30.95	19.92	32.05	19.20	31.04
11.5	20.81	33.12	20.76	33.04	20.96	33.54	20.25	32.24	19.54	31.21	19.96	32.09	19.22	31.07
12.0			20.94	33.23	20.97	33.56	20.63	33.11	19.63	31.50	20.01	32.14	19.27	31.15
12.5			20.99	33.29	20.97	33.57	20.93	33.58	19.88	31.86	20.05	32.31	19.43	31.38
13.0			21.01	33.40	20.98	33.60	21.03	33.61	20.08	32.22	20.15	32.57	19.50	31.38
13.5			21.03	33.55	21.01	33.65	21.06	33.63	20.24	32.18	20.31	32.82	19.60	31.56
14.0			21.03	33.59	21.02	33.67	21.07	33.66	20.28	32.25	20.42	33.04	19.64	31.82
14.5			21.04	33.61	21.02	33.68	21.07	33.68	20.34	32.35	20.54	33.37	19.67	31.89
15.0			21.04	33.62	21.02	33.68	21.07	33.69	20.45	32.56	20.78	33.58	19.67	31.99
15.5			21.04	33.62			21.07	33.72	20.59	33.01	20.92	33.64	19.67	32.03
16.0			21.03	33.63			21.07	33.73	20.70	33.31	20.99	33.60	19.67	32.06
16.5			21.03	33.64			21.07	33.74	20.75	33.29	20.99	33.62	19.68	32.06
17.0			21.03	33.63			21.08	33.75	20.83	33.56	21.00	33.65	19.69	32.11
17.5			21.03	33.63			21.08	33.75	21.02	33.63	21.01	33.67	19.75	32.21
18.0			21.03	33.64			21.08	33.75	21.04	33.63	21.04	33.71	19.77	32.28
18.5			21.03	33.64			21.08	33.75	21.06	33.62	21.05	33.73	19.79	32.32
19.0			21.03	33.64			21.08	33.76	21.06	33.62	21.07	33.73	19.80	32.41
19.5			21.03	33.64			21.08	33.76	21.06	33.64	21.08	33.76	19.83	32.47
20.0							21.08	33.75	21.06	33.64	21.08	33.76	19.84	32.46
20.5									21.06	33.64	21.09	33.75	19.84	32.46
21.0									21.06	33.64	21.08	33.76	19.84	32.61
21.5									21.06	33.65	21.09	33.75	19.86	32.80
22.0									21.06	33.65	21.09	33.75	19.86	32.85
22.5									21.06	33.65			19.86	32.92
23.0									21.06	33.67			19.86	33.01
23.5									21.07	33.66			19.86	33.02
24.0									21.07	33.64			19.89	33.10
24.5									21.07	33.66			19.92	33.18
25.0									21.07	33.66			19.96	33.27
25.5									21.07	33.66			19.96	33.26
26.0									21.07	33.66			19.92	33.34
26.5									21.07	33.66			19.93	33.38
27.0									21.07	33.64			19.91	33.36
27.5													19.88	33.37
28.0													19.84	33.38
28.5													19.82	33.40
29.0													19.80	33.43
29.5													19.79	33.47
30.0													19.78	33.48
30.5													19.78	33.50
31.0													19.78	33.50
31.5													19.78	33.52
32.0													19.78	33.52
32.5													19.78	33.53
33.0													19.78	33.53
33.5													19.77	33.54
34.0														
34.5														
35.0														

報告書名：  
 調査名：水  
 調査年月日  
 調査機関：  
 使用機器：  
 備考：

水深(m)	St.		St.		St.		St.		St.		St.	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	17.73	25.04	17.94	27.06	15.86	14.41	16.08	10.52	17.75	25.46	18.46	27.65
0.5	17.74	25.07	18.00	27.30	17.19	20.70	16.52	11.62	17.75	25.50	18.46	27.65
1.0	17.77	25.07	18.09	27.67	18.36	22.67	16.94	15.16	17.76	25.61	18.46	27.69
1.5	17.80	25.13	18.18	28.20			18.09	22.13	17.76	25.82	18.49	27.66
2.0	17.84	25.42	18.31	28.20			19.14	25.12	17.78	25.87	18.50	27.84
2.5							19.19	25.67	17.79	26.05	18.55	28.39
3.0							19.15	26.31	17.80	26.18	18.53	28.52
3.5							19.20	26.73	17.88	26.78	18.52	28.59
4.0							19.21	26.80	18.00	27.06	18.52	28.64
4.5									17.99	27.19	18.54	28.94
5.0									17.98	27.38	18.60	28.91
5.5									17.99	27.60	18.60	28.91
6.0									18.24	28.10	18.59	28.93
6.5									18.44	28.21	18.62	29.04
7.0									18.58	28.29	18.65	29.10
7.5									18.73	29.29	18.68	29.12
8.0									19.15	29.73	18.71	29.22
8.5									19.34	30.11	18.75	29.61
9.0									19.54	30.38	19.09	30.11
9.5									19.67	30.52	19.26	30.18
10.0									19.79	30.80	19.38	30.49
10.5									20.20	32.32	19.51	30.82
11.0									20.44	32.31	19.68	31.18
11.5									20.50	32.55	20.09	32.45
12.0									20.70	33.34	20.39	32.84
12.5									20.95	33.72	20.63	33.06
13.0									21.04	33.70	20.75	33.35
13.5									21.06	33.71	20.90	33.49
14.0									21.07	33.71	20.99	33.57
14.5									21.07	33.73	21.03	33.61
15.0									21.07	33.73	21.06	33.68
15.5									21.08	33.73	21.07	33.71
16.0									21.08	33.73	21.08	33.73
16.5									21.09	33.74	21.08	33.75
17.0									21.09	33.74	21.09	33.74
17.5									21.09	33.75	21.09	33.72
18.0									21.09	33.75	21.09	33.74
18.5									21.11	33.74	21.09	33.74
19.0									21.09	33.75	21.09	33.74
19.5									21.09	33.75	21.09	33.74
20.0									21.11	33.74	21.09	33.74
20.5									21.09	33.75	21.09	33.74
21.0									21.09	33.76	21.09	33.74
21.5									21.09	33.76	21.09	33.74
22.0									21.11	33.74	21.09	33.74
22.5									21.09	33.75	21.09	33.74
23.0									21.11	33.76	21.09	33.74
23.5									21.09	33.76	21.09	33.74
24.0									21.09	33.76	21.09	33.74
24.5											21.09	33.74
25.0											21.09	33.74
25.5											21.09	33.74
26.0											21.09	33.74
26.5											21.09	33.74
27.0												
27.5												
28.0												
28.5												
29.0												
29.5												
30.0												
30.5												
31.0												
31.5												
32.0												
32.5												
33.0												
33.5												
34.0												
34.5												
35.0												

報告書名：平成16年度東京国際空港周辺海域現況調査(その2)  
 調査名：水質鉛直測定(現場観測)  
 調査年月日：平成16年12月14日  
 調査機関：三洋テクノマリン株式会社  
 使用機器：水温・塩分計  
 備考：

水深(m)	St.2		St.5		St.8		St.10		St.12		St.15		St.18	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	14.76	28.08	14.62	27.57	14.72	28.54	14.65	28.58	14.77	29.17	14.70	29.39	15.28	30.11
0.5	14.80	28.11	14.70	27.82	14.73	28.55	14.64	28.60	14.78	29.16	14.72	29.42	15.30	30.14
1.0	14.81	28.11	14.73	27.88	14.73	28.60	14.68	28.58	14.78	29.22	14.73	29.46	15.32	30.14
1.5	14.82	28.11	14.74	27.95	14.75	28.57	14.72	28.70	14.84	29.50	14.73	29.54	15.34	30.13
2.0	14.83	28.16	14.75	27.99	14.73	28.58	14.77	29.00	14.90	29.70	14.75	29.58	15.34	30.13
2.5	14.92	28.49	14.75	28.20	14.74	28.57	14.83	29.14	14.95	29.77	14.80	29.69	15.34	30.13
3.0	15.16	28.89	14.96	28.80	14.77	28.60	14.82	29.19	14.99	29.86	14.85	29.95	15.34	30.13
3.5	15.40	29.45	15.09	29.04	14.78	28.62	14.82	29.29	15.04	29.90	14.98	30.02	15.41	30.18
4.0	15.51	29.47	15.19	29.39	14.80	28.61	14.81	29.48	15.10	30.07	15.11	30.08	15.42	30.17
4.5	15.55	29.80	15.22	29.49	14.78	28.65	14.89	29.63	15.25	30.15	15.26	30.22	15.42	30.17
5.0	15.61	29.91	15.24	29.67	14.83	28.83	14.94	29.77	15.28	30.14	15.32	30.25	15.41	30.21
5.5	15.63	30.09	15.36	30.09	14.97	29.36	14.97	29.80	15.32	30.11	15.37	30.28	15.44	30.25
6.0	15.63	30.15	15.41	30.15	15.00	29.69	15.16	30.11	15.35	30.16	15.39	30.27	15.51	30.38
6.5	15.62	30.30	15.49	30.26	15.05	29.92	15.26	30.19	15.41	30.18	15.39	30.27	15.67	30.54
7.0	15.63	30.40	15.59	30.41	15.08	29.98	15.24	30.15	15.42	30.22	15.41	30.27	15.69	30.60
7.5	15.64	30.42	15.65	30.52	15.09	30.00	15.32	30.32	15.43	30.20	15.44	30.28	15.73	30.71
8.0	15.80	30.82	15.66	30.66	15.15	30.15	15.38	30.37	15.43	30.20	15.45	30.30	15.75	30.73
8.5	15.83	30.83	15.71	30.80	15.51	30.59	15.43	30.50	15.43	30.23	15.51	30.43	15.73	30.77
9.0			15.95	31.34	15.95	31.45	15.50	30.65	15.44	30.22	15.56	30.48	15.70	30.82
9.5			16.22	31.58	16.44	32.11	15.67	30.97	15.44	30.23	15.62	30.46	15.69	30.86
10.0			16.61	32.29	16.76	32.24	16.35	31.90	15.46	30.34	15.65	30.56	15.64	30.95
10.5			17.16	32.83	16.88	32.46	16.59	32.10	15.70	30.93	15.65	30.62	15.62	31.00
11.0			17.36	32.90	17.01	32.49	17.02	32.85	15.80	30.93	15.63	30.62	15.61	31.00
11.5			17.44	32.95	17.14	32.77	17.50	33.10	15.86	31.00	15.59	30.71	15.59	31.01
12.0					17.61	33.16	17.53	33.09	15.96	31.18	15.64	30.86	15.59	31.04
12.5					17.66	33.25	17.53	33.09	16.11	32.15	15.71	30.98	15.59	31.06
13.0					17.66	33.26			17.06	33.16	15.79	31.12	15.59	31.10
13.5					17.67	33.25			17.42	33.13	16.06	31.62	15.84	31.67
14.0									17.56	33.31	16.73	32.70	16.59	32.70
14.5									17.61	33.30	17.30	33.19	16.97	32.63
15.0									17.64	33.32	17.50	33.20	17.29	33.24
15.5									17.67	33.39	17.58	33.31	17.55	33.35
16.0									17.68	33.38	17.65	33.43	17.61	33.40
16.5									17.68	33.39	17.68	33.48	17.65	33.40
17.0											17.70	33.49	17.67	33.44
17.5											17.70	33.49	17.67	33.49
18.0											17.70	33.49	17.67	33.49
18.5											17.70	33.49	17.68	33.49
19.0											17.70	33.49	17.69	33.51
19.5											17.70	33.49	17.68	33.54
20.0											17.70	33.49	17.69	33.53
20.5													17.69	33.53
21.0													17.69	33.53
21.5													17.68	33.55
22.0													17.69	33.54
22.5													17.69	33.54
23.0														
23.5														
24.0														
24.5														
25.0														
25.5														
26.0														
26.5														
27.0														
27.5														
28.0														
28.5														
29.0														
29.5														
30.0														
30.5														
31.0														
31.5														
32.0														
32.5														
33.0														
33.5														
34.0														
34.5														
35.0														

報告書名：  
 調査名：水  
 調査年月日  
 調査機関：  
 使用機器：  
 備考：

水深(m)	St.19		St.20		St.21		St.22		St.23		St.24		St.25	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	15.33	30.03	15.55	31.55	14.67	27.27	15.34	31.14	15.32	30.51	15.24	30.31	15.28	30.69
0.5	15.34	30.03	15.60	31.53	14.75	27.42	15.34	31.16	15.32	30.52	15.26	30.31	15.30	30.69
1.0	15.34	30.06	15.62	31.53	15.04	28.39	15.34	31.16	15.33	30.50	15.26	30.31	15.31	30.71
1.5	15.35	30.07	15.61	31.55	15.23	29.30	15.34	31.16	15.33	30.51	15.27	30.31	15.32	30.71
2.0	15.39	30.08	15.61	31.55	15.45	29.71	15.34	31.16	15.33	30.51	15.27	30.31	15.32	30.69
2.5	15.39	30.08	15.61	31.54	15.45	29.83	15.34	31.16	15.33	30.50	15.26	30.30	15.32	30.69
3.0	15.39	30.07	15.61	31.55	15.50	30.02	15.34	31.16	15.34	30.52	15.26	30.30	15.33	30.70
3.5	15.38	30.04	15.61	31.55	15.52	30.11	15.36	31.22	15.33	30.51	15.26	30.30	15.33	30.73
4.0	15.41	30.40	15.61	31.55	15.50	30.18	15.38	31.22	15.36	30.55	15.28	30.31	15.37	30.82
4.5	15.69	31.09	15.62	31.55	15.51	30.21	15.37	31.19	15.39	30.55	15.28	30.33	15.42	30.83
5.0	15.75	31.03	15.62	31.55	15.54	30.31	15.36	31.20	15.40	30.56	15.28	30.33	15.45	30.88
5.5	15.70	31.04	15.62	31.55	15.55	30.33	15.38	31.20	15.46	30.66	15.29	30.35	15.45	30.88
6.0	15.64	31.13	15.62	31.56	15.55	30.33	15.42	31.26	15.50	30.75	15.30	30.43	15.47	30.89
6.5	15.61	31.27	15.63	31.54	15.55	30.33	15.50	31.35	15.53	30.73	15.32	30.52	15.47	30.95
7.0	15.68	31.31	15.62	31.56	15.61	30.69	15.67	31.58	15.58	30.88	15.39	30.58	15.50	30.97
7.5	15.69	31.33	15.63	31.55	15.81	31.04	15.87	31.62	15.68	31.04	15.41	30.59	15.54	30.99
8.0	15.79	31.38	15.62	31.56	15.94	31.12	15.97	31.63	15.78	31.25	15.44	30.71	15.57	31.14
8.5	15.84	31.46	15.63	31.55	15.96	31.16	16.04	31.68	15.84	31.26	15.53	30.91	15.64	31.21
9.0	16.00	31.53	15.63	31.55	15.97	31.16	16.15	31.71	15.84	31.26	15.58	31.02	15.64	31.17
9.5	16.07	31.55	15.63	31.57	15.94	31.23	16.21	31.89	15.83	31.27	15.64	31.09	15.64	31.20
10.0	16.16	31.72	15.64	31.56	15.92	31.33	16.42	31.92	15.89	31.49	15.65	31.14	15.70	31.38
10.5	16.56	32.34	15.64	31.59	16.30	31.98	16.49	32.05	16.01	31.56	15.69	31.23	15.76	31.59
11.0	16.89	32.60	15.65	31.58	16.42	31.96	16.55	32.07	16.08	31.73	15.75	31.26	15.82	31.61
11.5	17.15	32.71	15.66	31.59	16.56	32.17	16.73	32.21	16.16	31.86	15.83	31.25	15.84	31.62
12.0	17.32	32.75	15.67	31.59	16.94	32.82	16.77	32.41	16.33	32.10	15.87	31.29	15.85	31.69
12.5			15.69	31.64	17.46	33.07	16.97	32.61	16.54	32.43	15.96	31.42	15.88	31.77
13.0			15.76	31.72	17.55	33.04	17.01	32.59	16.64	32.47	15.99	31.46	15.89	31.82
13.5			15.96	31.85	17.56	33.03	17.05	32.61	16.69	32.50	16.07	31.62	15.91	31.83
14.0			16.20	32.09	17.56	33.03	17.14	32.91	16.80	32.65	16.24	32.03	15.92	31.92
14.5			16.32	32.12	17.56	33.05	17.25	33.00	16.86	32.70	16.33	32.14	15.95	31.93
15.0			16.47	32.23			17.32	33.07	16.91	32.79	16.46	32.23	15.97	31.93
15.5			16.54	32.27			17.40	33.17	17.27	33.36	16.51	32.27	15.97	31.99
16.0			16.82	32.55			17.57	33.49	17.52	33.50	16.54	32.28	16.00	32.01
16.5			16.90	32.59			17.66	33.48	17.59	33.47	16.55	32.31	16.02	32.00
17.0			17.01	32.71			17.68	33.46	17.60	33.46	16.62	32.47	16.05	32.05
17.5			17.13	32.82			17.68	33.47	17.60	33.48	16.67	32.53	16.05	32.05
18.0			17.31	33.24			17.68	33.47	17.61	33.47	16.92	32.82	16.08	32.08
18.5			17.53	33.30			17.68	33.47	17.61	33.47	17.01	32.88	16.10	32.09
19.0			17.57	33.28			17.69	33.46	17.61	33.47	17.08	32.94	16.13	32.13
19.5			17.58	33.27			17.68	33.47	17.61	33.47	17.17	33.11	16.27	32.35
20.0			17.58	33.27			17.68	33.47	17.61	33.47	17.27	33.15	16.46	32.53
20.5									17.60	33.46	17.32	33.19	16.77	32.80
21.0									17.60	33.48	17.35	33.24	16.94	32.92
21.5									17.61	33.47	17.48	33.49	17.11	33.07
22.0									17.61	33.47	17.57	33.46	17.09	33.08
22.5									17.61	33.47	17.58	33.47	17.24	33.21
23.0									17.62	33.48			17.35	33.34
23.5									17.62	33.49			17.44	33.39
24.0									17.63	33.47			17.46	33.40
24.5									17.63	33.48			17.47	33.41
25.0									17.63	33.48			17.47	33.42
25.5									17.63	33.48			17.48	33.41
26.0									17.63	33.50			17.49	33.42
26.5									17.63	33.48			17.49	33.44
27.0													17.49	33.44
27.5													17.49	33.44
28.0													17.49	33.45
28.5													17.49	33.44
29.0													17.50	33.44
29.5													17.50	33.47
30.0													17.52	33.48
30.5													17.53	33.49
31.0													17.53	33.50
31.5													17.53	33.49
32.0													17.53	33.49
32.5													17.54	33.49
33.0													17.54	33.51
33.5													17.54	33.51
34.0														
34.5														
35.0														

報告書名：  
 調査名：水  
 調査年月日  
 調査機関：  
 使用機器：  
 備考：

水深(m)	St.		St.		St.		St.		St.		St.	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	15.48	30.55	15.23	30.52	14.20	22.54	13.69	13.54	15.12	29.90	15.31	29.77
0.5	15.50	30.60	15.27	30.52	14.23	22.69	14.13	16.57	15.12	29.92	15.31	29.78
1.0	15.51	30.62	15.28	30.53	15.03	25.08	14.43	19.60	15.12	29.92	15.30	29.75
1.5	15.52	30.77	15.32	30.52	15.31	28.30	14.69	21.82	15.12	29.92	15.28	29.75
2.0	15.55	30.88	15.36	30.54			14.61	22.78	15.12	29.93	15.35	29.80
2.5							15.33	26.62	15.12	29.93	15.43	29.95
3.0							15.44	28.11	15.16	30.02	15.47	30.01
3.5							15.43	28.57	15.20	30.02	15.50	30.08
4.0							15.43	28.67	15.23	30.10	15.53	30.05
4.5									15.30	30.13	15.53	30.05
5.0									15.34	30.20	15.50	30.14
5.5									15.42	30.23	15.59	30.27
6.0									15.47	30.32	15.70	30.32
6.5									15.57	30.39	15.76	30.45
7.0									15.63	30.43	15.78	30.50
7.5									15.67	30.45	15.82	30.55
8.0									15.71	30.51	15.84	30.58
8.5									15.73	30.51	15.89	30.72
9.0									15.74	30.55	16.02	30.89
9.5									15.74	30.53	16.23	31.22
10.0									15.75	30.52	16.40	31.45
10.5									15.77	30.58	16.55	31.76
11.0									15.88	31.16	16.76	32.28
11.5									16.00	31.31	17.01	32.64
12.0									16.08	31.70	17.15	33.13
12.5									16.54	32.22	17.37	33.30
13.0									16.84	32.59	17.47	33.36
13.5									17.11	32.99	17.54	33.43
14.0									17.39	33.29	17.59	33.47
14.5									17.53	33.36	17.60	33.48
15.0									17.60	33.38	17.62	33.49
15.5									17.63	33.42	17.62	33.49
16.0									17.66	33.48	17.63	33.50
16.5									17.66	33.50	17.63	33.51
17.0									17.66	33.51	17.64	33.52
17.5									17.66	33.53	17.64	33.53
18.0									17.65	33.55	17.65	33.52
18.5									17.66	33.54	17.66	33.53
19.0									17.67	33.56	17.66	33.53
19.5									17.67	33.56	17.66	33.53
20.0									17.67	33.56	17.67	33.53
20.5									17.67	33.56	17.67	33.55
21.0									17.68	33.58	17.68	33.54
21.5									17.69	33.58	17.68	33.55
22.0									17.69	33.59	17.66	33.57
22.5									17.71	33.58	17.69	33.55
23.0									17.71	33.58	17.69	33.56
23.5									17.71	33.58	17.71	33.55
24.0									17.71	33.58	17.69	33.58
24.5									17.71	33.58	17.71	33.57
25.0											17.71	33.57
25.5											17.71	33.57
26.0											17.71	33.57
26.5												
27.0												
27.5												
28.0												
28.5												
29.0												
29.5												
30.0												
30.5												
31.0												
31.5												
32.0												
32.5												
33.0												
33.5												
34.0												
34.5												
35.0												

報告書名：平成16年度東京国際空港周辺海域現況調査(その2)  
 調査名：水質鉛直測定(現場観測)  
 調査年月日：平成17年1月13日  
 調査機関：三洋テクノマリン株式会社  
 使用機器：水温・塩分計  
 備考：

水深(m)	St.2		St.5		St.8		St.10		St.12		St.15		St.18	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	11.48	29.49	11.08	30.53	10.77	30.99	10.91	31.26	11.28	31.67	11.17	31.61	10.87	31.45
0.5	11.48	30.15	11.11	30.65	10.89	31.10	11.04	31.44	11.29	31.68	11.16	31.62	10.90	31.48
1.0	11.47	30.78	11.33	31.40	10.96	31.19	11.23	31.46	11.30	31.69	11.16	31.64	10.90	31.48
1.5	11.42	31.12	11.34	31.54	10.99	31.24	11.27	31.43	11.30	31.69	11.15	31.63	10.96	31.73
2.0	11.42	31.15	11.36	31.60	11.10	31.34	11.27	31.48	11.31	31.69	11.14	31.66	11.03	31.67
2.5	11.42	31.22	11.37	31.66	11.20	31.53	11.28	31.49	11.31	31.69	11.14	31.68	11.04	31.66
3.0	11.39	31.26	11.36	31.74	11.21	31.53	11.29	31.50	11.31	31.69	11.15	31.75	11.03	31.67
3.5	11.34	31.32	11.42	31.72	11.22	31.59	11.40	31.66	11.31	31.69	11.18	31.87	11.09	31.75
4.0	11.29	31.38	11.43	31.76	11.24	31.65	11.54	31.82	11.31	31.69	11.29	31.85	11.09	31.77
4.5	11.28	31.40	11.44	31.78	11.39	31.73	11.69	31.92	11.31	31.71	11.28	31.89	11.09	31.77
5.0	11.24	31.42	11.46	31.81	11.43	31.88	11.71	31.92	11.31	31.71	11.36	31.95	11.10	31.78
5.5	11.22	31.44	11.55	31.89	11.52	31.94	11.71	31.92	11.49	31.77	11.46	31.97	11.10	31.78
6.0	11.15	31.53	11.62	31.93	11.62	31.98	11.71	31.94	11.52	31.87	11.53	32.04	11.11	31.80
6.5	11.17	31.71	11.66	31.95	11.73	31.99	11.73	31.99	11.60	31.87	11.67	32.11	11.17	31.90
7.0	11.20	31.80	11.69	31.97	11.74	32.11	11.73	31.97	11.63	31.92	11.79	32.22	11.23	31.90
7.5	11.22	31.79	11.71	31.96	11.81	32.10	11.73	31.97	11.67	31.94	11.91	32.33	11.25	31.93
8.0	11.23	31.78	11.77	32.11	11.88	32.12	11.73	31.97	11.74	32.04	12.00	32.37	11.29	31.95
8.5			11.84	32.08	11.94	32.17	11.73	31.95	12.00	32.27	12.05	32.36	11.30	31.94
9.0			11.84	32.08	11.96	32.14	11.73	31.97	12.09	32.26	12.07	32.35	11.31	32.01
9.5			11.84	32.06	11.96	32.19	11.73	31.97	12.11	32.27	12.09	32.36	11.39	32.12
10.0			11.84	32.04	11.98	32.20	11.73	31.99	12.11	32.29	12.09	32.36	11.50	32.12
10.5			11.84	32.08	11.98	32.20	11.73	32.00	12.11	32.31	12.09	32.36	11.54	32.17
11.0			11.85	32.08	11.99	32.21	11.74	32.03	12.11	32.31	12.10	32.37	11.62	32.26
11.5			11.86	32.09	11.99	32.23	11.78	32.06	12.11	32.31	12.11	32.36	11.77	32.29
12.0			11.87	32.10	12.03	32.28	11.80	32.06	12.11	32.31	12.11	32.36	11.84	32.26
12.5					12.05	32.27	11.84	32.14	12.11	32.31	12.11	32.37	11.88	32.32
13.0					12.05	32.27	11.92	32.17	12.11	32.31	12.11	32.36	11.90	32.33
13.5					12.06	32.26	11.93	32.15	12.11	32.32	12.11	32.37	11.99	32.36
14.0					12.06	32.26			12.11	32.31	12.12	32.36	12.01	32.36
14.5					12.05	32.29			12.11	32.31	12.12	32.36	12.03	32.36
15.0									12.12	32.30	12.13	32.35	12.03	32.36
15.5									12.12	32.31	12.13	32.38	12.04	32.35
16.0									12.12	32.31	12.15	32.37	12.05	32.36
16.5									12.12	32.31	12.15	32.37	12.05	32.37
17.0									12.13	32.32	12.15	32.37	12.06	32.38
17.5									12.13	32.32	12.15	32.37	12.06	32.38
18.0											12.15	32.37	12.07	32.37
18.5											12.16	32.38	12.06	32.38
19.0											12.16	32.40	12.05	32.39
19.5											12.18	32.39	12.05	32.39
20.0											12.19	32.38	12.05	32.39
20.5											12.17	32.40	12.05	32.39
21.0													12.06	32.40
21.5													12.09	32.39
22.0													12.07	32.44
22.5													12.11	32.41
23.0													12.12	32.43
23.5														
24.0														
24.5														
25.0														
25.5														
26.0														
26.5														
27.0														
27.5														
28.0														
28.5														
29.0														
29.5														
30.0														
30.5														
31.0														
31.5														
32.0														
32.5														
33.0														
33.5														
34.0														
34.5														
35.0														

報告書名：  
 調査名：水  
 調査年月日  
 調査機関：  
 使用機器：  
 備考：

水深(m)	St.19		St.20		St.21		St.22		St.23		St.24		St.25	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	10.03	28.40	10.81	31.78	11.21	31.67	9.94	29.90	11.19	32.07	11.47	32.10	11.92	32.52
0.5	10.06	28.42	10.83	31.78	11.23	31.66	9.94	29.93	11.27	32.07	11.49	32.11	11.93	32.55
1.0	10.61	31.06	10.83	31.78	11.24	31.67	9.95	29.94	11.26	32.06	11.49	32.11	11.94	32.54
1.5	10.88	30.97	10.83	31.80	11.23	31.70	10.13	30.73	11.21	32.07	11.49	32.13	11.95	32.54
2.0	10.91	31.19	10.84	31.79	11.24	31.67	10.72	31.45	11.21	32.07	11.49	32.15	11.95	32.54
2.5	11.03	31.44	10.85	31.79	11.25	31.71	10.90	31.62	11.23	32.09	11.50	32.14	11.94	32.55
3.0	11.06	31.48	10.85	31.79	11.31	31.81	10.96	31.72	11.28	32.14	11.50	32.16	11.94	32.55
3.5	11.06	31.48	10.85	31.79	11.33	31.80	11.02	31.81	11.30	32.12	11.51	32.20	11.95	32.53
4.0	11.06	31.50	10.85	31.79	11.30	31.80	11.07	31.88	11.30	32.17	11.60	32.22	11.95	32.54
4.5	11.05	31.63	10.85	31.79	11.27	31.82	11.13	31.89	11.34	32.15	11.54	32.20	11.95	32.56
5.0	11.04	31.67	10.86	31.79	11.28	31.84	11.12	31.91	11.36	32.18	11.54	32.29	11.95	32.54
5.5	11.04	31.75	10.85	31.81	11.29	31.85	11.15	31.93	11.38	32.16	11.62	32.24	11.95	32.56
6.0	11.07	31.83	10.85	31.79	11.29	31.85	11.18	31.97	11.38	32.16	11.68	32.30	11.95	32.56
6.5	11.11	31.86	10.85	31.81	11.39	31.88	11.23	31.97	11.38	32.16	11.71	32.34	11.96	32.54
7.0	11.15	31.88	10.85	31.79	11.42	31.90	11.27	31.99	11.37	32.17	11.76	32.33	11.96	32.55
7.5	11.17	31.88	10.85	31.79	11.44	32.02	11.32	32.00	11.37	32.17	11.78	32.38	11.96	32.55
8.0	11.17	31.88	10.85	31.79	11.58	32.07	11.37	32.03	11.38	32.17	11.84	32.41	11.96	32.55
8.5	11.17	31.88	10.86	31.82	11.67	32.06	11.44	32.10	11.38	32.17	11.92	32.39	11.95	32.56
9.0	11.17	31.88	10.88	31.84	11.71	32.09	11.48	32.08	11.39	32.17	11.94	32.42	11.96	32.57
9.5	11.17	31.89	10.90	31.84	11.74	32.13	11.48	32.09	11.39	32.18	11.96	32.40	11.96	32.57
10.0	11.17	31.89	10.90	31.84	11.79	32.15	11.49	32.08	11.40	32.17	11.97	32.41	11.96	32.57
10.5	11.18	31.88	10.91	31.85	11.82	32.14	11.47	32.10	11.41	32.20	12.04	32.45	11.96	32.57
11.0	11.18	31.88	10.90	31.86	11.82	32.14	11.50	32.16	11.41	32.20	12.07	32.49	11.96	32.55
11.5	11.18	31.88	10.91	31.88	11.82	32.12	11.59	32.16	11.43	32.21	12.15	32.51	11.96	32.57
12.0	11.18	31.88	10.91	31.88	11.82	32.14	11.61	32.16	11.46	32.21	12.22	32.56	11.96	32.57
12.5			10.89	31.88	11.84	32.14	11.63	32.18	11.50	32.21	12.31	32.60	11.96	32.57
13.0			10.89	31.88	11.84	32.14	11.64	32.18	11.56	32.33	12.38	32.60	11.96	32.57
13.5			10.88	31.91	11.84	32.14	11.68	32.23	11.66	32.28	12.41	32.64	11.96	32.59
14.0			10.86	31.94	11.84	32.16	11.76	32.25	11.70	32.31	12.49	32.64	11.96	32.59
14.5			10.85	31.95	11.84	32.14	11.80	32.29	11.72	32.31	12.57	32.67	11.95	32.58
15.0			10.83	31.97			11.91	32.35	11.76	32.33	12.61	32.70	11.96	32.57
15.5			10.82	31.99			11.96	32.35	11.79	32.34	12.64	32.72	11.97	32.58
16.0			10.82	31.97			11.99	32.37	11.81	32.42	12.70	32.72	11.96	32.57
16.5			10.81	31.98			12.02	32.39	11.86	32.37	12.73	32.72	11.96	32.59
17.0			10.81	31.98			12.08	32.40	11.89	32.40	12.74	32.73	11.97	32.56
17.5			10.81	31.98			12.11	32.41	11.94	32.39	12.77	32.75	11.96	32.59
18.0			10.81	31.98			12.12	32.40	11.95	32.40	12.79	32.75	11.97	32.58
18.5			10.79	32.00			12.13	32.39	11.99	32.42	12.79	32.75	11.97	32.58
19.0			10.81	31.98			12.13	32.41	12.10	32.46	12.81	32.75	11.97	32.58
19.5			10.81	31.98			12.13	32.41	12.13	32.47	12.81	32.76	11.97	32.58
20.0			10.82	31.99			12.13	32.41	12.18	32.53	12.82	32.75	11.97	32.59
20.5									12.26	32.52	12.82	32.77	11.98	32.60
21.0									12.29	32.53	12.84	32.76	11.99	32.57
21.5									12.30	32.53	12.84	32.78	11.97	32.59
22.0									12.32	32.54	12.84	32.76	12.01	32.60
22.5									12.32	32.56	12.85	32.77	12.05	32.63
23.0									12.33	32.55	12.85	32.77	12.08	32.61
23.5									12.33	32.56	12.85	32.75	12.10	32.63
24.0									12.34	32.57			12.11	32.62
24.5									12.35	32.58			12.11	32.62
25.0									12.36	32.58			12.10	32.61
25.5									12.38	32.58			12.11	32.64
26.0									12.39	32.65			12.12	32.64
26.5									12.54	32.69			12.12	32.66
27.0									12.70	32.75			12.16	32.66
27.5									12.73	32.72			12.29	32.78
28.0													12.53	32.84
28.5													12.62	32.82
29.0													12.62	32.79
29.5													12.63	32.79
30.0													13.02	33.14
30.5													13.45	33.21
31.0													13.47	33.24
31.5													13.48	33.25
32.0													13.48	33.25
32.5													13.49	33.24
33.0													13.49	33.23
33.5													13.49	33.26
34.0														
34.5														
35.0														

報告書名：  
 調査名：水  
 調査年月日  
 調査機関：  
 使用機器：  
 備考：

水深(m)	St.		St.		St.		St.		St.		St.	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	10.45	30.15	10.55	30.88	9.74	25.18	9.56	17.64	11.06	31.60	11.01	31.55
0.5	10.49	30.36	10.55	30.92	10.37	27.79	10.20	23.19	11.06	31.58	11.05	31.55
1.0	11.43	31.59	10.83	31.48	11.06	29.75	10.66	25.78	11.07	31.59	11.02	31.57
1.5	11.63	31.85	10.81	31.50	11.40	31.13	10.73	26.19	11.08	31.59	11.00	31.56
2.0	11.67	31.80			11.44	31.24	10.74	26.53	11.13	31.60	10.98	31.56
2.5	11.64	31.81					10.92	27.97	11.22	31.64	10.96	31.58
3.0							11.21	30.07	11.23	31.65	10.98	31.59
3.5									11.31	31.76	10.96	31.59
4.0									11.39	31.70	10.95	31.62
4.5									11.41	31.69	10.98	31.61
5.0									11.39	31.70	10.99	31.69
5.5									11.38	31.69	11.00	31.73
6.0									11.39	31.70	11.07	31.74
6.5									11.41	31.73	11.10	31.78
7.0									11.46	31.72	11.10	31.78
7.5									11.44	31.73	11.13	31.88
8.0									11.49	31.75	11.19	31.94
8.5									11.51	31.76	11.33	32.12
9.0									11.62	31.87	11.39	32.11
9.5									11.74	31.92	11.42	32.12
10.0									11.78	31.95	11.42	32.14
10.5									11.89	32.02	11.43	32.13
11.0									11.93	32.02	11.43	32.13
11.5									11.94	32.02	11.43	32.13
12.0									11.94	32.04	11.43	32.14
12.5									11.95	32.03	11.44	32.14
13.0									11.95	32.03	11.48	32.24
13.5									11.95	32.05	11.58	32.25
14.0									11.96	32.07	11.68	32.23
14.5									11.97	32.09	11.71	32.25
15.0									11.99	32.11	11.72	32.23
15.5									12.01	32.17	11.79	32.29
16.0									12.05	32.23	11.82	32.26
16.5									12.11	32.26	11.84	32.31
17.0									12.12	32.30	11.92	32.31
17.5									12.15	32.29	11.93	32.30
18.0									12.15	32.31	11.95	32.45
18.5									12.16	32.32	12.10	32.53
19.0									12.15	32.33	12.20	32.49
19.5									12.16	32.32	12.24	32.52
20.0									12.16	32.33	12.33	32.48
20.5									12.16	32.33	12.37	32.57
21.0									12.17	32.34	12.43	32.59
21.5									12.18	32.33	12.47	32.62
22.0									12.18	32.33	12.52	32.64
22.5									12.18	32.33	12.54	32.67
23.0									12.18	32.35	12.60	32.66
23.5									12.18	32.35	12.61	32.68
24.0									12.18	32.35	12.62	32.67
24.5									12.18	32.35	12.62	32.65
25.0											12.62	32.67
25.5											12.61	32.68
26.0											12.61	32.66
26.5											12.61	32.66
27.0											12.60	32.67
27.5												
28.0												
28.5												
29.0												
29.5												
30.0												
30.5												
31.0												
31.5												
32.0												
32.5												
33.0												
33.5												
34.0												
34.5												
35.0												

報告書名：平成16年度東京国際空港周辺海域現況調査(その2)  
 調査名：水質鉛直測定(現場観測)  
 調査年月日：平成17年2月15日  
 調査機関：三洋テクノマリン株式会社  
 使用機器：水温・塩分計  
 備考：

水深(m)	St.2		St.5		St.8		St.10		St.12		St.15		St.18	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	10.15	30.01	9.47	29.55	9.61	30.09	9.80	28.59	10.00	30.25	10.08	29.74	10.06	29.26
0.5	10.15	30.04	9.47	29.57	9.61	30.09	9.85	29.09	10.00	30.24	9.95	29.93	10.02	29.39
1.0	10.17	30.08	9.47	29.60	9.60	30.12	9.81	30.13	9.99	30.26	9.75	30.34	9.82	29.76
1.5	10.33	30.34	9.45	29.64	9.58	30.24	9.79	30.37	9.99	30.25	9.73	30.57	9.59	30.53
2.0	10.37	30.40	9.43	29.71	9.57	30.30	9.79	30.48	9.99	30.25	9.73	30.72	9.54	30.72
2.5	10.40	30.49	9.41	29.71	9.58	30.38	9.76	30.57	9.95	30.26	9.74	30.73	9.56	30.80
3.0	10.39	30.51	9.40	29.85	9.60	30.38	9.80	30.73	9.95	30.25	9.74	30.75	9.54	30.92
3.5	10.40	30.67	9.44	29.96	9.60	30.40	9.85	30.90	9.94	30.26	9.71	30.74	9.52	30.95
4.0	10.40	30.67	9.48	30.08	9.60	30.42	9.87	30.88	9.93	30.26	9.71	30.76	9.50	30.99
4.5	10.36	30.70	9.62	30.34	9.62	30.41	9.85	30.92	9.93	30.25	9.72	30.78	9.50	30.99
5.0	10.36	30.73	9.75	30.43	9.62	30.45	9.84	30.94	9.92	30.26	9.73	30.79	9.50	31.06
5.5	10.37	30.76	9.77	30.41	9.64	30.48	9.82	31.00	9.89	30.27	9.74	30.80	9.52	31.07
6.0	10.41	30.83	9.77	30.49	9.68	30.50	9.86	31.06	9.76	30.50	9.80	30.85	9.49	31.10
6.5	10.49	31.05	9.89	30.52	9.71	30.53	9.99	31.12	9.79	30.63	9.84	30.87	9.49	31.12
7.0	10.54	31.05	9.92	30.73	9.79	30.53	10.14	31.17	9.94	30.78	9.86	30.82	9.52	31.16
7.5	10.56	31.15	10.17	31.23	9.99	30.81	10.22	31.18	10.00	30.86	9.81	30.80	9.54	31.18
8.0	10.87	32.01	10.63	31.77	10.46	31.70	10.26	31.20	10.08	30.89	9.75	30.84	9.61	31.26
8.5			10.97	32.57	10.65	31.90	10.33	31.28	10.12	30.91	9.78	30.95	9.61	31.26
9.0			11.55	32.81	10.84	32.05	10.39	31.30	10.16	31.08	10.09	31.17	9.61	31.29
9.5			11.65	32.76	10.91	32.00	10.42	31.63	10.37	31.29	10.26	31.13	9.61	31.31
10.0			11.70	32.86	11.04	32.38	10.74	31.96	10.67	31.40	10.30	30.96	9.71	31.42
10.5			11.79	32.90	11.19	32.57	10.87	32.02	10.77	32.14	10.08	31.23	9.79	31.40
11.0			11.85	33.00	11.46	32.99	10.92	31.99	11.15	32.76	10.18	31.40	9.79	31.40
11.5			11.90	32.96	11.62	32.91	10.93	32.05	11.46	32.70	10.43	31.45	9.70	31.38
12.0			11.92	32.95	11.66	32.88	11.03	32.05	11.51	32.70	10.55	32.00	9.75	31.48
12.5					11.66	32.88	11.07	32.20	11.51	32.75	10.88	32.73	10.27	32.59
13.0					11.66	32.88	11.20	32.46	11.55	32.81	11.38	32.83	10.78	32.47
13.5							11.45	32.71	11.59	32.82	11.48	32.82	11.01	32.75
14.0									11.62	32.84	11.50	32.81	11.36	32.81
14.5									11.69	32.89	11.51	32.85	11.44	32.79
15.0									11.73	32.86	11.54	32.87	11.51	32.90
15.5									11.73	32.88	11.56	32.88	11.59	32.89
16.0									11.74	32.87	11.58	32.88	11.61	32.89
16.5											11.58	32.88	11.64	32.92
17.0											11.61	32.90	11.66	32.93
17.5											11.65	32.91	11.67	32.94
18.0											11.66	32.90	11.68	32.93
18.5											11.67	32.90	11.68	32.93
19.0											11.67	32.90	11.68	32.93
19.5													11.69	32.93
20.0													11.70	32.94
20.5													11.71	32.93
21.0													11.71	32.95
21.5													11.72	32.96
22.0													11.73	32.95
22.5														
23.0														
23.5														
24.0														
24.5														
25.0														
25.5														
26.0														
26.5														
27.0														
27.5														
28.0														
28.5														
29.0														
29.5														
30.0														
30.5														
31.0														
31.5														
32.0														
32.5														
33.0														
33.5														
34.0														
34.5														
35.0														

報告書名：  
 調査名：水  
 調査年月日  
 調査機関：  
 使用機器：  
 備考：

水深(m)	St.19		St.20		St.21		St.22		St.23		St.24		St.25	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	9.67	28.88	9.58	31.64	9.59	29.47	9.49	30.57	9.43	31.74	9.66	30.66	9.91	32.09
0.5	9.69	29.21	9.58	31.64	9.60	29.51	9.50	30.56	9.45	31.75	9.68	30.64	9.97	32.09
1.0	9.69	29.09	9.61	31.67	9.63	29.62	9.51	30.55	9.45	31.74	9.65	30.67	9.99	32.10
1.5	9.69	29.35	9.63	31.65	9.70	29.99	9.50	30.56	9.44	31.75	9.64	30.68	9.98	32.09
2.0	9.70	29.67	9.62	31.66	9.74	30.14	9.50	30.59	9.45	31.74	9.64	30.72	9.99	32.10
2.5	9.75	30.16	9.63	31.65	9.81	30.25	9.53	30.69	9.45	31.75	9.69	30.94	9.98	32.09
3.0	9.98	30.37	9.64	31.66	9.85	30.41	9.55	30.79	9.45	31.75	9.78	30.96	9.98	32.11
3.5	9.97	30.66	9.65	31.67	9.86	30.54	9.61	31.02	9.46	31.79	9.78	30.96	9.98	32.12
4.0	10.09	31.07	9.65	31.69	9.86	30.54	9.69	31.23	9.47	31.80	9.78	31.00	9.99	32.11
4.5	10.69	31.85	9.74	31.75	9.85	30.54	9.79	31.35	9.49	31.79	9.79	31.04	10.01	32.11
5.0	10.87	32.17	9.77	31.81	9.87	30.66	9.81	31.42	9.49	31.82	9.83	31.22	10.02	32.13
5.5	11.01	32.33	9.82	31.83	9.90	30.77	9.83	31.49	9.53	31.86	9.94	31.27	10.02	32.11
6.0	11.19	32.51	9.85	31.89	10.02	30.86	9.87	31.58	9.54	31.86	10.04	31.39	10.02	32.17
6.5	11.31	32.66	9.87	31.88	10.42	31.79	9.89	31.65	9.55	31.88	10.14	31.42	10.06	32.17
7.0	11.39	32.76	9.87	31.90	10.95	32.42	9.90	31.73	9.57	31.88	10.16	31.63	10.13	32.18
7.5	11.51	32.88	9.89	31.93	11.26	32.53	9.93	31.82	9.58	31.90	10.25	31.63	10.15	32.18
8.0	11.61	32.90	9.90	31.90	11.42	32.71	9.94	31.85	9.58	31.90	10.38	31.90	10.15	32.19
8.5	11.67	32.92	9.92	31.90	11.58	32.73	9.97	31.92	9.62	32.01	10.50	31.93	10.18	32.21
9.0	11.75	32.94	9.90	31.95	11.58	32.77	10.01	31.96	9.68	31.95	10.54	31.99	10.20	32.23
9.5	11.77	32.96	9.94	31.95	11.58	32.80	10.03	31.96	9.69	31.99	10.59	32.05	10.23	32.23
10.0	11.79	32.96	9.92	31.93	11.57	32.81	10.05	31.96	9.71	32.00	10.64	32.06	10.23	32.23
10.5	11.81	32.96	9.91	31.94	11.57	32.83	10.01	32.10	9.74	32.09	10.62	32.10	10.26	32.25
11.0	11.82	32.98	9.91	31.96	11.58	32.82	10.14	32.33	9.85	32.10	10.61	32.12	10.26	32.28
11.5	11.84	32.96	9.93	31.96	11.58	32.82	10.50	32.39	9.93	32.08	10.60	32.13	10.33	32.34
12.0	11.85	32.97	10.07	32.20	11.58	32.81	10.72	32.50	9.93	32.08	10.60	32.15	10.37	32.30
12.5			10.24	32.18	11.58	32.81	10.85	32.42	10.02	32.14	10.62	32.23	10.37	32.32
13.0			10.29	32.18	11.58	32.80	10.87	32.44	10.06	32.16	10.68	32.34	10.37	32.33
13.5			10.36	32.27	11.58	32.81	10.90	32.53	10.10	32.16	10.77	32.42	10.40	32.34
14.0			10.60	32.63	11.58	32.81	11.07	32.77	10.14	32.20	10.92	32.45	10.43	32.35
14.5			10.87	32.54	11.58	32.81	11.19	32.78	10.21	32.25	11.03	32.67	10.44	32.34
15.0			10.99	32.57			11.27	32.83	10.26	32.25	11.20	32.65	10.46	32.38
15.5			11.03	32.55			11.32	32.82	10.29	32.28	11.28	32.60	10.50	32.37
16.0			11.05	32.56			11.36	32.84	10.34	32.29	11.29	32.68	10.52	32.42
16.5			11.05	32.56			11.37	32.83	10.37	32.33	11.38	32.90	10.60	32.46
17.0			11.06	32.57			11.38	32.82	10.47	32.40	11.53	32.88	10.70	32.48
17.5			11.07	32.56			11.38	32.82	10.52	32.39	11.67	32.90	10.73	32.50
18.0			11.07	32.58			11.38	32.85	10.56	32.39	11.85	33.03	10.71	32.49
18.5			11.07	32.58			11.39	32.84	10.57	32.38	11.88	33.01	10.69	32.49
19.0							11.40	32.83	10.57	32.38	11.90	33.10	10.67	32.51
19.5							11.40	32.85	10.58	32.45	11.95	33.07	10.68	32.51
20.0									10.71	32.49	11.97	33.07	10.69	32.52
20.5									10.85	32.65	12.00	33.11	10.71	32.55
21.0									11.03	32.70			10.78	32.62
21.5									11.12	32.70			10.90	32.64
22.0									11.17	32.72			10.94	32.63
22.5									11.21	32.76			10.96	32.62
23.0									11.26	32.78			10.98	32.63
23.5									11.29	32.77			10.98	32.63
24.0									11.30	32.79			10.97	32.64
24.5									11.32	32.83			11.01	32.69
25.0									11.38	32.85			11.03	32.74
25.5									11.40	32.83			11.12	32.86
26.0									11.41	32.82			11.46	32.93
26.5									11.41	32.82			11.56	32.95
27.0									11.41	32.84			11.60	32.97
27.5													11.66	33.09
28.0													11.84	33.09
28.5													11.89	33.13
29.0													11.96	33.16
29.5													12.02	33.16
30.0													12.05	33.19
30.5													12.08	33.17
31.0													12.10	33.20
31.5													12.11	33.19
32.0													12.11	33.19
32.5													12.11	33.20
33.0													12.16	33.19
33.5													12.16	33.21
34.0														
34.5														
35.0														

報告書名：  
 調査名：水  
 調査年月日  
 調査機関：  
 使用機器：  
 備考：

水深(m)	St.		St.		St.		St.		St.		St.	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	9.42	30.19	8.84	26.51	9.62	19.79	9.85	10.33	9.52	29.69	9.42	31.30
0.5	9.41	30.15	9.03	27.07	10.40	27.79	9.98	16.18	9.57	30.19	9.46	31.26
1.0	9.42	30.05	9.85	30.13	10.60	29.40	10.24	23.64	9.60	30.43	9.45	31.27
1.5	9.54	30.32	9.94	30.32	10.71	29.69	10.68	27.44	9.62	30.47	9.46	31.28
2.0	9.58	30.33			10.71	29.86	10.68	28.01	9.62	30.45	9.46	31.34
2.5	9.70	30.56					10.81	29.31	9.62	30.47	9.55	31.40
3.0							10.92	29.59	9.63	30.47	9.62	31.47
3.5							10.94	29.71	9.63	30.47	9.66	31.55
4.0									9.62	30.51	9.75	31.60
4.5									9.59	30.50	9.82	31.63
5.0									9.57	30.69	9.91	31.66
5.5									9.62	30.73	9.92	31.65
6.0									9.63	31.07	9.91	31.67
6.5									9.70	31.17	9.93	31.67
7.0									9.85	31.42	9.97	31.71
7.5									9.95	31.34	10.12	31.76
8.0									9.92	31.34	10.24	31.81
8.5									9.93	31.56	10.23	31.79
9.0									10.26	31.50	10.28	31.88
9.5									10.31	31.51	10.29	31.88
10.0									10.50	31.69	10.33	32.01
10.5									10.62	32.04	10.45	32.10
11.0									10.75	32.07	10.50	32.11
11.5									10.89	32.44	10.49	32.11
12.0									11.10	32.50	10.46	32.13
12.5									11.23	32.89	10.45	32.13
13.0									11.41	32.81	10.44	32.15
13.5									11.48	32.78	10.44	32.15
14.0									11.51	32.84	10.50	32.29
14.5									11.53	32.85	10.58	32.26
15.0									11.58	32.84	10.66	32.38
15.5									11.59	32.86	10.71	32.35
16.0									11.61	32.89	10.73	32.41
16.5									11.62	32.89	10.83	32.52
17.0									11.63	32.91	10.93	32.47
17.5									11.65	32.94	10.94	32.58
18.0									11.70	32.94	11.05	32.55
18.5									11.77	33.08	11.07	32.59
19.0									11.94	33.16	11.12	32.62
19.5									12.09	33.23	11.18	32.73
20.0									12.15	33.19	11.29	32.77
20.5									12.16	33.20	11.44	32.93
21.0									12.17	33.19	11.74	33.16
21.5									12.17	33.19	11.96	33.17
22.0									12.17	33.20	12.01	33.13
22.5									12.18	33.21	12.04	33.16
23.0									12.18	33.21	12.07	33.13
23.5									12.19	33.20	12.07	33.14
24.0									12.19	33.21	12.08	33.15
24.5									12.19	33.21	12.09	33.15
25.0											12.09	33.15
25.5											12.09	33.15
26.0											12.10	33.16
26.5											12.10	33.16
27.0												
27.5												
28.0												
28.5												
29.0												
29.5												
30.0												
30.5												
31.0												
31.5												
32.0												
32.5												
33.0												
33.5												
34.0												
34.5												
35.0												

報告書名：平成16年度東京国際空港周辺海域現況調査(その2)  
 調査名：水質鉛直測定(現場観測)  
 調査年月日：平成17年3月15日  
 調査機関：三洋テクノマリン株式会社  
 使用機器：水温・塩分計  
 備考：

水深(m)	St.2		St.5		St.8		St.10		St.12		St.15		St.18	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	10.07	28.91	9.96	28.24	10.05	27.34	9.85	27.62	10.90	26.21	9.91	28.16	9.85	28.20
0.5	10.06	28.95	9.97	28.28	10.05	27.35	9.83	27.71	10.68	28.04	9.92	28.13	9.85	28.44
1.0	10.08	28.95	9.97	28.28	10.00	28.22	9.73	28.07	10.53	28.30	9.82	29.04	9.89	29.71
1.5	10.07	28.96	9.96	28.36	9.95	28.62	9.69	29.14	10.49	28.52	10.00	30.14	10.08	30.43
2.0	10.11	29.09	9.96	28.46	9.95	28.67	9.77	29.65	10.30	29.22	10.19	30.51	10.11	30.57
2.5	10.28	29.30	9.97	28.64	9.93	28.67	9.91	30.04	10.32	29.60	10.35	30.61	10.13	30.69
3.0	10.45	29.56	9.98	28.86	9.89	28.67	10.12	30.58	10.35	30.20	10.50	30.69	10.14	30.82
3.5	10.65	29.73	10.07	29.18	9.85	28.77	10.20	30.70	10.44	30.28	10.54	30.76	10.16	30.93
4.0	10.77	29.77	10.16	29.40	9.81	28.82	10.21	30.75	10.47	30.39	10.62	30.74	10.18	31.03
4.5	10.64	29.79	10.14	29.43	9.81	29.22	10.28	30.89	10.48	30.42	10.63	30.73	10.33	31.13
5.0	10.62	29.83	10.26	29.96	9.91	29.71	10.51	30.95	10.50	30.45	10.65	30.73	10.35	31.18
5.5	10.68	30.30	10.38	30.07	9.95	30.00	10.64	30.95	10.63	30.62	10.67	30.73	10.38	31.27
6.0	10.99	30.49	10.53	30.66	10.00	30.23	10.61	30.96	10.64	30.50	10.67	30.77	10.48	31.31
6.5	11.02	30.73	10.93	31.23	10.11	30.55	10.59	30.99	10.65	30.60	10.69	30.73	10.48	31.34
7.0	11.02	30.92	11.21	31.73	10.38	30.72	10.80	31.17	10.80	30.66	10.74	30.75	10.59	31.30
7.5	11.11	31.46	11.36	31.89	10.51	30.89	10.90	31.30	10.81	30.65	10.74	30.78	10.67	31.38
8.0	11.25	31.69	11.66	32.56	10.89	31.08	11.16	31.73	10.92	30.81	10.65	30.75	10.66	31.39
8.5			12.17	33.07	10.94	31.37	11.42	32.02	11.18	31.02	10.55	30.78	10.70	31.40
9.0			12.20	33.10	11.31	32.00	11.46	32.09	11.29	31.36	10.51	30.82	10.81	31.50
9.5			12.22	33.15	11.69	32.39	11.50	32.10	11.30	31.45	10.54	30.86	10.95	31.63
10.0			12.36	33.36	11.84	32.75	11.51	32.09	11.25	31.52	10.76	31.36	11.35	31.68
10.5			12.40	33.38	12.05	32.99	11.51	32.13	11.19	31.78	11.33	31.29	11.43	31.83
11.0			12.41	33.39	12.24	33.28	11.58	32.20	11.46	32.85	11.30	31.47	11.41	31.87
11.5			12.43	33.40	12.53	33.54	11.62	32.35	12.01	32.88	11.17	31.95	11.32	31.94
12.0			12.45	33.43	12.57	33.54	11.76	32.61	12.13	32.92	11.37	32.62	11.34	32.39
12.5					12.58	33.55	12.19	33.50	12.16	32.96	12.04	33.08	11.59	32.45
13.0							12.44	33.34	12.22	33.12	12.26	33.07	11.72	32.58
13.5									12.30	33.15	12.25	33.18	11.98	32.77
14.0									12.30	33.15	12.30	33.30	12.13	33.09
14.5									12.31	33.14	12.35	33.45	12.28	33.34
15.0									12.32	33.17	12.52	33.46	12.43	33.38
15.5									12.34	33.30	12.56	33.50	12.49	33.52
16.0									12.47	33.41	12.59	33.59	12.58	33.58
16.5											12.63	33.58	12.61	33.58
17.0											12.66	33.59	12.62	33.62
17.5											12.66	33.59	12.66	33.63
18.0											12.66	33.59	12.66	33.63
18.5											12.67	33.60	12.67	33.62
19.0											12.66	33.61	12.68	33.62
19.5													12.68	33.62
20.0													12.68	33.64
20.5													12.68	33.64
21.0													12.69	33.63
21.5													12.69	33.65
22.0													12.69	33.63
22.5														
23.0														
23.5														
24.0														
24.5														
25.0														
25.5														
26.0														
26.5														
27.0														
27.5														
28.0														
28.5														
29.0														
29.5														
30.0														
30.5														
31.0														
31.5														
32.0														
32.5														
33.0														
33.5														
34.0														
34.5														
35.0														

報告書名：  
 調査名：水  
 調査年月日  
 調査機関：  
 使用機器：  
 備考：

水深(m)	St.19		St.20		St.21		St.22		St.23		St.24		St.25	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	10.60	27.85	10.09	31.00	10.20	27.16	10.02	30.51	10.42	31.79	11.29	30.66	10.51	30.98
0.5	10.60	27.94	10.12	31.02	10.22	27.27	10.03	30.52	10.39	31.78	11.27	30.67	10.53	30.96
1.0	10.66	28.53	10.12	31.03	10.24	27.87	10.02	30.53	10.39	31.78	11.23	30.66	10.53	30.98
1.5	10.66	28.51	10.12	31.03	10.30	29.27	10.02	30.53	10.38	31.79	11.20	30.67	10.54	30.98
2.0	10.72	29.26	10.12	31.02	10.20	29.62	10.01	30.52	10.38	31.79	11.17	30.66	10.54	31.04
2.5	10.76	30.00	10.17	31.13	10.19	29.77	10.01	30.56	10.37	31.80	11.13	30.65	10.58	31.07
3.0	10.97	30.32	10.17	31.14	10.30	29.92	10.01	30.63	10.38	31.81	11.06	30.68	10.62	31.16
3.5	11.04	30.91	10.16	31.17	10.47	30.12	10.01	30.68	10.38	31.79	10.99	30.69	10.65	31.22
4.0	11.13	31.29	10.17	31.16	10.50	30.16	10.02	30.86	10.37	31.80	10.93	30.71	10.68	31.31
4.5	11.16	31.60	10.17	31.14	10.45	30.21	10.05	30.92	10.37	31.82	10.92	30.85	10.72	31.35
5.0	11.40	32.08	10.17	31.16	10.41	30.23	10.08	31.03	10.36	31.84	10.84	30.97	10.77	31.49
5.5	11.56	32.35	10.23	31.48	10.48	30.38	10.10	31.11	10.35	31.85	10.81	31.01	10.82	31.54
6.0	11.69	32.47	10.29	31.52	10.55	30.37	10.13	31.16	10.37	31.89	10.83	31.13	10.89	31.56
6.5	11.72	32.61	10.31	31.67	10.51	30.44	10.14	31.24	10.38	31.88	10.84	31.27	10.92	31.75
7.0	11.66	32.65	10.32	31.72	10.67	30.78	10.15	31.30	10.39	31.88	10.93	31.31	10.94	31.78
7.5	11.68	32.84	10.32	31.79	10.83	30.92	10.15	31.33	10.42	31.89	10.93	31.31	10.94	31.80
8.0	11.74	32.87	10.32	31.84	11.25	31.66	10.15	31.40	10.55	31.97	10.94	31.39	10.95	31.84
8.5	11.76	32.90	10.37	31.91	11.64	32.10	10.15	31.47	10.66	32.01	10.94	31.44	10.96	31.83
9.0	11.83	32.93	10.40	31.93	11.78	32.38	10.16	31.50	10.70	31.99	10.94	31.54	10.94	31.90
9.5	11.86	32.97	10.41	31.93	11.91	32.50	10.17	31.54	10.72	31.98	10.93	31.74	10.98	31.93
10.0	11.93	33.09	10.42	31.96	11.97	32.77	10.26	31.70	10.72	32.00	11.15	32.01	10.99	32.05
10.5	11.94	33.08	10.44	31.94	12.12	32.95	10.37	31.74	10.70	32.02	11.26	32.12	11.06	32.17
11.0	11.94	33.10	10.44	31.94	12.16	32.98	10.44	31.73	10.71	32.03	11.31	32.19	11.24	32.33
11.5			10.42	31.92	12.20	33.09	10.46	31.80	10.76	32.11	11.48	32.30	11.38	32.54
12.0			10.43	32.03	12.22	33.12	10.50	31.87	10.84	32.15	11.63	32.64	11.57	32.61
12.5			10.49	32.06	12.30	33.33	10.69	32.23	11.04	32.36	12.13	33.10	11.69	32.68
13.0			10.55	32.05	12.34	33.44	10.93	32.49	11.16	32.34	12.26	33.07	11.73	32.67
13.5			10.58	32.07	12.40	33.50	11.32	32.54	11.48	32.76	12.31	33.07	11.80	32.77
14.0			10.65	32.35	12.41	33.49	11.69	32.98	11.90	33.19	12.32	33.13	11.89	32.81
14.5			10.90	32.40	12.41	33.49	11.92	33.37	12.27	33.22	12.41	33.30	12.03	32.92
15.0			11.09	32.51			12.19	33.47	12.33	33.23	12.52	33.40	12.15	32.98
15.5			11.48	32.92			12.30	33.55	12.39	33.25	12.57	33.45	12.25	33.08
16.0			11.93	33.34			12.36	33.55	12.38	33.26	12.65	33.51	12.44	33.22
16.5			12.11	33.41			12.38	33.55	12.42	33.37	12.68	33.57	12.47	33.26
17.0			12.19	33.51			12.39	33.54	12.59	33.49	12.71	33.57	12.52	33.28
17.5			12.20	33.50			12.39	33.54	12.69	33.59	12.72	33.64	12.58	33.31
18.0			12.21	33.49			12.39	33.54	12.80	33.66	12.77	33.68	12.60	33.34
18.5			12.21	33.49			12.39	33.54	12.85	33.71	12.80	33.67	12.63	33.35
19.0			12.21	33.49			12.40	33.55	12.91	33.72	12.81	33.60	12.68	33.37
19.5			12.21	33.50			12.40	33.53	12.94	33.74	12.81	33.68	12.72	33.40
20.0									12.96	33.76	12.82	33.67	12.76	33.38
20.5									12.96	33.76	12.82	33.67	12.78	33.43
21.0									12.97	33.75	12.81	33.68	12.81	33.47
21.5									12.98	33.74			12.82	33.46
22.0									12.98	33.75			12.82	33.47
22.5									12.98	33.77			12.82	33.47
23.0									12.99	33.76			12.81	33.48
23.5									12.99	33.76			12.81	33.50
24.0									12.99	33.78			12.82	33.51
24.5									12.99	33.78			12.82	33.52
25.0									12.99	33.76			12.82	33.52
25.5									13.00	33.77			12.83	33.56
26.0									12.99	33.78			12.84	33.55
26.5									13.00	33.77			12.84	33.55
27.0													12.82	33.57
27.5													12.84	33.57
28.0													12.85	33.53
28.5													12.85	33.56
29.0													12.85	33.58
29.5													12.86	33.57
30.0													12.86	33.58
30.5													12.86	33.58
31.0													12.87	33.57
31.5													12.86	33.58
32.0													12.86	33.60
32.5													12.86	33.58
33.0														
33.5														
34.0														
34.5														
35.0														

報告書名：  
 調査名：水  
 調査年月日  
 調査機関：  
 使用機器：  
 備考：

水深(m)	St.		St.		St.		St.		St.		St.	
	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)	水温( )	塩分(-)
0.0	10.00	26.87	10.17	26.95	10.42	9.62	10.93	10.22	9.98	29.06	10.05	30.49
0.5	10.04	27.10	10.25	27.17	10.97	20.63	11.39	16.10	9.98	29.07	10.04	30.50
1.0	10.43	29.57	10.93	30.27	11.76	28.06	11.68	17.40	9.97	29.15	10.02	30.50
1.5	10.52	30.45	11.06	30.72	11.73	29.78	11.63	21.55	9.97	30.04	10.01	30.52
2.0	10.48	30.57	11.31	30.95	11.79	30.05	11.67	24.52	10.06	30.10	10.00	30.57
2.5	10.54	31.34					11.70	26.07	10.12	30.19	9.98	30.59
3.0							11.83	28.38	10.15	30.35	9.95	30.68
3.5									10.26	30.45	9.92	30.77
4.0									10.37	30.72	9.93	30.81
4.5									10.53	30.62	9.97	30.80
5.0									10.66	30.78	9.99	30.85
5.5									10.75	30.71	10.01	30.87
6.0									10.91	30.96	10.01	30.92
6.5									11.04	30.89	10.10	30.93
7.0									11.08	30.93	10.16	30.98
7.5									11.13	31.04	10.69	31.25
8.0									11.33	31.91	10.93	31.42
8.5									11.44	32.02	11.26	31.37
9.0									11.51	32.07	11.21	31.36
9.5									11.55	32.15	11.32	31.52
10.0									11.59	32.24	11.43	31.71
10.5									11.66	32.34	11.57	32.06
11.0									11.72	32.33	11.70	32.32
11.5									11.76	32.39	11.96	32.75
12.0									12.03	33.17	12.13	32.95
12.5									12.36	33.21	12.25	33.01
13.0									12.40	33.11	12.32	33.22
13.5									12.41	33.18	12.47	33.29
14.0									12.50	33.57	12.49	33.38
14.5									12.65	33.63	12.54	33.43
15.0									12.70	33.60	12.62	33.51
15.5									12.72	33.59	12.67	33.56
16.0									12.73	33.58	12.69	33.57
16.5									12.73	33.60	12.67	33.61
17.0									12.75	33.62	12.73	33.60
17.5									12.76	33.61	12.73	33.62
18.0									12.76	33.63	12.75	33.62
18.5									12.76	33.63	12.75	33.62
19.0									12.76	33.63	12.77	33.65
19.5									12.77	33.64	12.79	33.63
20.0									12.78	33.64	12.79	33.65
20.5									12.77	33.65	12.79	33.65
21.0									12.78	33.64	12.79	33.65
21.5									12.78	33.66	12.79	33.65
22.0									12.78	33.66	12.79	33.65
22.5									12.78	33.66	12.79	33.65
23.0									12.78	33.66	12.81	33.66
23.5									12.79	33.65	12.81	33.66
24.0									12.79	33.65	12.80	33.67
24.5											12.80	33.67
25.0											12.81	33.66
25.5											12.81	33.66
26.0											12.81	33.66
26.5												
27.0												
27.5												
28.0												
28.5												
29.0												
29.5												
30.0												
30.5												
31.0												
31.5												
32.0												
32.5												
33.0												
33.5												
34.0												
34.5												
35.0												