

報告書名：平成15年度東京国際空港周辺海域現況調査

調査名：水質調査

調査年月日：平成15年10月29日

調査機関：国土環境株式会社

分析機関：国土環境株式会社

採水方法：バンドーン型採水器、北原式採水器

備考：

| 項目 | 単位 | 水深(m) | St.2 | St.5 | St.8 | St.10 | St.12 | St.15 | St.18 | St.21 | St.24 | St. | St. | St. | St. | St. | St. |
|--------------------|-----------|-------|---------|---------|---------|---------|-------|-------|-------|---------|-------|-----|-----|---------|---------|---------|---------|
| pH | - | 0.5 | 8.1 | 8.4 | 8.3 | 8.1 | | | | 8.2 | | | | | 8.0 | 8.0 | 7.8 |
| | | 5 | 8.3 | 8.2 | 8.2 | 8.2 | | | | 8.4 | | | | | | | |
| | | B-1 | 8.1 | 8.1 | 8.3 | 8.1 | | | | 8.2 | | | | | 8.0 | 7.9 | 8.0 |
| DO | mg/L | 0.5 | 6.8 | 7.0 | 6.3 | 6.1 | | | | 7.6 | | | | | 6.3 | 6.0 | 6.2 |
| | | 5 | 6.1 | 6.8 | 6.3 | 5.6 | | | | 7.4 | | | | | | | |
| | | B-1 | 5.5 | 4.2 | 6.1 | 3.6 | | | | 5.8 | | | | | 5.6 | 5.6 | 5.4 |
| COD | mg/L | 0.5 | 3.9 | 3.1 | 2.2 | 2.4 | | | | 3.5 | | | | | 3.5 | 3.7 | 4.2 |
| | | 5 | 2.3 | 2.4 | 2.3 | 1.8 | | | | 3.2 | | | | | | | |
| | | B-1 | 1.7 | 1.4 | 1.6 | 1.9 | | | | 2.2 | | | | | 3.4 | 3.4 | 3.1 |
| n-1ヶ所の抽出物質 | mg/L | 0.5 | <0.5 | <0.5 | <0.5 | <0.5 | | | | <0.5 | | | | | <0.5 | <0.5 | <0.5 |
| | | 5 | <0.5 | <0.5 | <0.5 | <0.5 | | | | <0.5 | | | | | | | |
| | | B-1 | <0.5 | <0.5 | <0.5 | <0.5 | | | | <0.5 | | | | | <0.5 | <0.5 | <0.5 |
| 大腸菌群数 | MPN/100ml | 0.5 | 1.4E+04 | 4.9E+02 | 8.0E+00 | 3.3E+02 | | | | 7.9E+01 | | | | 2.4E+04 | 3.3E+04 | 7.9E+04 | |
| | | 5 | 1.3E+04 | 7.0E+02 | 7.0E+00 | 4.9E+02 | | | | 7.9E+01 | | | | | | | |
| | | B-1 | 7.9E+01 | 1.1E+02 | 2.0E+00 | 2.0E+00 | | | | 1.3E+01 | | | | | 4.9E+03 | 7.0E+03 | 7.9E+03 |
| T-N | mg/L | 0.5 | 1.95 | 1.17 | 0.80 | 0.84 | | | | 1.39 | | | | | 3.48 | 4.56 | 5.96 |
| | | 5 | 1.04 | 0.99 | 0.79 | 0.68 | | | | 1.24 | | | | | | | |
| | | B-1 | 0.82 | 0.50 | 0.51 | 0.56 | | | | 0.71 | | | | | 2.70 | 3.56 | 2.45 |
| T-P | mg/L | 0.5 | 0.149 | 0.081 | 0.059 | 0.065 | | | | 0.076 | | | | | 0.177 | 0.195 | 0.232 |
| | | 5 | 0.073 | 0.069 | 0.058 | 0.060 | | | | 0.072 | | | | | | | |
| | | B-1 | 0.060 | 0.052 | 0.044 | 0.058 | | | | 0.049 | | | | | 0.123 | 0.187 | 0.121 |
| 濁度 | 度 | 0.5 | 4 | 5 | 5 | 5 | | | | | | | | | 6 | 6 | 8 |
| | | 5 | 4 | 6 | 5 | 4 | | | | | | | | | | | |
| | | B-1 | 4 | 3 | 4 | 10 | | | | | | | | | 9 | 6 | 7 |
| SS | mg/L | 0.5 | 3 | 2 | 3 | 6 | | | | 3 | | | | | 6 | 6 | 8 |
| | | 5 | 6 | 6 | 5 | 7 | | | | 5 | | | | | | | |
| | | B-1 | 3 | 2 | 1 | 13 | | | | 2 | | | | | 15 | 7 | 10 |
| 硝酸イオン | μg/L | 0.5 | 19.9 | 13.5 | 5.0 | 4.4 | | | | 16.6 | | | | | 4.0 | 3.2 | 2.0 |
| | | 5 | 7.8 | 10.8 | 5.0 | 3.3 | | | | 16.6 | | | | | | | |
| | | B-1 | 5.1 | 2.2 | 2.4 | 3.0 | | | | 5.8 | | | | | 4.7 | 6.3 | 4.4 |
| NH ₄ -N | mg/L | 0.5 | 0.470 | 0.170 | 0.050 | 0.090 | | | | 0.210 | | | | | 0.780 | 1.120 | 1.390 |
| | | 5 | 0.140 | 0.120 | 0.040 | 0.040 | | | | 0.130 | | | | | | | |
| | | B-1 | 0.070 | <0.01 | <0.01 | 0.010 | | | | 0.030 | | | | | 0.740 | 0.830 | 0.570 |
| NO ₂ -N | mg/L | 0.5 | 0.090 | 0.061 | 0.042 | 0.035 | | | | 0.058 | | | | | 0.079 | 0.090 | 0.098 |
| | | 5 | 0.051 | 0.049 | 0.043 | 0.031 | | | | 0.056 | | | | | | | |
| | | B-1 | 0.039 | 0.024 | 0.028 | 0.024 | | | | 0.033 | | | | | 0.063 | 0.087 | 0.062 |
| NO ₃ -N | mg/L | 0.5 | 0.430 | 0.280 | 0.220 | 0.230 | | | | 0.290 | | | | | 1.160 | 1.550 | 2.180 |
| | | 5 | 0.250 | 0.240 | 0.220 | 0.190 | | | | 0.290 | | | | | | | |
| | | B-1 | 0.210 | 0.170 | 0.150 | 0.160 | | | | 0.180 | | | | | 0.750 | 1.100 | 0.730 |
| PO ₄ -P | mg/L | 0.5 | 0.087 | 0.040 | 0.031 | 0.041 | | | | 0.032 | | | | | 0.142 | 0.163 | 0.200 |
| | | 5 | 0.038 | 0.035 | 0.031 | 0.037 | | | | 0.032 | | | | | | | |
| | | B-1 | 0.033 | 0.036 | 0.027 | 0.039 | | | | 0.024 | | | | | 0.087 | 0.147 | 0.085 |

報告書名：平成15年度東京国際空港周辺海域現況調査

調査名：水質調査

調査年月日：平成15年11月25日

調査機関：国土環境株式会社

分析機関：国土環境株式会社

採水方法：バンドーン型採水器、北原式採水器

備考：

| 項目 | 単位 | 水深(m) | St.2 | St.5 | St.8 | St.10 | St.12 | St.15 | St.18 | St.21 | St.24 | St. | St. | St. | St. | St. | St. | |
|--------------------|-----------|-------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------|
| pH | - | 0.5 | 7.8 | 7.9 | 7.9 | 7.8 | 7.9 | 7.9 | 7.9 | 7.9 | 8.1 | 7.9 | 8.1 | 7.8 | 7.7 | 7.5 | 7.5 | |
| | | 5 | 7.8 | 7.9 | 7.9 | 7.9 | 7.9 | 7.9 | 7.9 | 7.9 | 8.0 | 7.9 | 8.0 | | | | | |
| | | B-1 | 7.9 | 7.9 | 7.9 | 7.9 | 7.9 | 7.9 | 8.0 | 8.1 | 7.9 | 8.1 | 8.0 | 8.1 | 8.0 | 8.0 | 7.7 | 7.7 |
| DO | mg/L | 0.5 | 6.7 | 7.0 | 7.3 | 7.1 | 7.0 | 4.9 | 7.0 | 7.1 | 7.5 | 7.1 | 7.2 | 6.5 | 6.2 | 6.4 | 6.9 | |
| | | 5 | 6.2 | 7.2 | 7.2 | 7.1 | 6.9 | 2.5 | 7.0 | 7.2 | 6.0 | 7.0 | 7.2 | | | | | |
| | | B-1 | 5.9 | 5.7 | 6.9 | 6.6 | 6.4 | 1.8 | 5.3 | 5.8 | 5.1 | 5.3 | 5.5 | 6.5 | 6.2 | 5.9 | 6.4 | |
| COD | mg/L | 0.5 | 1.9 | 2.1 | 1.8 | 2.2 | 1.6 | 1.8 | 1.6 | 1.8 | 1.4 | 1.8 | 1.8 | 2.7 | 2.7 | 3.0 | 3.5 | |
| | | 5 | 1.8 | 2.1 | 1.6 | 1.5 | 1.8 | 1.6 | 1.2 | 1.7 | 1.5 | 1.7 | 1.9 | | | | | |
| | | B-1 | 1.9 | 1.8 | 1.4 | 1.4 | 1.6 | 1.8 | 0.7 | 1.1 | 1.3 | 1.3 | 0.9 | 2.7 | 2.5 | 3.1 | 2.9 | |
| n-1#抽出物質 | mg/L | 0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| | | 5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| | | B-1 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 大腸菌群数 | MPN/100ml | 0.5 | 1.7E+02 | 1.7E+02 | 1.3E+02 | 1.4E+02 | 3.3E+01 | 3.3E+01 | 4.9E+01 | 7.0E+01 | 1.1E+01 | 7.9E+01 | 7.9E+01 | 4.9E+02 | 1.7E+03 | 3.3E+03 | 1.1E+03 | |
| | | 5 | 2.4E+02 | 1.4E+02 | 1.3E+02 | 2.4E+02 | 1.7E+01 | 7.9E+01 | 7.9E+01 | 2.7E+01 | 3.9E+01 | 7.0E+01 | 7.9E+01 | 4.9E+01 | | | | |
| | | B-1 | 1.3E+02 | 1.4E+01 | 7.9E+01 | 2.7E+01 | 7.9E+01 | 7.0E+00 | 1.3E+01 | <2 | 7.0E+00 | 2.0E+00 | 2.0E+00 | 7.9E+01 | 3.3E+02 | 2.4E+03 | 4.9E+02 | |
| T-N | mg/L | 0.5 | 1.67 | 1.74 | 1.40 | 1.86 | 1.20 | 1.38 | 1.25 | 1.42 | 1.18 | 1.22 | 1.22 | 2.63 | 3.82 | 5.05 | 6.07 | |
| | | 5 | 1.54 | 1.50 | 1.39 | 1.15 | 1.21 | 1.29 | 1.21 | 1.28 | 1.17 | 1.26 | 1.08 | | | | | |
| | | B-1 | 1.25 | 1.25 | 0.99 | 1.01 | 0.97 | 0.43 | 0.41 | 0.69 | 0.76 | 0.84 | 0.42 | 2.26 | 1.89 | 4.27 | 4.94 | |
| T-P | mg/L | 0.5 | 0.111 | 0.110 | 0.086 | 0.116 | 0.079 | 0.091 | 0.082 | 0.090 | 0.076 | 0.081 | 0.080 | 0.172 | 0.201 | 0.229 | 0.280 | |
| | | 5 | 0.099 | 0.095 | 0.088 | 0.086 | 0.085 | 0.085 | 0.082 | 0.085 | 0.076 | 0.081 | 0.076 | | | | | |
| | | B-1 | 0.084 | 0.081 | 0.073 | 0.069 | 0.071 | 0.047 | 0.039 | 0.059 | 0.058 | 0.061 | 0.041 | 0.151 | 0.139 | 0.198 | 0.256 | |
| 濁度 | 度 | 0.5 | 2 | 3 | 3 | 3 | 3 | 2 | 3 | | | 2 | 2 | | | | | |
| | | 5 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | | | 2 | 2 | | | | | |
| | | B-1 | 3 | 2 | 4 | 2 | 3 | 5 | 4 | | | 3 | 3 | | | | | |
| SS | mg/L | 0.5 | 4 | 5 | 3 | 5 | 3 | 4 | 4 | 6 | 9 | 4 | 5 | 10 | 6 | 5 | 4 | |
| | | 5 | 2 | 2 | 2 | 2 | 2 | 2 | 1 | 3 | 3 | 4 | 1 | | | | | |
| | | B-1 | 3 | 2 | 4 | 2 | 4 | 5 | 4 | 3 | 4 | 3 | 4 | 8 | 22 | 6 | 6 | |
| 硝酸イオン | μg/L | 0.5 | 3.2 | 3.2 | 2.9 | 2.5 | 3.0 | 2.9 | 2.9 | 2.9 | 4.8 | 3.0 | 3.2 | 2.3 | 2.1 | 1.6 | 1.1 | |
| | | 5 | 2.9 | 3.2 | 2.7 | 3.0 | 3.1 | 2.9 | 3.0 | 3.1 | 4.7 | 3.2 | 3.3 | | | | | |
| | | B-1 | 2.0 | 2.6 | 2.3 | 2.4 | 2.3 | 1.4 | 1.4 | 2.0 | 2.5 | 1.8 | 1.1 | 2.3 | 1.7 | 1.6 | 1.2 | |
| NH ₄ -N | mg/L | 0.5 | 0.380 | 0.420 | 0.210 | 0.440 | 0.180 | 0.260 | 0.190 | 0.240 | 0.150 | 0.210 | 0.200 | 0.650 | 0.960 | 1.260 | 1.580 | |
| | | 5 | 0.300 | 0.290 | 0.210 | 0.120 | 0.190 | 0.220 | 0.160 | 0.170 | 0.140 | 0.240 | 0.150 | | | | | |
| | | B-1 | 0.190 | 0.180 | 0.100 | 0.070 | 0.080 | <0.01 | <0.01 | 0.020 | 0.070 | 0.110 | 0.010 | 0.530 | 0.370 | 1.020 | 1.260 | |
| NO ₂ -N | mg/L | 0.5 | 0.086 | 0.100 | 0.066 | 0.107 | 0.063 | 0.075 | 0.065 | 0.066 | 0.068 | 0.066 | 0.066 | 0.065 | 0.061 | 0.031 | 0.034 | |
| | | 5 | 0.076 | 0.082 | 0.069 | 0.060 | 0.062 | 0.070 | 0.064 | 0.063 | 0.067 | 0.068 | 0.068 | | | | | |
| | | B-1 | 0.060 | 0.067 | 0.053 | 0.048 | 0.051 | 0.016 | 0.019 | 0.030 | 0.038 | 0.042 | 0.020 | 0.058 | 0.038 | 0.029 | 0.031 | |
| NO ₃ -N | mg/L | 0.5 | 0.680 | 0.750 | 0.680 | 0.810 | 0.590 | 0.670 | 0.650 | 0.710 | 0.580 | 0.600 | 0.590 | 1.280 | 1.930 | 2.680 | 3.180 | |
| | | 5 | 0.690 | 0.670 | 0.690 | 0.580 | 0.570 | 0.640 | 0.610 | 0.650 | 0.590 | 0.600 | 0.540 | | | | | |
| | | B-1 | 0.610 | 0.630 | 0.530 | 0.490 | 0.530 | 0.230 | 0.200 | 0.390 | 0.390 | 0.390 | 0.220 | 1.110 | 0.920 | 2.320 | 2.810 | |
| PO ₄ -P | mg/L | 0.5 | 0.086 | 0.090 | 0.070 | 0.096 | 0.062 | 0.073 | 0.067 | 0.071 | 0.058 | 0.065 | 0.063 | 0.149 | 0.178 | 0.208 | 0.264 | |
| | | 5 | 0.082 | 0.077 | 0.070 | 0.068 | 0.062 | 0.068 | 0.063 | 0.065 | 0.055 | 0.065 | 0.061 | | | | | |
| | | B-1 | 0.068 | 0.064 | 0.056 | 0.053 | 0.054 | 0.032 | 0.030 | 0.044 | 0.044 | 0.047 | 0.033 | 0.128 | 0.116 | 0.183 | 0.237 | |

報告書名：平成15年度東京国際空港周辺海域現況調査

調査名：水質調査

調査年月日：平成15年12月22日

調査機関：国土環境株式会社

分析機関：国土環境株式会社

採水方法：バンドーン型採水器、北原式採水器

備考：

| 項目 | 単位 | 水深(m) | St.2 | St.5 | St.8 | St.10 | St.12 | St.15 | St.18 | St.21 | St.24 | St. | St. | St. | St. | St. | St. |
|--------------------|-----------|-------|---------|---------|---------|---------|---------|---------|---------|---------|-------|---------|---------|---------|---------|---------|---------|
| pH | - | 0.5 | 7.9 | 8.0 | 7.9 | 7.9 | 8.0 | 7.9 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 7.9 | 7.6 | 7.5 | 7.5 |
| | | 5 | 7.9 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | | | | |
| | | B-1 | 7.9 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 7.9 | 7.7 | 7.8 |
| DO | mg/L | 0.5 | 7.6 | 8.3 | 8.0 | 7.8 | 8.0 | 7.9 | 8.4 | 8.2 | 8.3 | 8.1 | 8.3 | 7.3 | 7.0 | 8.0 | 8.2 |
| | | 5 | 6.9 | 7.8 | 8.4 | 8.2 | 8.2 | 8.3 | 8.5 | 8.3 | 8.1 | 8.0 | 8.3 | | | | |
| | | B-1 | 6.6 | 6.5 | 7.5 | 7.5 | 8.0 | 7.0 | 6.6 | 7.1 | 7.7 | 5.9 | 8.3 | 7.4 | 7.0 | 7.1 | 6.7 |
| COD | mg/L | 0.5 | 2.6 | 2.0 | 2.5 | 2.0 | 1.5 | 2.2 | 1.4 | 1.9 | 1.6 | 2.0 | 1.5 | 2.1 | 2.7 | 3.5 | 3.8 |
| | | 5 | 2.0 | 1.5 | 1.5 | 1.5 | 1.4 | 1.6 | 1.5 | 1.7 | 1.6 | 1.5 | 1.5 | | | | |
| | | B-1 | 1.5 | 1.3 | 1.4 | 1.5 | 1.5 | 1.0 | 1.0 | 1.4 | 1.6 | 1.2 | 0.9 | 1.7 | 2.1 | 2.3 | 2.9 |
| n-1物質抽出物質 | mg/L | 0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| | | 5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| | | B-1 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 大腸菌群数 | MPN/100ml | 0.5 | 7.0E+01 | 3.3E+01 | 2.2E+01 | 1.3E+01 | 8.0E+00 | 1.7E+02 | <2 | 2.2E+01 | <2 | 5.0E+00 | 2.0E+00 | 7.9E+01 | 4.9E+02 | 1.1E+03 | 2.4E+03 |
| | | 5 | 1.3E+01 | 2.0E+00 | <2 | 5.0E+00 | 1.1E+01 | 5.0E+00 | 2.0E+00 | 1.7E+01 | <2 | <2 | 2.0E+00 | | | | |
| | | B-1 | 8.0E+00 | 7.0E+00 | 7.0E+00 | <2 | <2 | 5.0E+00 | <2 | 2.0E+00 | <2 | 2.0E+00 | <2 | 3.3E+01 | 4.9E+02 | 3.3E+02 | 2.4E+03 |
| T-N | mg/L | 0.5 | 1.88 | 1.48 | 1.92 | 1.55 | 1.11 | 1.91 | 0.79 | 1.25 | 0.73 | 1.22 | 0.81 | 1.98 | 4.49 | 5.68 | 6.03 |
| | | 5 | 1.18 | 0.93 | 0.76 | 0.85 | 0.92 | 0.94 | 0.79 | 0.93 | 0.82 | 0.83 | 0.80 | | | | |
| | | B-1 | 0.95 | 0.78 | 0.61 | 0.86 | 0.73 | 0.53 | 0.39 | 0.60 | 0.67 | 0.43 | 0.36 | 1.29 | 1.37 | 2.98 | 2.07 |
| T-P | mg/L | 0.5 | 0.260 | 0.068 | 0.109 | 0.089 | 0.069 | 0.114 | 0.051 | 0.071 | 0.045 | 0.076 | 0.054 | 0.115 | 0.143 | 0.260 | 0.278 |
| | | 5 | 0.069 | 0.055 | 0.054 | 0.051 | 0.065 | 0.059 | 0.052 | 0.056 | 0.050 | 0.055 | 0.052 | | | | |
| | | B-1 | 0.064 | 0.060 | 0.054 | 0.055 | 0.048 | 0.042 | 0.042 | 0.044 | 0.043 | 0.041 | 0.039 | 0.097 | 0.127 | 0.216 | 0.184 |
| 濁度 | 度 | 0.5 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | | | 4 | 3 | | | | |
| | | 5 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | | 3 | 3 | | | | |
| | | B-1 | 3 | 6 | 5 | 2 | 2 | 2 | 4 | | | 4 | 3 | | | | |
| SS | mg/L | 0.5 | 2 | 2 | 2 | 3 | 2 | 3 | 1 | 2 | 2 | 4 | 3 | 5 | 2 | 4 | 3 |
| | | 5 | 1 | 2 | 4 | 1 | 3 | 5 | 4 | 5 | 5 | 2 | 2 | | | | |
| | | B-1 | 2 | 6 | 5 | 2 | 2 | 2 | 3 | 3 | 3 | 5 | 3 | 7 | 10 | 6 | 26 |
| 硝酸イオン | μg/L | 0.5 | 2.1 | 2.5 | 1.5 | 1.8 | 3.3 | 1.7 | 5.2 | 3.1 | 4.1 | 3.8 | 6.0 | 1.3 | 0.4 | 0.4 | 0.5 |
| | | 5 | 2.5 | 3.4 | 3.8 | 5.3 | 4.5 | 5.2 | 4.9 | 4.9 | 7.1 | 5.1 | 5.9 | | | | |
| | | B-1 | 1.2 | 1.6 | 2.4 | 3.6 | 4.0 | 2.6 | 1.7 | 3.2 | 3.3 | 1.7 | 1.0 | 2.9 | 1.9 | 0.7 | 2.1 |
| NH ₄ -N | mg/L | 0.5 | 0.630 | 0.380 | 0.600 | 0.440 | 0.210 | 0.440 | 0.030 | 0.210 | 0.020 | 0.180 | 0.030 | 0.450 | 1.290 | 1.480 | 1.650 |
| | | 5 | 0.270 | 0.090 | 0.090 | 0.050 | 0.090 | 0.090 | 0.030 | 0.070 | 0.030 | 0.060 | 0.030 | | | | |
| | | B-1 | 0.200 | 0.130 | 0.060 | 0.070 | 0.040 | 0.020 | 0.020 | 0.030 | 0.040 | 0.020 | 0.020 | 0.200 | 0.280 | 0.730 | 0.330 |
| NO ₂ -N | mg/L | 0.5 | 0.128 | 0.096 | 0.124 | 0.109 | 0.081 | 0.084 | 0.058 | 0.068 | 0.048 | 0.065 | 0.058 | 0.080 | 0.114 | 0.124 | 0.131 |
| | | 5 | 0.090 | 0.068 | 0.060 | 0.063 | 0.067 | 0.065 | 0.058 | 0.060 | 0.046 | 0.054 | 0.058 | | | | |
| | | B-1 | 0.081 | 0.062 | 0.049 | 0.061 | 0.048 | 0.042 | 0.032 | 0.048 | 0.040 | 0.035 | 0.026 | 0.065 | 0.064 | 0.085 | 0.071 |
| NO ₃ -N | mg/L | 0.5 | 0.820 | 0.770 | 0.920 | 0.750 | 0.580 | 1.120 | 0.520 | 0.740 | 0.460 | 0.730 | 0.510 | 1.210 | 2.590 | 3.510 | 3.770 |
| | | 5 | 0.590 | 0.530 | 0.440 | 0.500 | 0.550 | 0.580 | 0.510 | 0.560 | 0.460 | 0.530 | 0.520 | | | | |
| | | B-1 | 0.490 | 0.410 | 0.340 | 0.480 | 0.420 | 0.330 | 0.230 | 0.370 | 0.370 | 0.250 | 0.200 | 0.790 | 0.820 | 1.790 | 1.110 |
| PO ₄ -P | mg/L | 0.5 | 0.238 | 0.054 | 0.090 | 0.073 | 0.054 | 0.097 | 0.035 | 0.057 | 0.037 | 0.058 | 0.034 | 0.097 | 0.124 | 0.240 | 0.255 |
| | | 5 | 0.056 | 0.041 | 0.041 | 0.035 | 0.048 | 0.043 | 0.035 | 0.040 | 0.029 | 0.038 | 0.035 | | | | |
| | | B-1 | 0.053 | 0.047 | 0.041 | 0.039 | 0.032 | 0.031 | 0.029 | 0.033 | 0.030 | 0.030 | 0.028 | 0.080 | 0.108 | 0.198 | 0.154 |

報告書名：平成15年度東京国際空港周辺海域現況調査(その2)

調査名：水質調査

調査年月日：平成16年1月27日

調査機関：国際航業株式会社

分析機関：国際航業株式会社

採水方法：バンドーン型採水器、北原式採水器

備考：

| 項目 | 単位 | 水深(m) | St.2 | St.5 | St.8 | St.10 | St.12 | St.15 | St.18 | St.21 | St.24 | St. | St. | St. | St. | St. | St. | | |
|--------------------|------------|-------|---------|-------|---------|---------|---------|---------|-------|-------|-------|---------|---------|---------|---------|---------|---------|---------|---------|
| pH | - | 0.5 | 7.9 | 8.0 | 8.1 | 8.1 | 8.2 | 8.1 | 8.1 | 8.2 | 8.2 | 8.1 | 8.3 | 8.2 | 8.2 | 8.3 | 8.1 | | |
| | | 5 | 8.1 | 8.1 | 8.1 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 | 8.3 | 8.3 | | | | | |
| | | B-1 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 | 8.2 | 8.3 | 8.2 | 8.1 | 8.2 | 8.2 | 8.2 | |
| DO | mg/L | 0.5 | 9.3 | 10.0 | 10.6 | 10.2 | 10.4 | 10.5 | 10.3 | 10.8 | 10.5 | 10.5 | 10.2 | 9.9 | 8.9 | 7.9 | 8.3 | | |
| | | 5 | 9.4 | 9.4 | 9.8 | 10.2 | 10.8 | 10.1 | 10.4 | 9.7 | 9.9 | 9.9 | 10.0 | | | | | | |
| | | B-1 | 9.4 | 9.4 | 8.0 | 8.8 | 8.6 | 9.4 | 9.2 | 9.0 | 8.6 | 8.5 | 7.8 | 8.1 | 10.2 | 9.3 | 8.1 | 8.0 | |
| COD | mg/L | 0.5 | 4.8 | 4.3 | 4.4 | 3.7 | 3.8 | 3.4 | 4.6 | 3.6 | 4.1 | 4.9 | 3.4 | 4.7 | 5.3 | 4.2 | 4.8 | | |
| | | 5 | 4.0 | 4.0 | 3.3 | 3.4 | 3.7 | 2.6 | 4.4 | 3.4 | 3.3 | 4.3 | 3.3 | | | | | | |
| | | B-1 | 3.2 | 3.5 | 3.0 | 3.0 | 2.6 | 2.2 | 3.8 | 2.0 | 1.9 | 3.1 | 2.6 | 4.3 | 5.0 | 3.3 | 4.3 | | |
| n-ヘキサン抽出物質 | mg/L | 0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | | |
| | | 5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | | |
| | | B-1 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | | |
| 大腸菌群数 | MPN/1000ml | 0.5 | 5.0E+00 | <2 | 1.3E+01 | <2 | <2 | 5.0E+00 | <2 | <2 | <2 | 8.0E+00 | <2 | 1.3E+01 | 1.3E+02 | 1.3E+01 | 7.9E+01 | | |
| | | 5 | 5.0E+00 | <2 | <2 | 5.0E+00 | 5.0E+00 | <2 | <2 | <2 | <2 | <2 | 5.0E+00 | <2 | 8.0E+00 | 8.0E+00 | 2.2E+01 | 5.0E+00 | 4.9E+01 |
| | | B-1 | <2 | <2 | <2 | 5.0E+00 | <2 | <2 | <2 | <2 | <2 | <2 | 8.0E+00 | 8.0E+00 | 8.0E+00 | 2.2E+01 | 5.0E+00 | 4.9E+01 | |
| T-N | mg/L | 0.5 | 6.08 | 4.06 | 2.11 | 2.21 | 1.62 | 1.94 | 2.01 | 1.82 | 1.01 | 1.61 | 1.35 | 1.54 | 5.49 | 4.34 | 6.21 | | |
| | | 5 | 1.55 | 1.62 | 1.39 | 0.94 | 1.26 | 1.13 | 1.14 | 1.41 | 1.02 | 1.55 | 0.95 | | | | | | |
| | | B-1 | 1.19 | 0.91 | 0.90 | 0.86 | 0.57 | 0.50 | 0.51 | 0.62 | 0.57 | 0.56 | 0.51 | 1.22 | 1.59 | 3.24 | 3.65 | | |
| T-P | mg/L | 0.5 | 0.340 | 0.220 | 0.160 | 0.140 | 0.100 | 0.120 | 0.130 | 0.110 | 0.058 | 0.100 | 0.093 | 0.098 | 0.310 | 0.240 | 0.350 | | |
| | | 5 | 0.099 | 0.110 | 0.085 | 0.058 | 0.093 | 0.072 | 0.071 | 0.085 | 0.059 | 0.110 | 0.057 | | | | | | |
| | | B-1 | 0.078 | 0.065 | 0.057 | 0.053 | 0.043 | 0.043 | 0.046 | 0.044 | 0.040 | 0.049 | 0.041 | 0.076 | 0.110 | 0.160 | 0.210 | | |
| 濁度 | 度 | 0.5 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | | | 4 | 4 | | | | | | |
| | | 5 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | | | 5 | 4 | | | | | | |
| | | B-1 | 3 | 4 | 4 | 3 | 3 | 3 | 2 | | | 4 | 3 | | | | | | |
| SS | mg/L | 0.5 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 8 | 3 | 6 | 5 | | |
| | | 5 | 8 | 7 | 7 | 7 | 7 | 8 | 7 | 7 | 5 | 6 | 7 | | | | | | |
| | | B-1 | 8 | 10 | 9 | 9 | 8 | 7 | 8 | 8 | 7 | 10 | 8 | 8 | 10 | 8 | 9 | | |
| 硝酸イオン | μg/L | 0.5 | 16.0 | 17.0 | 17.0 | 15.0 | 10.0 | 17.0 | 20.0 | 11.0 | 10.0 | 10.0 | 8.5 | 4.8 | 3.2 | 1.3 | 1.6 | | |
| | | 5 | 18.0 | 18.0 | 13.0 | 9.8 | 10.0 | 13.0 | 13.0 | 4.4 | 8.7 | 12.0 | 10.0 | | | | | | |
| | | B-1 | 12.0 | 10.0 | 8.7 | 9.0 | 7.0 | 10.0 | 6.6 | 8.7 | 7.0 | 2.7 | 2.2 | 7.0 | 4.7 | 4.5 | 5.4 | | |
| NH ₄ -N | mg/L | 0.5 | 3.400 | 2.000 | 1.000 | 1.000 | 0.710 | 0.910 | 1.000 | 0.710 | 0.250 | 0.660 | 0.350 | 0.470 | 2.000 | 1.400 | 2.200 | | |
| | | 5 | 0.690 | 0.740 | 0.510 | 0.260 | 0.410 | 0.350 | 0.360 | 0.530 | 0.300 | 0.600 | 0.210 | | | | | | |
| | | B-1 | 0.470 | 0.300 | 0.280 | 0.270 | 0.140 | 0.130 | 0.130 | 0.150 | 0.130 | 0.200 | 0.110 | 0.300 | 0.500 | 1.100 | 1.400 | | |
| NO ₂ -N | mg/L | 0.5 | 0.280 | 0.170 | 0.080 | 0.100 | 0.080 | 0.090 | 0.100 | 0.070 | 0.050 | 0.080 | 0.060 | 0.070 | 0.150 | 0.120 | 0.160 | | |
| | | 5 | 0.080 | 0.090 | 0.070 | 0.050 | 0.060 | 0.060 | 0.050 | 0.070 | 0.050 | 0.080 | 0.050 | | | | | | |
| | | B-1 | 0.070 | 0.050 | 0.050 | 0.050 | 0.030 | 0.030 | 0.030 | 0.030 | 0.030 | 0.030 | 0.030 | 0.020 | 0.060 | 0.070 | 0.100 | 0.100 | |
| NO ₃ -N | mg/L | 0.5 | 1.460 | 1.290 | 1.000 | 1.070 | 0.800 | 0.940 | 0.950 | 0.940 | 0.590 | 0.780 | 0.770 | 0.940 | 3.140 | 2.330 | 3.650 | | |
| | | 5 | 0.730 | 0.790 | 0.710 | 0.550 | 0.670 | 0.630 | 0.610 | 0.740 | 0.540 | 0.730 | 0.530 | | | | | | |
| | | B-1 | 0.610 | 0.490 | 0.470 | 0.480 | 0.320 | 0.280 | 0.280 | 0.360 | 0.310 | 0.300 | 0.280 | 0.700 | 0.970 | 1.360 | 1.750 | | |
| PO ₄ -P | mg/L | 0.5 | 0.290 | 0.170 | 0.074 | 0.088 | 0.061 | 0.079 | 0.084 | 0.045 | 0.021 | 0.048 | 0.029 | 0.047 | 0.260 | 0.190 | 0.290 | | |
| | | 5 | 0.068 | 0.074 | 0.049 | 0.026 | 0.035 | 0.031 | 0.029 | 0.041 | 0.018 | 0.046 | 0.014 | | | | | | |
| | | B-1 | 0.052 | 0.041 | 0.037 | 0.033 | 0.029 | 0.030 | 0.028 | 0.028 | 0.024 | 0.024 | 0.024 | 0.024 | 0.026 | 0.060 | 0.110 | 0.140 | |

報告書名：平成15年度東京国際空港周辺海域現況調査(その2)

調査名：水質調査

調査年月日：平成16年2月9日

調査機関：国際航業株式会社

分析機関：国際航業株式会社

採水方法：バンドーン型採水器、北原式採水器

備考：

| 項目 | 単位 | 水深(m) | St.2 | St.5 | St.8 | St.10 | St.12 | St.15 | St.18 | St.21 | St.24 | St. | St. | St. | St. | St. | St. | |
|--------------------|------------|-------|---------|-------|---------|-------|-------|---------|---------|---------|---------|-------|-------|-------|---------|---------|---------|-------|
| pH | - | 0.5 | 8.2 | 8.2 | 8.3 | 8.3 | 8.0 | 8.3 | 8.3 | 8.3 | 8.3 | 8.3 | 8.3 | 8.3 | 8.1 | 8.1 | 8.0 | |
| | | 5 | 8.3 | 8.2 | 8.3 | 8.2 | 8.3 | 8.3 | 8.3 | 8.3 | 8.3 | 8.3 | 8.3 | 8.3 | | | | |
| | | B-1 | 8.2 | 8.2 | 8.2 | 8.3 | 8.3 | 8.2 | 8.2 | 8.3 | 8.2 | 8.2 | 8.2 | 8.1 | 8.3 | 8.2 | 8.1 | 8.1 |
| DO | mg/L | 0.5 | 9.9 | 9.7 | 11.2 | 12.0 | 11.3 | 11.1 | 11.5 | 11.1 | 10.3 | 11.1 | 11.8 | 9.7 | 9.1 | 10.4 | 8.4 | |
| | | 5 | 10.2 | 11.3 | 10.2 | 10.1 | 10.3 | 11.1 | 11.6 | 10.6 | 11.0 | 10.8 | 11.7 | | | | | |
| | | B-1 | 9.2 | 8.7 | 9.4 | 10.2 | 9.7 | 9.7 | 9.7 | 10.9 | 10.8 | 11.9 | 9.5 | 11.1 | 11.2 | 8.8 | 8.8 | |
| COD | mg/L | 0.5 | 4.1 | 2.8 | 3.8 | 2.0 | 2.6 | 2.4 | 1.9 | 3.6 | 2.4 | 3.3 | 2.8 | 1.3 | 3.6 | 4.2 | 4.4 | |
| | | 5 | 3.6 | 2.6 | 2.0 | 1.4 | 1.2 | 1.8 | 1.0 | 2.3 | 1.8 | 4.4 | 2.2 | | | | | |
| | | B-1 | 3.5 | 2.1 | 1.4 | 1.3 | 1.0 | 0.9 | 1.0 | 2.1 | 1.2 | 1.7 | 1.1 | 1.8 | 3.0 | 3.2 | 3.7 | |
| n-ヘキサン抽出物質 | mg/L | 0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| | | 5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| | | B-1 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 大腸菌群数 | MPN/1000ml | 0.5 | 1.3E+01 | <2 | 5.0E+00 | <2 | <2 | 8.0E+00 | 8.0E+00 | 8.0E+00 | 5.0E+00 | <2 | <2 | <2 | 1.3E+01 | 1.3E+02 | 7.9E+01 | |
| | | 5 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 |
| | | B-1 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | 5.0E+00 | 2.7E+01 | 4.9E+01 | |
| T-N | mg/L | 0.5 | 4.01 | 3.94 | 3.73 | 3.76 | 2.15 | 2.34 | 2.34 | 2.45 | 1.59 | 2.09 | 1.91 | 0.86 | 2.45 | 3.93 | 3.80 | |
| | | 5 | 2.29 | 2.33 | 2.44 | 1.86 | 1.87 | 2.00 | 1.79 | 1.87 | 1.66 | 1.92 | 1.88 | | | | | |
| | | B-1 | 2.12 | 1.86 | 1.95 | 1.77 | 1.63 | 1.68 | 1.57 | 1.65 | 1.64 | 1.57 | 0.68 | 0.80 | 1.10 | 2.13 | 2.13 | |
| T-P | mg/L | 0.5 | 0.092 | 0.110 | 0.094 | 0.150 | 0.097 | 0.110 | 0.110 | 0.100 | 0.043 | 0.110 | 0.071 | 0.050 | 0.190 | 0.210 | 0.220 | |
| | | 5 | 0.075 | 0.082 | 0.097 | 0.070 | 0.059 | 0.060 | 0.050 | 0.064 | 0.042 | 0.077 | 0.048 | | | | | |
| | | B-1 | 0.072 | 0.053 | 0.052 | 0.045 | 0.041 | 0.043 | 0.050 | 0.042 | 0.046 | 0.060 | 0.057 | 0.043 | 0.085 | 0.130 | 0.140 | |
| 濁度 | 度 | 0.5 | 4 | 3 | 4 | 4 | 4 | 3 | 4 | | | | 3 | 3 | | | | |
| | | 5 | 4 | 3 | 3 | 3 | 2 | 3 | 2 | | | | 4 | 3 | | | | |
| | | B-1 | 8 | 3 | 3 | 3 | 2 | 2 | 3 | | | | 5 | 4 | | | | |
| SS | mg/L | 0.5 | 6 | 7 | 7 | 5 | 6 | 5 | 6 | 7 | 3 | 5 | 4 | 5 | 5 | 4 | 7 | |
| | | 5 | 6 | 7 | 4 | 8 | 4 | 6 | 7 | 5 | 3 | 6 | 4 | | | | | |
| | | B-1 | 21 | 5 | 5 | 6 | 5 | 4 | 5 | 6 | 6 | 10 | 6 | 4 | 16 | 7 | 42 | |
| 硝酸イオン | μg/L | 0.5 | 17.0 | 15.0 | 16.0 | 18.0 | 11.0 | 17.0 | 16.0 | 9.5 | 9.8 | 11.0 | 12.0 | 4.7 | 3.3 | 4.5 | 2.0 | |
| | | 5 | 15.0 | 20.0 | 14.0 | 9.7 | 9.5 | 14.0 | 15.0 | 4.8 | 10.0 | 13.0 | 9.4 | | | | | |
| | | B-1 | 12.0 | 10.0 | 9.3 | 10.0 | 7.2 | 9.8 | 7.1 | 11.0 | 8.9 | 4.4 | 3.0 | 5.6 | 3.5 | 3.8 | 6.3 | |
| NH ₄ -N | mg/L | 0.5 | 0.790 | 0.730 | 0.720 | 0.840 | 0.550 | 0.520 | 0.550 | 0.790 | 0.190 | 0.450 | 0.320 | 0.210 | 1.000 | 1.700 | 1.500 | |
| | | 5 | 0.440 | 0.500 | 0.570 | 0.290 | 0.290 | 0.300 | 0.240 | 0.340 | 0.180 | 0.340 | 0.210 | | | | | |
| | | B-1 | 0.270 | 0.250 | 0.230 | 0.170 | 0.190 | 0.160 | 0.180 | 0.170 | 0.150 | 0.140 | 0.180 | 0.170 | 0.320 | 0.770 | 0.670 | |
| NO ₂ -N | mg/L | 0.5 | 0.090 | 0.100 | 0.070 | 0.120 | 0.090 | 0.090 | 0.080 | 0.070 | 0.040 | 0.080 | 0.060 | 0.040 | 0.140 | 0.120 | 0.120 | |
| | | 5 | 0.070 | 0.070 | 0.080 | 0.050 | 0.050 | 0.050 | 0.050 | 0.050 | 0.040 | 0.070 | 0.050 | | | | | |
| | | B-1 | 0.040 | 0.040 | 0.040 | 0.040 | 0.030 | 0.040 | 0.030 | 0.040 | 0.040 | 0.030 | 0.030 | 0.020 | 0.040 | 0.060 | 0.080 | 0.080 |
| NO ₃ -N | mg/L | 0.5 | 0.730 | 0.730 | 0.840 | 0.830 | 0.630 | 0.670 | 0.720 | 0.860 | 0.470 | 0.590 | 0.560 | 0.470 | 1.280 | 2.140 | 2.130 | |
| | | 5 | 0.590 | 0.620 | 0.640 | 0.480 | 0.500 | 0.510 | 0.490 | 0.530 | 0.460 | 0.570 | 0.480 | | | | | |
| | | B-1 | 0.460 | 0.440 | 0.440 | 0.420 | 0.410 | 0.400 | 0.330 | 0.420 | 0.360 | 0.280 | 0.250 | 0.470 | 0.630 | 1.070 | 0.970 | |
| PO ₄ -P | mg/L | 0.5 | 0.051 | 0.068 | 0.047 | 0.100 | 0.058 | 0.047 | 0.048 | 0.047 | 0.013 | 0.044 | 0.022 | 0.024 | 0.150 | 0.170 | 0.180 | |
| | | 5 | 0.030 | 0.041 | 0.061 | 0.036 | 0.027 | 0.023 | 0.015 | 0.034 | 0.014 | 0.029 | 0.014 | | | | | |
| | | B-1 | 0.028 | 0.029 | 0.028 | 0.019 | 0.021 | 0.016 | 0.027 | 0.012 | 0.023 | 0.027 | 0.040 | 0.020 | 0.043 | 0.093 | 0.092 | |

報告書名：平成15年度東京国際空港周辺海域現況調査(その2)

調査名：水質調査

調査年月日：平成16年3月2日

調査機関：国際航業株式会社

分析機関：国際航業株式会社

採水方法：バンドーン型採水器、北原式採水器

備考：

| 項目 | 単位 | 水深(m) | St.2 | St.5 | St.8 | St.10 | St.12 | St.15 | St.18 | St.21 | St.24 | St. | St. | St. | St. | St. | St. | |
|--------------------|------------|-------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
| pH | - | 0.5 | 8.1 | 8.2 | 8.1 | 8.2 | 8.2 | 8.2 | 8.2 | 8.1 | 8.2 | 8.2 | 8.2 | 8.0 | 8.0 | 7.7 | 7.6 | |
| | | 5 | 8.2 | 8.2 | 8.2 | 8.2 | 8.3 | 8.3 | 8.3 | 8.3 | 8.3 | 8.2 | 8.3 | 8.3 | | | | |
| | | B-1 | 8.3 | 8.3 | 8.3 | 8.3 | 8.2 | 8.2 | 8.2 | 8.2 | 8.3 | 8.2 | 8.3 | 8.1 | 8.2 | 8.0 | 7.7 | 7.8 |
| DO | mg/L | 0.5 | 9.5 | 9.4 | 9.2 | 9.6 | 9.7 | 9.5 | 9.8 | 9.2 | 9.6 | 9.9 | 9.6 | 9.2 | 8.6 | 9.1 | 8.9 | |
| | | 5 | 9.5 | 10.5 | 9.5 | 9.6 | 9.5 | 9.7 | 9.4 | 9.4 | 9.2 | 9.6 | 10.1 | | | | | |
| | | B-1 | 9.2 | 8.8 | 8.7 | 8.7 | 8.6 | 9.3 | 9.6 | 9.0 | 8.7 | 9.1 | 8.4 | 8.6 | 8.1 | 6.8 | 6.9 | |
| COD | mg/L | 0.5 | 4.0 | 4.0 | 4.5 | 3.8 | 3.5 | 2.5 | 3.7 | 4.1 | 2.9 | 3.0 | 3.0 | 3.9 | 5.6 | 8.1 | 8.3 | |
| | | 5 | 3.7 | 3.4 | 3.9 | 2.9 | 1.8 | 2.4 | 2.7 | 3.1 | 2.5 | 2.3 | 2.7 | | | | | |
| | | B-1 | 3.1 | 2.9 | 2.9 | 2.5 | 1.5 | 2.0 | 1.5 | 3.0 | 1.5 | 1.3 | 1.0 | 3.7 | 5.3 | 6.9 | 5.9 | |
| n-ヘキサン抽出物質 | mg/L | 0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| | | 5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| | | B-1 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| 大腸菌群数 | MPN/1000ml | 0.5 | 2.2E+01 | 1.3E+01 | 1.3E+02 | 7.9E+01 | 1.3E+01 | 7.9E+01 | 2.2E+01 | 4.9E+01 | 8.0E+00 | 8.0E+00 | 2.2E+01 | 4.9E+02 | 7.9E+02 | 2.2E+03 | 1.3E+03 | |
| | | 5 | 1.4E+01 | 5.0E+00 | 4.9E+01 | 2.2E+01 | 8.0E+00 | 5.0E+00 | 5.0E+00 | <2 | 2.2E+01 | <2 | 2.2E+01 | | | | | |
| | | B-1 | 5.0E+00 | 5.0E+00 | 5.0E+00 | 5.0E+00 | <2 | <2 | <2 | 5.0E+00 | <2 | <2 | <2 | 4.9E+02 | 7.9E+01 | 1.4E+02 | 7.9E+01 | |
| T-N | mg/L | 0.5 | 2.41 | 2.53 | 3.17 | 2.48 | 2.43 | 2.03 | 2.34 | 3.14 | 1.73 | 1.95 | 2.33 | 3.90 | 6.60 | 8.46 | 8.14 | |
| | | 5 | 1.81 | 2.06 | 1.97 | 1.66 | 1.27 | 1.61 | 1.32 | 1.38 | 1.28 | 1.38 | 1.42 | | | | | |
| | | B-1 | 1.32 | 1.02 | 1.11 | 1.02 | 0.92 | 0.84 | 0.81 | 1.00 | 0.79 | 0.77 | 0.60 | 2.38 | 3.27 | 7.40 | 5.19 | |
| T-P | mg/L | 0.5 | 0.098 | 0.120 | 0.130 | 0.110 | 0.096 | 0.084 | 0.093 | 0.130 | 0.067 | 0.078 | 0.088 | 0.220 | 0.250 | 0.430 | 0.460 | |
| | | 5 | 0.079 | 0.090 | 0.088 | 0.070 | 0.057 | 0.065 | 0.052 | 0.062 | 0.055 | 0.065 | 0.061 | | | | | |
| | | B-1 | 0.059 | 0.046 | 0.043 | 0.044 | 0.044 | 0.045 | 0.040 | 0.046 | 0.035 | 0.030 | 0.035 | 0.110 | 0.210 | 0.410 | 0.330 | |
| 濁度 | 度 | 0.5 | 2 | 3 | 2 | 2 | 4 | 2 | 2 | | | | 2 | 2 | | | | |
| | | 5 | 1 | 2 | 2 | 2 | 2 | 1 | 1 | | | | 1 | 1 | | | | |
| | | B-1 | 2 | 1 | 1 | 1 | 2 | 3 | 2 | | | | 1 | 2 | | | | |
| SS | mg/L | 0.5 | 4 | 6 | 2 | 4 | 4 | 3 | 3 | 2 | 4 | 3 | 2 | 6 | 12 | 6 | 6 | |
| | | 5 | 5 | 6 | 3 | 3 | 4 | 2 | 4 | 4 | 3 | 2 | 2 | | | | | |
| | | B-1 | 4 | 3 | 6 | 1 | 5 | 4 | 3 | 4 | 1 | 3 | 2 | 7 | 2 | 2 | 13 | |
| カドミウム | μg/L | 0.5 | 6.1 | 6.4 | 4.9 | 5.3 | 4.3 | 6.0 | 5.4 | 4.2 | 6.2 | 8.3 | 6.3 | 1.9 | 1.8 | 1.0 | 1.0 | |
| | | 5 | 8.1 | 6.8 | 6.1 | 7.2 | 6.1 | 7.8 | 5.8 | 7.4 | 5.8 | 5.9 | 7.1 | | | | | |
| | | B-1 | 7.3 | 7.7 | 4.5 | 4.2 | 3.3 | 3.6 | 4.3 | 6.7 | 2.6 | 5.0 | 1.9 | 3.6 | 1.8 | 0.7 | 1.3 | |
| NH ₄ -N | mg/L | 0.5 | 1.200 | 1.300 | 1.600 | 1.200 | 0.890 | 0.850 | 0.890 | 1.700 | 0.540 | 0.740 | 0.940 | 1.500 | 1.700 | 3.800 | 3.700 | |
| | | 5 | 0.690 | 0.860 | 0.810 | 0.560 | 0.370 | 0.450 | 0.310 | 0.430 | 0.350 | 0.450 | 0.460 | | | | | |
| | | B-1 | 0.380 | 0.250 | 0.220 | 0.230 | 0.170 | 0.150 | 0.130 | 0.240 | 0.140 | 0.110 | 0.100 | 0.910 | 1.200 | 3.400 | 2.600 | |
| NO ₂ -N | mg/L | 0.5 | 0.090 | 0.090 | 0.090 | 0.070 | 0.070 | 0.060 | 0.060 | 0.080 | 0.050 | 0.060 | 0.070 | 0.100 | 0.110 | 0.170 | 0.170 | |
| | | 5 | 0.060 | 0.070 | 0.060 | 0.050 | 0.050 | 0.050 | 0.040 | 0.050 | 0.040 | 0.050 | 0.050 | | | | | |
| | | B-1 | 0.050 | 0.040 | 0.040 | 0.040 | 0.030 | 0.030 | 0.020 | 0.040 | 0.030 | 0.030 | 0.020 | 0.070 | 0.090 | 0.160 | 0.140 | |
| NO ₃ -N | mg/L | 0.5 | 0.970 | 1.010 | 1.320 | 1.060 | 0.990 | 0.890 | 0.960 | 1.290 | 0.740 | 0.870 | 0.960 | 2.100 | 2.240 | 3.920 | 4.010 | |
| | | 5 | 0.730 | 0.820 | 0.850 | 0.730 | 0.620 | 0.690 | 0.590 | 0.640 | 0.570 | 0.670 | 0.670 | | | | | |
| | | B-1 | 0.590 | 0.520 | 0.470 | 0.490 | 0.410 | 0.410 | 0.370 | 0.490 | 0.420 | 0.410 | 0.290 | 1.070 | 1.650 | 3.590 | 2.830 | |
| PO ₄ -P | mg/L | 0.5 | 0.067 | 0.085 | 0.096 | 0.071 | 0.063 | 0.051 | 0.055 | 0.096 | 0.037 | 0.044 | 0.055 | 0.170 | 0.200 | 0.380 | 0.390 | |
| | | 5 | 0.041 | 0.059 | 0.055 | 0.039 | 0.028 | 0.034 | 0.026 | 0.029 | 0.030 | 0.032 | 0.031 | | | | | |
| | | B-1 | 0.027 | 0.022 | 0.023 | 0.023 | 0.023 | 0.020 | 0.020 | 0.020 | 0.014 | 0.010 | 0.020 | 0.072 | 0.130 | 0.350 | 0.300 | |